

rupendous Battle Pictures of the Next War"


\$240 in Prizes for Your Practical Ideas

CEMBER

300 Pictures of New Inventions

25 CENTS

Yes, Sir!



Have You Learned to Typewrite Yet?

Universal typing is kere. People are abandoning the slow, tiring task of long-hand writing. How long are you going to cling to it, in this world of advancement? Everybody dislikes to receive long-hand letters. And everyone shirks at correspondence when it has to be done the old-fashioned, tiring way. So join the progressive throng—get a typewriter NOW.

Free Trial

We ship the Oliver for five days' free trial. Let it sell itself. Or send it back.



14 Months To Pay

Pay for this Oliver while you use it. Only \$4 per month and you soon own it.

\$49.50 or \$100? Which would you rather pay for a standard typewriter?

For 25 years all standard typewriters have been priced at \$100 or over and still are—except the Oliver.

It is the only standard typewriter selling at balf. It is the only standard, \$100 typewriter being marketed direct from the factory.

Were it not for this simplified selling plan, the price of the Oliver would also be \$100 or over. For it is the same fine machine, the finest model we have ever built. Over 900,000 have been sold.

We simply sell the identical \$100 Oliver direct from the factory, and subtract all the extravagances of complicated selling. We have found that it is needless to maintain a high army of salesmen and agents. We have found it unnecessary to sustain a costly chain of branch offices in over 50 cities.

The \$50.50 you save is the sum that it would cost us to sell the Oliver the roundabout way. Plus a saving made because of the volume of business created by our plan.

Send No Money

We let the Oliver sell itself. We ship it to you for free trial. Then you can compare it with other standard typewriters at \$100 or over. You become your own salesman. You are the sole judge. No anxious solicitor will urge you. In the privacy of your own office or home you can decide for or against the Oliver.

If you want to own it, send us \$49.50 cash. Or if you wish to pay for it in installments, send us \$3 after the trial period, then \$4 per month until \$55 is paid.

You can readily appreciate that it takes a super-typewriter to sell itself.

No test could be severer. Remember, there need be no fluent salesman to urge you.

If you decide against the Oliver, ship it back at our expense. We even refund the outgoing transportation charges, so that you do not risk one cent in the test.

Now we ask you, would you rather pay \$50.50 additional and not get a finer typewriter? Would you care to support a \$100 price for the Oliver, and get nothing tangible in return?

Or don't you agree that our new

way of selling is logical? Doesn't it appeal to your common sense?

\$AVE 5050

How to Save

The coupon below brings you EITHER a Free Trial Oliver or Further Information. Check which you desire.

This is all you have to do to save the \$50.50. Without such a plan, you'd have to pay \$100 or over.

But this way you not only save you get the finest typowriter that can be built by a leading maker. It comes fresh from the factory, our latest and best model, a 25-year development,

Check the coupon now and mail it in.

The OLIVER Typewriter Greats' E100 Oliver Typewriter Bidg., Chicago, Ill.

THE OLIVER TYPEWRITER COMPANY, 1109 Giver Typewriter Bidg., Calcago, Ill. Ship me a new Oliver No. I Typewriter for five days' free inspection, if I keep it I will pay 165 as follows: It at the end of trial period and then at the case of it per unouth. The title to remain in you until fully paid for. If I make cash delitement at end of trial period I am to deduct its per cent and remit to you bill it. If I decide not to keep it I will ship it hark at jour aspeates at the end of five days. My shipping point is. Do not send a marbine until I order it. Mail me your book—"The High	Ship me a new Oliver No. 2 Type-writer for five days free inspection. If I keep it I will pay 156 as follows: 15 at the end of trial period and then at the case of 14 per month. The title to remain in you until fully paid for. If I make cash estilement at end of trial period I am to deduct ten per cent and remit to you \$48.55. If I decide not to keep it, I will ship it hark at your ampehoe at the end of five days. My shipping point is	These company 13 has	same made consider or
Ship me a new Oliver No. P Type-writer for five days' free inspection. If I keep it I will pay 166 as follows: 18 at the end of trial period and then at the take of 14 per ments. The title to remain in you until fully paid for. If I make cash settlement at end of trial period I am to deduct the per cent and remit to you \$48.88. If I decide not to keep it I will ship it hark at your ampaires at the and of five days. My shipping point is. Do not send a machine until I noter it. Mail me your book—"The High	Ship me a new Oliver No. P Type-writer for five days' free inspection. If I keep it I will pay 166 as follows: He at the end of trial period and then at the take of M per month. The title to remain in you until fully paid for. If I make cash settlement at end of trial period I am to deduct the par cent and remit to you will be need to keep it. I will ship it hark at your ampanes at the and of five days. My shipping point is. Do not send a machine until I noter it. Mail me your book—"The High Cost of Typewritate—The Remon and the Remedy," your de luke catalog and further information.		
My shipping point in. Do not send a marbine until 1 order it. Mail me your book—"The High	My shipping point is. Do not send a machine nutil 1 order it. Mail me your book—"The High Cost of Typewrings—The Remote and the Remedy," your de luxe catalog and further information.	Ship me a n writer for nv If I keep it I will at the end of trial rate of 14 per un main in you unti make cash settle period I am to d remit to you 441. If I decide not to	witer Bidg., Chicago, Ill. aw Oliver No. P Typus a days' free imposition. pay 165 as follows: Ill period and then at the soil. The title to re- it fully paid for. If I sment at and of trial educt iem per cent and th. keep it I will ship it
	Remedy," your de luxe catalog and fur- ther information,	My shipping point Do not send it. Mail me	ease at the and of five tis
Street Address		City	State
	City State	Occupation or Be	ofstern

Control to lie id

Some of the Famous Users:

New York Central Lines, Hart, Schaffner & Marz, U. S. Steel Corporation, N. Y. Edison Co., National Cloak & Suit Co., Morris & Co.,—and hundreds of others.

Now, why not obviate the Watchful Waiting for decay to manifest itself in out-of-doors woodwork by making everything of Cypress, "the Wood Eternal," in the first place?

Well, sure enough—why not go ahead and obviate? This kind of foresight is Some Obviator when it comes to Lumber Repair Bills.

It is possible that we might have a booklet you could use to advantage—we have 43 of them in the Cypress Pocket Library. Some have plan-sheets—big and practical and artistic—and exclusive—and they cost us something—you nothing. Volume One contains the list. Also what the government of the U. S. A. says about Cypress, "the Wood Eternal." Our address is below. What is yours? Is it all right to ask?

All-round Helps Department

Southern Cypress Mfrs? Ass'n.

1249 Poydras Building, New Orleans, Louisiana 1249 Graham Building, Jacksonville, Fiorida

Contents of the Home Workshop

A department for the man who works at home with tools

A Radio Receiver for Everybody	84
To Make a Pair of Balances	85
Attractive Organiants from Clay	86
Moving Shadow Pictures	86
Dry Celle in the Country	88
Oil Filter for Farm or Shop	88
Con Philips for Paris to comp	88
Speed Weench of Simple Construction	90
Build Your Own Air Driven Slad	
Christmas-Tree Candle-Holders	91
A Woodban Under the Stairs	91
New Price Contest	92
New Price Contest. Bench-Hook and End-Wood Placer.	92
A Boring-Table for the Small Lathe	94
Piping a Garden Spring	94
To Make a Doll's House	96
Was A Charles that Will Interest	97
Wood Pursion that Will Incarped	47
Making a Glue-Joint Invisible	98
Heet Idea Contest To Prevent Breaking a Small Drill	38
To Prevent Breaking a Small Drill	10
Housewives Will Find This Baker Useful	98
Improved Sper for Stump-Boring Augu	99
Can Opener Made from Strap-Iron	99
Using the Discarded Gazoline Burrel	99
Uneful Things to Do at Home	100
Shoe-Polishing Support	101
Il Your Pipe Fails to Draw	
Make This Diek-Grinder	102
notice this constant the constant	102
A Fountain for the Poultry Try a Rubbar Hose on the Greene-Gun	1 - 1
Try a Rubbat Pions on the Crebse-Cub	103
Transforming a Kettle into a Glue-Pot	103
To Prevent Wood-Screws from Lessening	105
Wastley Strin Will Adjust Itself	104
Indirect Light from Old Wash-Basin	104
Old Sink Forms Cas-Stone Foundation	105
Hamamille Cank Book Holder	105
Homemade Cank Buck Holder Fistom Become Serviceable Bench Centers	106
Vulcanising Molds Can Be Made at Home.	106
Improvined Clemp for Home Ven	106
Ornaments of Hammered Brass	197
Ornamenta of Plantmored Draw	108
Wide-Swinging Gate for Farmyard	2 2 2
Novel Spool and Twine Holders	108
Spinet Transformed into Bookense and Deeb	109
	or country
Rules that Will Not Slip	109
Ruler that Will Not Slip	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathed at Removing Obstinate Staple	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws. Linual Tuilboard with Eccentric Lock.	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws. Linual Tuilboard with Eccentric Lock.	110
Ruler that Will Not Slip Telephone Warns of Rain One Method of Removing Obstinate Staple. Screw-Holder for Starting Screwa Funged Tailboard with Eccentric Lock. Hallstand Built from Old Each Conhecter for the Coal-Ranes	110
Ruler that Will Not Slip Telephone Warns of Rain One Method of Removing Obstinate Staple. Screw-Holder for Starting Screwa Funged Tailboard with Eccentric Lock. Hallstand Built from Old Each Conhector for the Coal-Ranes	110
Ruler that Will Not Slip Telephone Warns of Rain One Method of Removing Obstinate Staple. Screw-Holder for Starting Screws Hunged Tuilboard with Eccentric Lock. Hallstand Built from Old Each Carbureter for the Coal-Range. Descript Machining	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hingod Tailboard with Eccentric Lock. Hallstand Built from Old Eacel Carbureter for the Coal-Range Drawing May Cause Error in Machining. Raffered Light for Indoor Fictures	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Serawa Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Ease) Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Sinter Lies for Electric Fam.	1100112
Ruler that Will Not Slip Telephone Warns of Rain One Mathod at Removing Obstinate Staple. Screw-Holder for Starting Serows. Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Pictures Winter Use for Electric Fan. Chaping Under Surface of Boat Hell.	1100112222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finllstand Built from Old Eacel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hull	110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finllstand Built from Old Eacel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hull	11001102
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finllstand Built from Old Eacel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hull	110011001112
Ruler that Will Not Slip Telephone Warns of Rain One Method of Removing Obstinate Staple. Screw-Holder for Starting Seraws Hinged Tuilboard with Eccentric Lock. Hallstand Built from Old Ease) Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Pictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Ribbons. Pulling Ponts Rendered Easy by This Method.	110011122222222222222222222222222222222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Each Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Pictures Winter Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Ponts Rendered Lacy by This Method Proventing Standard to the Wheelingrow	110011122222222222222222222222222222222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finlistand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Pictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Ribbous. Pulling Posts Rendered Easy by This Method. Proventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow. Names Names on Hose for Filling Radiator.	11001122
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finlistand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Pictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Ribbous. Pulling Posts Rendered Easy by This Method. Proventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow. Names Names on Hose for Filling Radiator.	110011222222222222222222222222222222222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Serawa Hingod Tailboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Wintso Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebisse Pulling Posts Rendered Lacy by This Method Proventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Nandy Nozale on Hose for Filling Radiator Use Old Books for Filling	11001122
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winter Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Ponts Rendered Lasy by This Method Proventing Standing Saw from Sliding to Granud Attach a Hand Guard to the Wheelbarrow. Handy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Heat Roots by Makes of Gastlight.	110011222222222222222222222222222222222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finllstand Built from Old Easel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bont Hull Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Ribbons Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Neat Room by Means of Gaslight. Reference-Boak Pages Hald with Tire-Tope	110011222222222222222222222222222222222
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Funged Tuilboard with Eccentric Lock. Finllstand Built from Old Easel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bont Hull Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Ribbons Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Neat Room by Means of Gaslight. Reference-Boak Pages Hald with Tire-Tope	11002222222334444556666888
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tailboard with Eccentric Lock. Finllstand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Fictures Winter Use for Electric Fan Cleaning Under Surface of Boat Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbone Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelingrow Plandy Nozale on Hose for Filling Radiator Use Old Books for Filing Neat Room by Means of Gaslight Reference-Boak Pages Hald with Tire-Tope Praviding Soft Nose for Pen Hammer	1100 1100 1100 1102 1122 1124 1134 1134 1136 1166 1189 1199
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Serows Finged Tailboard with Eccentric Lock. Finletand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining. Referend Light for Indoor Fictures Wintor Use for Electric Fan. Cleaning Under Surface of Boat Hell. Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelharzow. Handy Nozale on Hose for Filling Redieter Use Old Books for Filling. Heat Room by Means of Gastlight. Reference-Boak Pages Held with Tire-Tope. Providing Soft Nose for Feen Hammer. Making Cerk-Hosel for Fishing-Pole.	110011101111111111111111111111111111111
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winto Use for Electric Fan Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pads Made of Type Rebbone. Pulling Posts Rendered Lacy by This Method Proventing Standing Saw from Sliding to Graned Attach a Hand Guard to the Wheelharzow. Handy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Heat Rooms by Means of Gastlight. Reference-Boak Pages Hald with Tire-Tope. Praviding Soft Nose for Pages Hammer. Making Cork-Handle for Fishing-Pole. Emergency Clothes-Line Fuller.	110011101111111111111111111111111111111
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Fictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbons Pulling Posts Rendered Easy by This Method Proventing Standing Saw from Sliding to Ground Attach a Hund Guard to the Wheelbarzow Handy Nozale on Hose for Filling Heat Room by Means of Gaslight. Reference-Beak Pages Hald with Tiry-Tope Reference-Beak Pages Hald with Tiry-Tope Reference-Beak Pages Hald with Tiry-Tope Providing Boft Nose for Pean Hammer Making Cerk-Handle for Fishing-Pole Emergency Clother-Line Pulley How Leather Straps Can Be Made How Leather Straps Can Be Made	1100 1100 1102 1122 1123 1133 1134 1135 1146 1149 1149 1120 1120 1120 1120 1120 1120 1120 112
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hanged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbons Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Heat Rosen by Moans of Gaslight. Reference-Boak Pages Hald with Tire-Tope Providing Soft Nose for Pages Hammer Making Cach-Hand for Fishing-Pole Emergency Clother-Line Pulley How Leather Straps Can Be Made How to Make Your Own Wire Terminals	110001110111111111111111111111111111111
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tailboard with Eccentric Lock. Finllatend Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Fictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbone Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Graund Attach a Hand Guard to the Wheeliserow Plandy Nozale on Hose for Filling Radiator Use Old Books for Filing Heat Room by Means of Gaslight Reference-Book Pages Hald with Tire-Tope Praviding Soft Nose for Pen Hammer Making Cork-Handle for Fishing-Pole Emergency Clother-Lion Pulley How Leather Straps Can Be Made How to Make Your Own Wire Terminate Automatic Phytor Own Wire Terminate Automatic Phytor Own Wire Terminate	110001112222112311111111111111111111111
Ruler that Will Not Slip Telephone Warne of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tailboard with Eccentric Lock. Hallstand Built from Old Each Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Pictures Winto Use for Electric Fan Chaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together. Stamp-Pads Made of Type Rebbone. Pulling Posts Rendered Lasy by This Method Preventing Standing Saw from Sliding to Greund Attach a Hand Guard to the Wheelbarzow. Handy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Neat Room by Means of Gaslight. Reference-Boak Pages Hald with Tire-Tope. Praviding Soft Nose for Pages Hammer Making Carb-Handle for Fining-Pole Emergency Clother-Line Pulley. How Leather Straps Can Be Made How to Make Your Own Wire Terminals Automatic Photo-Print Washer Equip Temes-Saw with Guard Enterture Polish Ranger Auto Lights	1100 1100 1100 1100 1100 1100 1100 110
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Fictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Posts Rendered Lacy by This Method Proventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarzow. Handy Nozale on Hose for Filling. Heat Room by Means of Gaslight. Reference-Beak Pages Held with Tire-Tope. Providing 3oft Nose for Pean Hammer. Making Cerk-Handle for Fishing-Pole. Emergency Clother-Line Pulley. How Leather Straps Can Be Made. How to Make Your Own Wire Terminate Automatic Phyte-Print Washer Equip Tomen-Saw with Guard Furniture Poiss Renews Auto Lights Cott Con Be Kent Off the Back Farces.	1100 1100 1102 1122 1123 1133 1144 1166 1166 1169 1120 1121 1122 1122 1122 1122 1122 112
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Finletand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indoor Fictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbons. Pulling Posts Rendered Easy by This Method Proventing Standing Saw from Sliding to Graund Attach a Hund Guard to the Wheelbarrow. Handy Nozale on Hose for Filling. Heat Rosen by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope. Providing Soft Nose for Pann Hammer. Making Carh-Handle for Fishing-Pole. Emergency Clother-Lion Pulley. How Leather Straps Can Be Made. Hore to Make Your Own Wire Terminate Automatic Photo-Print Washer Equip Temen-Saw with Guard Furniture Polish Renews Auto Lights Cats Can Be Kept Off the Back Faces. Pine-Pulling Tool is Useful on the Faces.	1100 1100 1102 1102 1103 1103 1103 1104 1103 1104 1104 1104
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hinged Tuilboard with Eccentric Lock. Hinlistand Built from Old Easel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbons Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Heat Room by Makes of Gaslight. Reference-Boah Pages Hald with Tire-Tope Praviding Soft Nose for Pashing-Pole Emergency Clother-Line Pulley How Leather Straps Can Be Made Haw to Make Your Own Wire Terminals Automatic Photo-Print Washer Equip Tomen-Saw with Guard Furniture Polish Renews Auto Lights Caty Can Be Kept Off the Back Fanna Ford-Pulling Tool Is Useful on the Farm	110000111111111111111111111111111111111
Ruler that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Linged Tailboard with Eccentric Lock. Hisland Built from Old Easel Carbureter for the Coal-Rangs Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbons Pulling Posts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozele on Hose for Filling Radiator Use Old Books for Filing. Neat Room by Means of Gaslight Reference-Boak Pages Held with Tire-Tope Praviding Soft Nose for Pen Hemmer Making Cerb-Handle for Fishing-Pole Emergency Clothes-Lice Pulley How Leather Straps Can Be Made How to Make Your Own Wire Terminate Automatic Phyto-Print Washer Equip Temen-Saw with Guard Furniture Polish Renews Auto Lights Cate Can Be Kept Off the Back Faces Pipe-Pulling Tool Is Useful on the Farm Old Skylight Serves as a Hotbed Collepsible Stepladder for Home or Shop	1100 1100 1100 1112 112 112 113 114 116 116 116 116 117 117 117 117 117 117
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winto Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pads Made of Type Rebbone. Pulling Ponts Rendered Lacy by This Method. Preventing Standing Saw from Sliding to Graned Attach a Hund Guard to the Wheelharzow. Handy Nozale on Hose for Filling Redieter. Use Old Books for Filling. Heat Rooms by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope. Praviding Soft Nose for Para Hammer. Making Cork-Handle for Fishing-Pole. Emergency Clothes-Line Pulley. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Made Comment Made Commen	110000111111111111111111111111111111111
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winto Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pads Made of Type Rebbone. Pulling Ponts Rendered Lacy by This Method. Preventing Standing Saw from Sliding to Graned Attach a Hund Guard to the Wheelharzow. Handy Nozale on Hose for Filling Redieter. Use Old Books for Filling. Heat Rooms by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope. Praviding Soft Nose for Para Hammer. Making Cork-Handle for Fishing-Pole. Emergency Clothes-Line Pulley. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Straps Can Be Made. How Leather Made Comment Made Commen	110000111111111111111111111111111111111
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hinged Tuilboard with Eccentric Lock. Hinlistand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbone Pulling Pouts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Heat Rosen by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope Praviding Soft Nose for Panhing-Pole Emergency Clother-Lion Pulley. How Leather Straps Can Be Made How to Make Your Own Wire Terminals Automatic Photo-Print Washer Equip Tomen-Saw with Guard Furniture Polish Renews Auto Lights Cate Can Be Kept Off the Back Fanna Pipe-Pulling Tool is Useful on the Farm Old Skylight Serves as a Hothed Collapsible Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar Consenses Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar	110000111111111111111111111111111111111
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hinged Tuilboard with Eccentric Lock. Hinlistand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbone Pulling Pouts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Heat Rosen by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope Praviding Soft Nose for Panhing-Pole Emergency Clother-Lion Pulley. How Leather Straps Can Be Made How to Make Your Own Wire Terminals Automatic Photo-Print Washer Equip Tomen-Saw with Guard Furniture Polish Renews Auto Lights Cate Can Be Kept Off the Back Fanna Pipe-Pulling Tool is Useful on the Farm Old Skylight Serves as a Hothed Collapsible Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar Consenses Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar	11000022222344
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Hinged Tuilboard with Eccentric Lock. Hinlistand Built from Old Easel Carbureter for the Coal-Range Drawing May Cause Error in Machining Reflected Light for Indoor Pictures Winter Use for Electric Fan Cleaning Under Surface of Bout Hell Straightening Cotters to Bring Points Together Stamp-Pade Made of Type Rebbone Pulling Pouts Rendered Easy by This Method Preventing Standing Saw from Sliding to Ground Attach a Hand Guard to the Wheelbarrow Handy Nozale on Hose for Filling Radiator Use Old Books for Filing. Heat Rosen by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope Praviding Soft Nose for Panhing-Pole Emergency Clother-Lion Pulley. How Leather Straps Can Be Made How to Make Your Own Wire Terminals Automatic Photo-Print Washer Equip Tomen-Saw with Guard Furniture Polish Renews Auto Lights Cate Can Be Kept Off the Back Fanna Pipe-Pulling Tool is Useful on the Farm Old Skylight Serves as a Hothed Collapsible Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar Consenses Stepladder for House or Shop Tip-Up for Fishing Through the Ice Finger-Nail File Used as a Match-Scratchar	110000111111111111111111111111111111111
Rules that Will Not Slip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tailboard with Eccentric Lock. Hallstand Built from Old Each Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Pictures. Winto Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pads Made of Type Rebbone. Pulling Posts Rendered Lacy by This Method. Preventing Standing Saw from Sliding to Graned Attach a Hand Guard to the Wheelharzow. Mandy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Heat Rooms by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope. Praviding Soft Nose for Pean Hemmer. Making Cerk-Handle for Fishing-Pole. Emergency Clother-Line Pulley. How Leather Straps Can Be Made. How to Make Your Own Wire Terminals. Automatic Photo-Print Washer Equip Tenen-Saw with Guard. Furniture Polish Remows Auto Lights Cate Can Be Kept Off the Back Faces. Pipe-Pulling Tool is Useful so the Farm. Old Skylight Serves as a Hotbed. Collapsible Stepladder for House or Shop. Tip-Up for Fishing Through the Ice. Finger-Nail File Used as a Match-Scratcher. Carrying Storage Battery with a Chais. Drainpipes May Be Used as Porch Supports. Onick Remair of Breken Motorboat Musiker.	110000111211111111111111111111111111111
Rules that Will Not Slip Telephone Warne of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winto Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Ponts Rendered Lacy by This Method. Proventing Standing Saw from Sliding to Graned Attach a Hund Guard to the Wheelharzow. Handy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Heat Rooms by Maans of Gaslight. Reference-Boak Pages Hald with Tire-Tope. Praviding Soft Nose for Para Hammer. Making Cork-Handle for Fishing-Pole. Emergency Clothes-Line Pulley. How Leather Straps Can Be Made. Formium Polish Rangews Auto Lights Cate Can Be Kept Off the Back Fasca. Pipe-Pulling Tool Is Useful on the Farm. Old Skylight Serves as a Hotbed. Collapsible Stepladder for House or Shop. Tip-Up for Fishing Through the Ice. Finger-Null File Used as a Match-Scratcher. Carrying Storage Battery with a Chain Drainpipes May Be Used at Porch Supports. Ovick Repair of Brekan Motorbook Muffler. Lava-Mower Becomes a Counterchaft.	110000112221344449112201112222334449112221324449112221324449112221324449112221324449112221324449112221324449112221324449112222334449112222334449112222334449112222334449112222334449112222334491122223344491122223344491122223344491122223344491122223344491122233444911222234449112222344491122223444911222234449112222344491122223444911222234449112222344491122223444911222244491122224449112222344491122224449112222444911222244491122224449112222444911222244491122244491122224449112222444911222244491122224449112222444911222244491122224449112222444911222444911222444491122244449112224449114444491144444444
Rules that Will Not Sip Telephone Warns of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining Reflected Light for Indoor Fictures Winter Use for Electric Fan. Cleaning Under Surface of Bout Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbons. Pulling Posts Rendered Easy by This Method Proventing Standing Saw from Sliding to Graund Attach a Hand Guard to the Wheelbarrow. Handy Nozale on Hose for Filling. Heat Rosen by Means of Gaslight. Reference-Beak Pages Hald with Tire-Tope. Providing 3oft Nose for Pann Hammer. Making Carh-Handle for Fishing-Pole. Emergency Clother-Lion Pulley. How Leather Straps Can Be Made. Hore to Make Your Own Wire Terminate Automatic Photo-Print Washer. Equip Temen-Saw with Guard Furniture Polish Renews Auto Lights Cats Can Be Kept Off the Beck Faces. Pipe-Pulling Tool is Useful on the Farm. Old Skylight Serves as a Hotbed Collapsible Stepladder for Home or Shop. Tip-Up for Fishing Through the lee Funger-Neil File Used as Porch Supports Onich Repair of Brukan Motorboat Musher. Lawn-Mower Becomes a Countershaft. Pad and Tub as Immovined Air-Congresser.	1100002222314449999999999999999999999999999999
Rules that Will Not Slip Telephone Warne of Rain One Mathod of Removing Obstinate Staple. Screw-Holder for Starting Screws Finged Tuilboard with Eccentric Lock. Hallstand Built from Old Easel Carbureter for the Coal-Range. Drawing May Cause Error in Machining. Reflected Light for Indeor Fictures Winto Use for Electric Fan. Cleaning Under Surface of Boat Hull Straightening Cotters to Bring Points Together. Stamp-Pade Made of Type Rebbone. Pulling Ponts Rendered Lacy by This Method. Proventing Standing Saw from Sliding to Graned Attach a Hund Guard to the Wheelharzow. Handy Nozale on Hose for Filling Radiator. Use Old Books for Filling. Heat Rooms by Maans of Gaslight. Reference-Boak Pages Hald with Tire-Tope. Praviding Soft Nose for Para Hammer. Making Cork-Handle for Fishing-Pole. Emergency Clothes-Line Pulley. How Leather Straps Can Be Made. Formium Polish Rangews Auto Lights Cate Can Be Kept Off the Back Fasca. Pipe-Pulling Tool Is Useful on the Farm. Old Skylight Serves as a Hotbed. Collapsible Stepladder for House or Shop. Tip-Up for Fishing Through the Ice. Finger-Null File Used as a Match-Scratcher. Carrying Storage Battery with a Chain Drainpipes May Be Used at Porch Supports. Ovick Repair of Brekan Motorbook Muffler. Lava-Mower Becomes a Counterchaft.	110000122223311111111111111111111111111

What Is that Question You Couldn't Answer?

Let Popular Science Monthly answer it for you. Our Service Department will gladly supply information on problems of general science or on home-workshop perplexities. It is conducted for your benefit. Read page 53.

Declar or led material

"The First Month I Earned \$1000

-And he might have remained a farmhand

Other Amazing Jumps

to Big Earnings.

Last week my earnings amounted

to \$554.37 this week will go over \$460. -F. Wynn, 4103 Forty-Second St., Portland, Ove.

My earnings during the past

thirty days were more than \$1,000,"-Warren Hartle, 4423

"After six months of success in a

position secured through you I am carning \$9.2 a week, "-P. W. Brue-

del, 716 Benedict Ave., Wood-baven, N. Y.

"I had never earned more than

\$60 a month. Last week I cleaned

\$306 and this week \$218."-Geo.

W. Keams, 107 Park PL Okia-

bome the.

N. Roby St., Chicago, Ill.

\$50 a month job as a farmhand one day—out of a job entirely the next \$1,000 the very first month! Such was the sky-rocket career of Charles Berry of Winterset, Iowa. And more remarkable still, it all came about as the result of a eunstroke!

How long he might otherwise have remained a farmhand, no one can my. Certainly, however, his work held little promise of better things for the fature. Then one day as Berry followed his plow across the fields, under the scorehing rays of a burning eun, he suddenly collapsed in his tracks. Subsequently be found employment in a

variety store. His reward for long and te-dious hours of clerking was \$18 a week.

Out of the Low Pay Rut

Not a very remarkable job-but it meant the turning point in Berry's life, for it brought the discovery of the way to big earnings. Berry had been noticing the Salesmen who came to call on the proprietor of the store. He noticed their prosperous ap-pearance; they stopped at the best hotels, travelled on the fastest trains; and there was an independence and variety about their work that made their careers look like one long vacation compared to Berry's job.
One day Berry fell into conversation
with one of the Salesmen.

"Yes," the latter said in answer to his question: "Salesmen do make big money. And here's the reason: the success of any business depends upon the amount of goods sold. The man who sells is producing profit for his firm. His services are in demand overywhere. He commands big pay wher-

ever he goes. And there is no limit to what he can

"But a man must have natural ability to become a

Salesman."

"That's an old, out-of-clate notion," the Salesman replied. "Salesmanning today is a prience—it's just a matter of knowing how. Take myself for instance I owe my success to the National Salesmen's Training Association. This is a wonderful organization of top-notch Salesmen and Sales Managers formed just for the purpose of fitting men for success in Salesmanship. It enables anyone to become a master of all the Secrets of Selling in his spare time at home



CHARLES L. BERRY

Why, it has made Master Salesmen out of men who had previously been clerks, book-keepers, mechanics and so on. If I were you I'd write to the N. S. T. A. Just ask them to tell you about their system of Salesmanskip Training and Free Employment Service."

Into the Big Money Class

Berry did as the Salesman suggested. The answer he received from the N. S. T. A. absolutely autounded him. It was nothing

short of a revelation—it was the most amazing PROOF of the short cut to big earn-

ings that he had ever seen. Warren Hartle, of 4425 N. Robey Street, Chicago, for example, had worked for ten years in the callway mail service at pay ranging from \$900 to \$1,600 a year. nen through the N.S.T.A. he became a Master of the Secrets of Selling that brought him \$1,000 in

thirty days. George W. Kearns of Oklahoma City made \$524 in two weeks. Before this he had never earned more than \$60 a month, And C. W. Campbell of Greensburg, Pa., wrote, "My earnings for the past thirty days are \$1,526 and I won second prize in March although I worked

These are only a few of the cases of amazing Jumps to big earnings. Berry was absolutely convinced and decided to accent the liberal offer of the N. S. T. A, to fit him for a position as a Master Salesman. In his spare time at home he learned the fundamental rules and principles of falemanship correling every branch of this faccinating field. Almost before he realized it be was ready to accept a partion as faleman with a big company to which the N. S. T. A. recommended him. The very first month he earned \$1,000. One month his earnings ran as high as \$2,160.

Startling Proof Sent Free

The more opportunity that brought Berry his unusing, quick success is now open to every sender of this magazine. You have only to write to the N. S. T. A. You will reserve, without any cost or shipsties, the remarkable Book on Salestone-phip and darthing Proof that you can quickly become a Master Saleston in your spare time at home. You will read the stories of hundreds of men who today are earning more money than they ever thought possible. What these men have done you too can de.

Surely you one it to yourself to at least examine the evidence. It was worth \$1,000 a month to Charles Berry to write to the N. S. T. A. It may be worth that much or more to you. Just reall the coupon, There is no cost of obligation. Address

National Salesmen's Training Association

Dept. 13-W

Chicago, III.

National Salesmen's Training Association Dopt. 15-W., Chicago, Ill.

Please send me year Free Salesmanship Bink and Free Proof you can make the a Master Salesman. Also tell me how the Free Employment Service of the N. S. T. A. will help me to a Selling position and send list of business lines with openings for Salesmannen.

Name	*************
Address	
CD /	Blate

Copprogramma



See the New Ideas for Man Who Work at Home with Tools, Classified in the Home Workshop Index on Page 2

Popular Science Monthly

December, 1921

TABLE OF CONTENTS

Vol. 99: No. 6

Special Features

How to Make an Aerosled at	HomePage 90
Harding's Portrait Sent by Wireless	Every-Day Wonders-Facts You Should Know 32
Explorers Search for Waste Places	First Suspension Bridge Since 1909 46
The Next War-Its Effect on Nations	Making Steel Direct from Ore
How Four Boys Made Fame and Fortune in Wireless 29	Airplane to Carry Twelve-Inch Gun

And 164 Other Interesting Items

AERONAUTICS

Piret Transmitantic Wireless News-Picture	21
The ZRI's Hanger	39
Keeps Airplane Engine from Freezing	44
Former's Airplane Rises from Barnyard	47
Distgilde Directe Land Traffic	-54
Battleplane to Carry 13-lack Gun	61

FOR THE FARMER

Raining Fine Instead of Thirder.
Milk Assatse and Confer
Tasting the Breath of Bananas
Importing City Lighting for the Country 4
Gradies Wheat in Carload Lets. 49
Rate Making Machine to Produce Storm 5
Vantilated Apartments for Birds
Wind Creates Natural Deaft for Indonester 3
Some By Products of Corncole
Sand Pointess Cut by Machine
Hamamada Starilizer for Dairyman 60
Shops for the Equine Bug Tretter 71
Solid a Homemade Water-Pump. 43
Las Your Ford Help in Farm Work

HOUSEKEEPING MADE EASY

Holds Lame Globes	Safely
Contric Iron Forms	Mary II
Open Peres Without	Smoke or Dirt
Baby's Bath and the	Latest Imprevenuents
dectricity Please We	ter Passing Fauset

INDUSTRIAL PROGRESS

Machine Tim Parepla Rige Grain Repter
Last Eaplurges Seeking Wanith for Manhand
Railsuada Usa Busar tu İmprove Servica
Your Changes for Sucrees in Radio.
Conveyor Handles 100 Tone on Hour
Sones Fall 30 Feet Unburt
Print 1500 Photographs an Flour
For Cutting Bress Rods
Partable Lamp Course
Partable Lamp Council Endless Elevator Louds Truck Quickly
Machine Measures Lanther Area
Haviguntal Forge Press Economicso Space
All Tank Was Mound house Miles
Chi Lank Was Muved Nine Miles
Hydrochluric Asid Removes Butter Scole
Surgension Bridge at Kingston
Million Tone of Coal from River Bade
Making Steel Direct from Ore
Earth-Borer Plants Dynamite
Estracting Qil Itom Apricos Ketnels
Diver Can Now Light Touch Under Water
Good Lamber from Deed Trees.
Rapid Interest Indicator for Banks
Contractor's Truck Carries Double Hoppers :
Hand-Power Drill for Prospectors
Fast-Grinding Compound for Bearings
Separares Liquida from Soil
Centriforn Force
t Measures Wire of Any Stee
Blasting Fuses Cut to Sale Measure
Handle-Bar and Parkage-Carrier
Machine Makes Five Operations
Writing a Massage by Phone
Building-Block Made on Continuous Malder

MISCELLANY

Civilization Must Abeliah War	76
Every-Day Wonders	37
Hand-Loom Produces Big Crawat Output	35
The Canyons of Lower New York	35
Adding Perspective to Motion-Picture	76
Elevators that Rus on a Curve	36
Polarizant Light Revents Original Picture	- 37

A Plate Chee Fairward	3
Giant Condon Reference for the Mories	_1
No Talankane Handlands for Despatchers.	3
Bungalowe Made from Steel Care.	3
Graphite Surling in Ceylins	
Fire Truck Supplies Water Service	4
Bumbs Reduce Rictors to Tours	4
Inspecting High-Tennies Telegraph Poles	4
A Naw Way to Bult the Hair	4
The Tower Bridge in Valve Fittings	4
Carona Candle Will Born in 6221	4
Plantomater Reads Contract of Hand	-
Printing Our Own Postage Stances	4
Music New Comes on the Mayle Piles	5
Grandstand from Assessables Boson	-
Enlarged Phonograph as Youd Sign-Pest	5
Man An Two Deven in One	3
Someone Courte Supperv for Marian	1
Hear Are Two Drume in One Sussess Create Sunnery for Marien Paytable Typewriter for the Bland. What De You Want to Know. Wooden Tape-Arm for Phonography	
What De You Want to Know	1
A Country Estate on a Factory Ross	Æ
Reincy Photo-Print Transper	-5
Primitive Casses of Inflated Shine	į
Cower House Study When Light Seen On	-8
Mayon Carry Their Own Power Plant	-5
Country Lates on a Factory Room Control Physics Print Transport Countries of Lates Shane Countries of Lates When Light Good On Louise Murine in the Philippiness Alaxies Carry Their Own Power Plant Street Street Countries Count	-37
Be Measured for New Set of False Tanth	-31
Trapical Lineman's Fland Jab Submerine Mine-Sweeper Envery the Manico Identifying Crimingle by Their Perst Another Stake Feet Matture-Pertures without Darksming Theater Case Functions Use Maniers Mass-Wagon	-6
I densify time Countries by Their Pores	ú
Ansakes Scale Peer	ě
Manue-Pictures without Darkening Theater	-
Caw-Purchers Use Missiern Mass Wagon	The second
Safety-Fin for Milk Cans Flashlight with 100 Foot Renne Making Heat Instantly To Measure and Record Rainfull Blood Lights illuminate Sameraner	T.
Maxing Heat Instantly	
To Measure and Record Rainfall	
Saidy Date Gree to Oversation	-
Saidy Data Gree to Overanting Sword Swellowing Made Possible	Ż
Chick Whitpad Iron Bambon,	Ž
Combination Chair and Umbrella for Action	
Spectroscope Detects Bloodstains	r
Spectrus pe Peterto Biodetrino Gerramant Preservos Jades Felli-Songo	15
Delivering floor with a Hose Man Prepalled Teology No Contest for This White House.	-
No Contract for This White House	+
Maying Readway Ive Japan	7
Film Presents and Street in Same Calemet Sulling Deal for Coppied Children	Ţ
Sailing Cerk for Copeled Children	4
Congres Bletting Surface Curden Has World's Largest Bass Draw	7
This Extinguisher Uses no Liquid	7

Cappright, 1921 by the Modern Publishing
Company
Posturas Screece Montact is inseed
monthly. Yearly subscription in the United
States, \$3.00. Canada, \$3.50. Foreign,
\$4.00. Single copy, 75 cents.

Advertising rates on application. Entered as second-class matter Dec. 29, 1915, at the Post Office at New York under the act of March 3, 1879. Entered as second-class matter at the Post Office Department, Counda. The contents of this magazine are copprighted and must not be reprinted without permission. R. J. Fisher, President; R. C. Wilson, Vice-President; O. B. Capen, Secre-tary and Trensurer.

Modern Publishing Company 225 West Thirty-ninth St. New York City

Curtain of Water Safaguarde Books	78
Deak Improves Phenograph Tone.	7.2
Plewing with a Street-Car	-73
Try These Speed Industors	7.4
Keep Your Home Shipshapa.	43

MOTOR VEHICLES AND ACCESSOR	E
How Heatless Tires Ara Made	24
Wedged Keyn in Transmission Shelts	35
Auto Crase for Berge Canale	26
The Tire Is Inside the Rim	44
A Homemade Silencer for the Mutapypele	50
An Improved Storage Battery	76
A Jewster's Islan of Car-Building.	76
Versum Cleaner for Automobile	76
Steam-Car Has Enginee up Ross Wheels	77
Fun-Batt Driver Tire-Puncy	77
Safety Signal on Fender	22
Keep Grenar off the Auton	77
Why You Should Buy a New Cas	
5hop Tire-Rack	.63
Aunthory Wood-Shield	1.3
Adjusted Radius Rude Prevent Skidding	8.2
For Spreading Automobile Springs	82
Special Youl for Wing-Nate and Petropia.	AZ.

NATURAL SCIENCE

Earth to Place Through Comet's Wrechage,	23
A Weed of a Thousand Punctures.	11
World's Smallest Oyanmantel Tree	41
Mutilating Plants to Make Thom Greet	48
Every Public a Henricohers of Life.	55
Animal Life in the Sky	27
Found Shork Could Smallets Small Whole,	
Dark Stranger Annuary in Space	

PICTORIAL PAGES

Radways of Old Design
lapan's Silk-Making Methods
The Natural Pattume Industry of France
Tools and Maghines that Am Maney Sayors.
The Stury of Radium
Sow to Get the Most from Your Bit
For Combust and Convenience
Automobile Accessories

RAILWAYS

Completely Aptemptic Car-Coun	Mr 4
Locomutive Coal Pusher Savas	aber 1
Troller-Car Gives Local Service	tom Thiss. 2
Radway Cars Unload Automatic	cally f
Greing the Engineer His Orders	

SHIPS AND SHIPBUILDING

Number Culture Cost of	ate Qu	KMY 5
Million Dullars Lost if	This	amp Goss Out. 3
Enlares as Protection 1	TOTAL	expedient
Miemangips's Shallow	DINTE	Towbreg I
rentmans to Research	CHIEF !	

SPORTS AND PASTIMES

Made to Order Collisions for Assessment	34
Stad Ukwisian withstand Hard Unang	31
Bumps Help Drive This Becycle	
Roller Coaster Built by Children	4
Remote Control of Clay Pigeon Trape	63
Can You Get Those Eye-Testars?	6
Bicycle Stores from the Rett.	7

\$240 in Prizes Offered in This Issue—See pages 74, 82, 92, and 98

QUICK-ACTION ADVERTISING

HERE READERS AND ADVERTISERS MEET TO TRANSACT BUSINESS

Rate 25 Cents a Word. Advertisements intended for the February issue should be received by December 1st

AUTOMOBILES AND ACCESSORIES

AUTOMOBILE Parts for all care—50% of manufacturers' has price. Pessons connecting rods, care shafts, grank shafts, cylinders, sales and gears. Our new cateingue and Used Ports highests non randy. Write for it to-tay, dervice and antisfaction guaranteed. Auto Perts Company, 410d Olive Street, St. Louis, Muscouri.

TOWLINGs stream has long with backs. Small mough for tool hos. Haplaced if broken within year \$3.50 delivered. Aponts price \$15.00 dones, hampie \$1.50. Order sample to-day. Will buy back any you don't set. The Superior Manufacturing (in, Penn, Ricy, Cleveland, Oblo.

PATENTS — Write for Prec (Bustrated Oulde Rook and Evidence of Conception Blank, Send model or sketch and description of invention for our opinion of its patentchie hadner. Highest reference. Remeasable terms. Victor J. Evans & Company, 156 Ninth, Washington, D. C.

AUTOMORILE Owners, Garageman, Machaniss, Repairmen, acud for tran copy of our current lause. It supposeds helpful, instructive information on overbasing, knotices troubles, whise, carburators, storage betteries, etc. Over 120 pages, shutrated, Send for tran copy to-day. Automobile Digest, 533 Butler Bidg., Cincionati.

SLICKER Oil, move 35 to 50% practice. Cleans carting from eights. Harmices. Fully sugraption, money refunded if feding, dample to treat 135 gallens gassine, \$1.00 C. O. D. Elicher Oil Co. Dansway Status, Kannie City, Missouri.

STORAGE Entury Charging corps unusual practic going Hil Chargers, \$20 Marts, Imlance payments' Box 1, Hobartanus, Troy, Onio.

APTOINTS: This preparation code radiator hades quickly. No soldering doesn't clear radiator, 65 rents postpaid Hadlator Repair Map, Dept. M. 706 Drew Bt., Appleton, Wiscontols.

AUTOMOBILIST Attention. Spack Flug Tenter talks condition of your spack, most handy sticle. He just baid ladio hervice & Manufacturing Co. Lynbrook Long Island

PETON Ring perfection reached, must for free evidence bouldots. "It's What the Une Rays that Causte, that a making the demand for Sainteles Liver Types the citie that favor fuel and oil and encreases emembers, stops of pumping, god saves reburing of committees. Made in all stam up to 100 inches for boats, immunistrate engines, compressors, airpluses rice. It ill send on trial to anyone contract of the saint of the sai

FORD ACCESSORISE

Williamid became charges for Ford cars, charges 6-volt bettery from Ford madewic. Attached to Ford in few minutes. Chargesteed to work perfect Buschweis in one No more off lamps, electricy your Ford Price 54-95, mortage proposit Sepid money order. Agents wasted. Write for circular. Wissed May Company, 108 Jefferson Dt., Portland, Oragen.

Gadiries mayor granting below starting players of the
SPEKDSTER Punt. See "Red-t-Rut" ad, pure 125.

ELECTRICAL

BURGLAR ALARMS Complete electric systems ready to install. Write her circular. W. H. Kuku, 1806 Latayorte, St. Livole, Missouri.

WANTED

MANUFACTURER of wire specialties and stampings wishes to add additional articles to their fine. Have you a product or a patent? Address Alies Manufacturing Co., Hew Haven Connecticut.

SPOT Cash for gold and valuables: returned if diseasefied. Assaying for prospectors by graduate metallurgime. Castral Reflows, 503 N. Prospect, Champaten, illinois.

WANTED—Representatives in every Factory in the United States. Popular Sciences Monthly, 225 West 19th Street. New York.

UNURUAL opportunity to mars large communication in your town. Scholcher, 1900 Kingsland Ave. 20. Lond.

DUPLICATING DEVICES

"MODERN" Duptiesters. Business Cetters. \$2.25 tp. 50 copies from pets, papell, typewriter. No give or pointing. 40,000 in um. From trial. Need was" Braklet free. 1, V. Durkin-Storres Co., Fitzsburgh, Penceyivana.

FORMULAS

FREE—Formula Catalog. Laboratories, Registers Butleling, Chicago.

FIVE formulas, \$2.00; Silver Point Starch Enamel. Formula for Gray Rain, Superlay Raking Powder, Serina Machine Oil, Toothashe Drive. Aftert Witkinson, Si Eric Avenus, Brantised, Cotarto, Canada.

BEST SEINE Auto, Purniture, Polish. Formula 21.00 Bill. Collins, 4010 Rum, Dallas, Tacas.

2000 FORMULAS—400 pages \$1.00. Caralogue free. Englewood Book Shop, 7021 D. Sc. Winebester, Chicago.

MR. ADVERTISER Ask to-day for a copy of the "Quick-Action Advertising Rate Yolder". It contains some really important facts which will prove interesting and visitable to you. It also tells "Sow You Can Um Popular Science Monthly Probably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 235 West Spik Street, New York.

MANUFACTURING

LET us be pour hictory! Write to-day. Laures Machine Compuny. 772 South Clinical Street, Chicago. Dimain. W.F. manufacture anything, develop and build mechal machinery. Get our boostet, it's valuable to you. B. G. Clyme Engineering Co., St. Louis, Manual.

LABORATORY AND CHEMICAL SERVICE

CHEMICALS, glassware—complete supplies for the characteristic flavoratory. Canadeque & cross. National Scientific Supply Ca., 261 Pennsylvania Avenue, Washington, D. C.

CHEMIST will test raw and finished products. hermulas, solve industrial protectes, and give testimony. J. Ganh, Letinghop, Kentucky.

YOUR element or electrical problem salved for Five Dullars. Write our. W. Steelman Sichards. Committing Chemist, 230 Washington 24. Boston, Massachusette.

Read This One!

Popular Science Monthly, New York City.

Gentlemen!

As you know, I have been running an advertisement in Popular Science Monthly for nearly nine years, only missing when I was "doing my bit," and I must say that the amount invested is small considering the wonderful ORDERS—not morely replice—I have been getting.

I also notice that my key shows MORE REPLIES on "stationery" from your publication than any others, proving that the better type of business man roads the Classified Section.

You can count on my ad "L f."

Very truly yours,

IRVIN DANIEL WOLF,

Printing.

This letter is but one of many which come in—VOLUNTARILY—from satisfied and successful advertisers. If YOU are interested in direct, profitable and continuous results at low cost, why not come along with us in the next issue? For further information as to rates, closing date, circulation, etc., address:

Classified Advertising Manager, Popular Science Monthly, 225 West 39th Street, New York City.

MARLING LISTS

MARDIAGES \$5 (0) per thusmand Other tute. Miller, Box 41. Herwick, Pouncy transc.

AMERICAN MADE TOYS

MANUFACTURERS wanted for large production and homeworkers on smaller tends for Metal Tops and Novelties. Tay feetilers, Cantona, Cowings, Indiana, Bullain Billi, Wild Appeals, Wheeties, Bird-Whatler, Race Horse, Franchisters, Warnall Pups, Put and Take Tops and because francis of other articles. Hondrold and manufactures have been per hour. No experience or other tools seeded. Research the cooks all year, puring fixed prices. Contract orders there does not stay year, puring fixed prices. Contract orders the published goods. An exercised bushness for this year afters industries see an exertiset opportunity to color this feat which write on only if you meet a puring and interpatable from Metal Yoy Manufacturing Co., 1986 Buston Band, New York.

Quick-Action Advertisements continued on page 8

MOTORS, ENGINES, MACHINERY

ELECTRIC Motors, 50 heavy duty 3, H. F. motors. General Electric and other mandard makes. 110 vots, 60 cycle weight phase. Swand new, never unpacked. Guaranteed perfect. 318,00 and E20 to. Pennsylvania Motor Exchange, Lancaster, Pennsylvania.

SMALL Motors and Congrators & R. P., 118 50 % W. P., 138 50 1 M. P. 208 50 6 V. charging generators, \$10 50 rach. All mass both protors and generators up to 2 M. P. la. which at all times. Bargain prices. Motor Males Dept. 16, West End, Pittsburgh, Pennsylvania.

GUARANTHEO Motors, Polyphase, 3HP 571. Easy payments. Other atom also. Write us. Box 3. Hobkarts, Trop. Chie.

AVIATION

SILATIE propellers represent the most officient postbod of serial drive. Each propeller individually designed for the particular was to be dote, as add out by America's sides Acrossophus Each author. Propeller estalog to Heath Aurylane Co., Chicago.

PROPELLERS for air propulsion 5 % diameter \$13. Crear diam in proportion. Hith motorings, bearings, provided and countermarks remaplate. Full scale blue points for memory-de-driven store and ter sleib, 75c. Ford (7pc. 3). Crawford biotor and Aeropiane Mrs., 148 leight Russpari Street, New Orleans, Louisians.

FOR November we offer the greatest termine in the blattery of eviation. Dope \$1.70, terminochies all state \$2c, new cloth Sec yard, backensteers \$10, shock alternier for \$1., clother motions \$176, new propellyrs \$18. elevia plac in, whose smooth \$176, new propellyrs \$18. elevia plac in, whose smooth \$1.75, new Guide \$6. Many sunderful bargains to November sale shoul. Heath Airplane Co., Chicago.

INVENTORS destring information write for our From Blushrated Curice Bank and Britishes of Conception Blank. Send model or stated of surestime for our opinion of its potentiable nature. Highest references. Frompt cervine Resonantic terms. Virtor J. Evans & Company, 131 Ninth. Washington, D. C.

NOTE hold a tires from pandel acrophate. Write for circular. Full disc drawing. Acro slaug, 1000 Huribut Are. Detroit Michigan.

C.E.A.R.N to fly with America's indext aircraft company, for hours flying worked in with three months' shop training at \$190.00, makes out course the most complete ever every, and an apportunity long waited for. [(arol) at ence, Houth Airplane Co., Chicago.

MODEL AND MODEL SUPPLIES

Will make working spodels for inventors and do experimental work, and carry a complete stock of tram gaze and needed supplies. Sand for calabogue. The Fierce Model Works, Tinley Park, Itilianis.

OET our broblet before placing order for models or any-Garag rea seed. Our work the best, our prices right, our dealings organes. It. O. Clyne Engineering Co., St. Leuis, Misseart.

MODELA and Esperimental Work of every fearinging. Lamana Model and Experimental Works, 525 West Jackson Soulevard, Chicago.

MCDEL acceptance that fig. Bur your complete outfit, make drawings, sixtings, compressed air metters and all from tanded scrapture supplies from the Westing River distribute trings Company. Established 1949. Our new Rity-two page cetalog illustrates twenty-bur latest models and designs. Send 10c for your copy. Wading River Nanatorium Company, 8725 Broadway, Brenklyn, New York.

FOR THE MOME

GRANDFATTICE clock works, \$5.00. Build your own case, lastractions free make good praftic selling your breach. Clock works with chimes for old or new cases. Write for full particulars. Clock Co., Mostowa, Paug-spirania.

PERSONAL !

MAURICH, 35 cal. automatic pirtule, \$11.75; 31 csi, \$12.75; f. u. b. New York; indicep new im C. O. D. Sen Sinan, 68-C Chambers Street, New York

MR. AIVERTISER: Ask to-day for a copy of the "Culck-Action Advertising Bate Police." It contains some really important facts which will prove interesting that valuable to yest. It also tally "Have You Can Use Popular Science Monthly Profitably." You'd like to know wouldn't you? Manager Chamited Aftertising, Popular Science Monthly, 225 West 19th Street, New York.

EFFICIENCY CHARTE

EFFICIENCY CHART. One side instantaneous riock evdering chart other side, apart method of tretting stret. Price, One Deltar, cash. A. E. Wrigtay, 235 90th Street, Brooklyn, New York.

LETTER SPECIALISTS

PRANCIS writes the Box Salm Lature in the World. Playd Delm Francis, Box 804, Atlantic City, New Jersey.

LETTERS applying for a position of any nature expends written. \$1.00. Plant V. Studer, Canadian, Team.

SALES Letters, Multigraphing, Circular Mading,

Emyrofiled inseed.

My New Way in Selling

How I Learned the One Great Secret of Salesmanship in Twelve Hours

TOUNG man, my advice is, to get into the selling end of the game!"

"No buts about it, if you want to go ahead-sell. It is salesmen we want today-Salesmen. If you can sell things you will never have to werry about securing a position, or demanding a good salary."

"But, Mr. Cranshaw, I have had no experience - know nothing

about it, why-"

"Then learn, ar-you've asked my advice and help, and there it is."

Deeply puzzled, I left his office. Like so many other young fellows looking for their first job, I had no very definite aim. I didn't mind hard work or small pay, as long as I felt that the future held nome opportunity. I had called upon my father's old friend, Mr. Cranshaw, to help me decide what calling he thought promised the most. above conversation was the result.

Mr. Cranshaw is an experienced business man and I respected his opinions. With his aid I found a job-and a fairly good one as jobs go-with a large farm-machine manufacturing company.

As soon as I learned something about my product I went out on the road. The optimism of youth was with me. I had a tromendous amount of self-confidence. My

product was a good one. But I can into a snag when I came in contact with the hard-headed seen who till

the soil.

They were of all types, keen, and shrewd progressive mes, who wanted to see an actual gain-return for every penny speat; okl-fushioned men who didn't take to newfangled methods; big business men who ran immenue farms as a side issue. Every one presented a knotty problem. It seemed to me in my early days, that each man had to be "sold" in a different way. I kept a separate "method of attack" for each individual.

But, I was not a success. I made few safes. Every now and then, I put over a fairly big order, but I was not a consistent seller. The firm was not satisfied and they said so. I was costing them more than my work was bringing in. In a very frank talk one morning, they told me that if something didn't happen at once, I would be called in

Well, needless to say, I was discouraged. I thought things over. The success of my brother salesmen and competitors puzzled me. I observed them closely and tried to learn what it was that brought them their big sales. I noticed, to my surprise, that the men whose totals were the largest were the ones who seemed to work the least. But I could find no one trick that any of them possessed which I had not tried.

One day I met a hardware salesman in

the amoking room of a train. We talked about the usual things for a while then we beanched into selling methods, In the course of his convenation he told me how,



"In the fast uses weeks my sales have topped the list."

after many years of mediocre success, he finally learned the one great secret of sailing

400,000

Comer Useff the Independent Corporation published the Both Interiory Coores. Paragon Shrevinsted. Martery of Seconds. (Spranz Art and Cuttonion. Roading Character of Digits three to Viter Scories. Super Salesmanship, and other paragram development courses where could account development courses where could account her studies than \$14 up \$7.4.

Remarks we many to add (we intriduced

Because we made to add two hundred because more to not less of satisfied cortémers as no early date, we are making a

SPECIAL PRICE, \$2

(Regular Price \$5)

Others sell from \$15 to \$75

Are quickly as this special apparently may be open to only a steat time. Many purchases in a writing better smaller to Robert P. Down, of Derivet, Makin, who

recently wrote:

I can't see how you not no little, while
of love with fur inferior courses get from
\$20 to \$80 to above.

and what that secret is. It was simple as A. B. C.

It almost bowled me over. The simplicity and practicality of this great basic rule of success

dazziel me. My guardi-an-angel must have been watching over when I met

that salesman. With importient eagerness I started to put into practice my new-found knowledge. The startling suddenness of the results was almost uncanny. After my nest turn on the road the senior member of the firm personally congratulated me. My sales on that one trip were larger than the total of my three previous efforts. In four short months I became the best salesman on the firm's roster. I was leading even the oldtimers.

And from that time to this I have never once relinquished the lead.

Mr. Cranshaw's promise had come true-"Get into the seiling game, if you want to go ahead," he had said—and I had.

But before I had found the all-comprising fundamental serret of mlesmanship, I had been as near a failure as a man can be. The rapidity of my sensational rise seems almost unbelievable even to myself.

Don't misunderstand me, I am not trying to put myself on the back. I am not an unusual man in any way and do not claim to be. What I am driving at is this: If I, a young fellow who almost missed my chance, could, in the short space of four months, become a top-notch salesman, merely by the mastery of this one principle, - others can do the same. And I must add my opinion to Mr. Cranshaw's, the selling game does hold the greatest promise of all for the future

This thing which so quickly placed me in my present highly-paid position of mastersalesman was a knowledge of the One Great Secret in Selling, and its 100 Devices as told in Arthur Newcomb's astonishing 7-lemons course in Super-Salesmanship. This course, I firmly believe is the nearest existing thing to a Royal Road to Success in Selling.

It is not, like so many other salesmanship courses, a theoretical treatise. It is oldfashioned common-sense brass-tacks. Like all other sciences, selling has for its foundstion a certain bed-rock law, Ignorance of this is the reason so many salesmen fail.

Mr. Newcomb takes this law, shows it to you, explains it, and then shows you how to use it. It is your weapon, And it is worth more than all the tricks and atunts, and

theories of selling put together.

Mr. Newcomb does not teach or preach. From his years of experience as salesman, sales-manager and student of selling-science he had condensed into this remarkable hook, the one great selling secret-and its one hundred simple devices which all succentful salesmen must have. He gives you this secret—that is all there is to it. No matter what you are selling the rule applies. Mr. Newcomb says, "This is the way to do it. Now go ahead." And it works, It always has worked. It has been tested and approved

by every man who ever sold anything. Consciously or unconsciously every sale that has ever been made, was made by the application of this one fremendous fruth.

But do not take anyhody's word for it. You can be the judge your-self. It will not cost you one penny. Don't send any money. Merely mail the coupon or write a letter, and the complete course will be sent, all charges prepaid, at once, so that you may take advantage of the special price and save \$2. If you are not entirely satisfied, send it back any time within five days after you receive it and you will owe nothing.

On the other hand, if you are as pleased as are the thousands of other men and women who have

only \$3 in full payment. You take no risk and you have everything to gain, so mail the coupon new before this remarkable offer is withdrawn. Independent Corporation, Dept. S-7712, 319 Sixth Avenue, New York City.

(FREE EXAMINATION COUPON)

Independent Corporation

Dept. 3-7712, 218 Sixth Avenue, New York

Gentlewene.—Figure mail me the Course "Super-Salemanship" for 5 days free trial. If I decide to keep it will result the the Special Price. Otherwise I will return it to you. It is understood that this coupon puts me maker no obligation whatsoever.

Name
Address
Pop. Sc. 12-1



Mechanical Engineer

He Used to Make \$26 a Week He Now Gets

\$7,500 a Year

John Guest worked in a machine shop with a score or so of others. He could read and write and do simple arithmetic-that was all. Several of the others had received considerably more schooling than he.

His advancement began when he took up a course in Mechanical Drafting in his spare time. Once he had learned drafting, he forged straight shead. He was made foreman for the company, then superintendent, then, because by this time spare time study had qualified him for the place, he become mechanical engineer for a ment manufacturing concern.

Most of "the others" are still in the shop, or In other similar shope, or looking for jobs in shops. Those who have work corn a little usere pow, it is true, but their dollars buy far less. Every one had the same chance as John, but-

You have the same chattee, too. The L.C. U. Mechanical Drafting Course is YOUR opportunity to qualify for a position like John's. In your own home, in your space time, without losing an hour from your work, you can make yourself a practical blechanical Draftman.

Back of the L. C. U. courses stands T. J. Foster, founder of correspondence instruction. the first man in the world to demonstrate that Mechanical Drawing could be taught successfully by mall. Associated with Mr. Foster as Dean of the Faculty of the L. C. U. is Harry S. Bitting, President of the Williamson Trade School, the acknowledged leader among American vocational schools.

I. C. U. courses are cold on the

Pay as You Study

plan. The student is greatly advantaged because, whether he enrolls for cash or on the installment plan, he pays for only a part of his course at a time on he proceeds with his etudies.

Take the first step toward a position and mlary like John Guert's. Use the coupon. No abligation.

Industrial Correspondence University, Inc., Days, C. 1504 Locust St., Philindriphia, Pa.

Presse year me full information about the communication which I have marked X and about your "Pay as You Study" plan. In military for information, I passesse no obligation.

Mechanical Desiston Architectural Dentung
Complete Blue-Print Reading
Blue-Print Reading for Machinists and Metal
Architect
Architect
Blue-Print Reading for Catpenders and Bulling
Tradesment
Blue-Print Reading for Structural Insurestura
Blue-Print Reading Pattern Malores and Cabblet
Makers
Makers
Reading for Blacksmiths
Forement's Course
Course in Employment Management and Perscound Architeles

Name				
Street & No				
	er			

Conspetion.

PLAY Month-organ. Complete, eary instructor, 23c. Fines, Publimer, Bowling Green, Ohio.

STAMPING NAMES

MAKE 11840 Hundred Stamping Names on Key checks, these life for accepts and instruction. PS Keylag Computer, Othors, New York.

CIGARS, CIGARETTES, TORACOOS

BUV your eigen direct. Fifty La Columnas Propolé 11.75. Agents wanted, Ravana Bondathouse, Hemetape, Georgia

MR. ADVERTISER: And to-day for a copy of the Quick-Artion Advertising State Folder." It contains some really important facts which will prove interesting and valuable to you. It she tells "flow You Can Use Popular Science Monthly Problems," You'd like to have, wouldn't you! Manager Classified Advertising, Popular Science Monthly, 225 West 1972 duries. New York.

MERCHALLARDONE

NGW to Build Resultful Flomes at Small Cont. Street my boak on the Twentieth Century Building Materials. Price One Dellar Circulars two. Peter de Lande Ros., [Binque]

FOR your laws are taniused some Sixteen dellars ten Greege Stevens, Peterborough Outarie

51FBA lead soldiers save time. Painting sands corp. Stake device present! Instructions post paid, \$1.00 Lock (for 14A Augusta, Illinois.

LUMINOUS Paint, Bettle Mr., Laboratories J. Box 316. Portland. Orygon.

TELEGRAPHY

TELEGRAPHY (both bluros and Wireless) and Railway accounting taught quickly. Big salaries. Granz opportunition. Gloss and largest echool. combined 45 years. All expenses for ran each large part. Catalog from Dodge y Institute, E Street, Valparains, Indiana.

STAMMERING

STAMMEREA-You can be permanently cuted by my course of private mativolusi handes. Interacting bonk-ley free, Ramond E. Rebbins, 346 Huntington Avenue. Beston.

ST-TUT-T-T-TERITO and Chargering cited at bone, Instructive bookist from Walter McChestagh, 50 Pototage Sank Handing, Washington, D. C.

ADVEKTISHIO

OME fach Advertisement in 100 country town newspapers, 243 bit. An-Caulde from Country town Mugaster, 257W York, Pennsylvenia.

\$1.50 day makes elemented advertising pay tile. Get proposition. Climats Advertising Apoints, Deah G. Climats advertising Apoints, Deah G. Climats and Deah G. Climats

FLYER: 28 words to 250 washing, \$18. Central Agency, hampalga, Illinois.

ADVERTINE IN 24 Metropolitan Dallina, 25 words \$15. Helpful Liquin Inting 11850 publications, de stamps. Waste, Statisticale Edda, Chicago

\$1.4 VE your letters rothers, bounders, written by original forceful writter who dine for business — That's me. Johnson, 2013 House St., Chicago.

MR ADVERTISER Ash to-day for a copy of the Unich-Action Advertising Rate Fielder. It routesing notice really horsested facts which will prove hypercepting and valuable to rus. It also tells from You Can United Science Monthly Profitably. Two I like the now, wouldn't you! Matager Camilled Advertising. Popular Science Monthly, 335 West 20th Street, New York.

TYPEWRITEES AND SUPPLIES

All makes, \$15.50 up; fifteen days from trial Cala-logies peaked on request. Heavy Typewriter Communy, 317 West 125th Street, New York City.

TYPEWRITERS—All makes. Fartery rebuilt by "Famuse Toung Prorum." As good, but like, west like, guaranteed this new. Our but business permits leavest cash prices. Markines rended or said on time. Winstever your needs we can best strip you. Write how. Young Typewriter Co., Dept. 304, Chirage.

POR SALE

U. II. and Foreign military tordale, buigates and decora-tion of all kinds. Non Bloom, Mr.C Chambers St., Now

PICTURES AND POSTCARDS

TEN exquisite Tasakagiving, Christmes, New York, Birthday, Comic, or Asberry Park pustcards, 10s., 7 in per 100. Birthard Lavery, Asberry Park, New Jersey.

PATENTS FOR SALE

WE have a lew practical money making byvestlow for sale or trade. Adam Fisher Nitz. Co., 2812, St. Louis, Missouri.

SCHOOLST FOR PERE

SETTINGS for Opera, Plays, Minstrols. Floats Drops. Catalog. Amelia Grato. Philadelphia.

MR. ADVERTISES had to-day by a copy of the "Quick-Artism Advertising Rate Febrer." It restains some really important these which will prove interveding and valuable to you. It also tells "How You Can Use Propriate Stemathy Provide Ret to hoov, wouldn't you! Manager Classified Advertising Popular Science Managers, 225 Wass, 37th Street, New York,

Quich-Action Adurtisements austinued on page 10

Electrician's Wiring Manual

Tools and Symbols—Preliminary
Suggestions on Building Wiring—
Moulding—Flexible Conduit—Rigid
Conduit—Fixtures and Their Installation—Switches—Grownel Suggestions on House Wiring—Installing
Household Electrical Utrealls—Wires
and Cords—Mours—Transformers
—Switchboards and Panels—Motion
Picture Theater—Hell Circuits, Ap-—Switchboards and Panels—Motion Picture Theater—Hell Circuits. Annualistics Circuits. Gas Lighters, Burglar Alarma Bell Translationers, Door Lock—Elevators—Wiring Is Damp Places—Outside Wiring—Grounding and Ground Detectors—Inspector's Report on a Defective Electrical Equipment—Estimating and Specifications—Tables and Formulas—Electrical Circuits, Calculation of Wiring, Lies Losses and National Electrical Code Discussed for the Beginner—Alexandthe Currents the Regioner—Alexanting Currents Simply Explained—Some Things the Electrician Should Know About Storage Batteries—Underweiters' Requirements in the Installation of Wireless Telegraph Equipment—Practical Klabs.

There are many formulas and eables which are of great value on the electrician.

This is a book every wide-awake slectrician or any one who wishes to do any wiring should swn. Den't take chances, but he sure your work will pess the fire laspector. This lanual may save you life times the price of the book.

ash Pages, 414 Hustrations, Hand-me Fleatble binding. Fochet size. some Fleathle binding. Price, postpaid, \$2.50.

Experiments With 110-**Volt Alternating Current**

By J. D. ADAMS

Here at last is a book that develone a practical working familiarity with the alternating current-the form in which electricity is used in every home. The author shows how this can be done in an interesting and inexpensive way.

The only way to gain a thorough understanding of electricity as it is used commercially is by direct personal experiment. The knowl-edge thus gained is of vastly more value and importance than that sequired from the performance of the stereotyped series of battery experiments so uniformly deexibed in the text-books.

256 pages, 125 illustrations. Price, postpaid, \$1.75

Construction of Small Alternating Current Motors

By PROF. A. E. WATSON

This book contains complete instructions for building small alternating current motors in several sizes. The designs will be found in harmony with those of the very best manufacturers and they can be worked out by the amateur for making useful instruments.

Some of the subjects taken up are "Characteristic Features of Alternating Current Motors, "Construction of a One-Half Horsepower, Single Phase Induc-tion Motor," "Procedure in Test-ing and Using an Alternating Current Generator or Synchronous Motor." Clear, concise directions and careful drawings are features of this book.

Fully Illustrated.

Price, \$1.50

Popular Science Monthly 225 West 39th Street,



"We've got to hold Holloway!"

"HE came in to see me this morning and said the National people had offered him \$5.000 a year. We've got to meet that offer! We've got to hold Holloway

'He's got just the training and the knowledge we need. We can't afford to lose him. He's the most valuable man in his department.

"It's wonderful what that feltow has done. Out of a \$20 a week man, he's made houself a \$60 man and it's taken only a year

'Since the time I had word from the International Correspondence Schools that Holloway was studying in his space time he's gone forward by strides. I wish some of the other men would do the same thing. We need more men like Holloway "

EMPLOYERS everywhere are looking for men like Holloway—men who want to get ahead—who are willing to devote a part of their spare time to training for advancement.

Are you in this class? How much longer are you going to wait before taking the step that is bound to bring you a better job and more money?

For 30 years the I. C. S. has been helping men and women along the up-road to success in business and in life. Would you like to be a firstclass Mechanical, Electrical or Civil Engineer? A Chemist? An Architect? A Building Contractor? Hundreds of thousands of men have climbed into big jobs in the technical professions through L.C.S. help.

Do you want to advance in Business? In Advertising? In Salesmanship? Many of the country's foremost Advertising and Sales Managers have won success through I. C. S. training

Accounting? Commercial Law? All over America, bookkeepers, accountants, office managers, private secretaries, are reaping the rewards of time invested in I. C. S. training in these subjects.

It takes but a moment to mark the career of your choice, sign your name, clip out and mail the coupon printed on the right. Yet that simple act has started more than two million men and women toward success.

You have seen it in almost every magazine you have looked at for years. And while you have been passing it by, more than ten thousand men and women each month have been making it the first stepping stone to real success in life.

Will you still turn away from Opportunity? Can you still go on, putting in your days at the same grand, getting the same pay envelope with the same insufficient

sum, when such a little thing can be the means of changing your whole life?

You can have the position you want in the work you like best, a salary that will give you and your family the home, the coniforts, the little luxures you would like them to have. No matter what your age, your occupation, your education, or your means—you can do it

All we ask is the chance to prove it. That's fair, isn't it? Then mark and mail this coupon. There's no obligation and not a penny of cost. It's a little thing that takes but a moment of your time, but it's the most important thing you can do to-day. Do it now!

now'	
INTERNATIONAL CORR IN X 744-CB Without rent are abilipping matify for the position or I three matched up X is the CELEC ENGINEER Electric Wiring Telegraph Englape Telegraph Mertaulent Ovariana Mertaulent Ovariana Mertaulent Ovariana Mertaulent Ovariana Englape Sorverlag and Marphay Se NE FY EN OF ENGlap FY TO NORTH ENGlap Street Englape	DISPINEDE MANACIMA ALEMANA IMA ALEMANA MANACIMA ALEMANA MANACIMA ALEMANA MANACIMA ALEMANACIMA ALEMANA MANACIMA ALEMANACIMA ALEMAN
DEFENTED NEED BOOK.	Chi was Arregulable
Applications.	Paulire Pountain

Parage 2 1-91
City . Stein



No need for any man to remain where advancement is slow and the pay small, Drafting opens the way to important positions and high salaries. Many traftmen earn \$60 to \$150 a week and are in line for promotion to even higher places.



Big Jobs Ready-

Not enough ready expert Draftsmen are available for the higher postions that are open - which means that opgortunities are niways waiting for the man who can quality. Factories,

architects, electrical plants, contractors, sheet metal world, engineering concerns are constantly on the search for proficient Druftemen.

Train Under the Chicago "Tech" Experts

The Practical engineers at Chicago Technical Conege will give you training which will make you also an expert. They will teach you the methods they use in their own work-prepare you to

mep into a pay-Ther at the College or by mail. Small fees. Easy кетина.



esson

Trial lesson is eent to show you how we instruct by mail. No cost to you. Just send coupon. Cet the lesson,

ratalog, etc., also free outfit offer. SEND Act to-day. Put X to the coupon to show which course interests you then may h,

(CHICAGO TECHNICAL COLLEGE	
1	[32] Chicago "Tech" Fidg., Chicago,	Mr.
4	Fund Free Information on subject and ball	10.

Distriction Direction	
 Bestring Ørsige 	4
Architectural Dr.	-

- C. Menteral Beaffing C. Threet Market Bradfiller
- Topographie Braiting 🗀 Serreyby,
- C Agin Employating L. fort. Engineering 5 Fire Brading-Buildings
- Educing Bildings Man Bankley - Markle G Ploubing, Marting, ata. District Engineering

w	- 1-	-		
	ы.	48	16	

Address

Prot. Office

State

College or Home Study State which

Free Trial Lagren Installed When Investoy is for Orafiling or Plan Pandung.

PRINTING, ENGRAVING, MULTIGRAPHING

.09,000 1 2 T Labeis, \$13 00 5,000, 22 Paye 20 % Walf Labeis, Stateon & Philadelphia

"My term Leverheids and Mil Envelopes for the or Write for Provide and Fampies. Soldier Printing Com-puts Meriden, Connection)

LETTERHEADS (anytopes, 500 PLAS Samples for unally Purcey Marietta, (doss

RETT I prot tag for low manney. Sept for our same parkage of samples of bandrets of funds every unit of prot. He is intermediate. I new regarder words radiging will be sent for the cross so pay postage. It best Faintain (despitely alle despitely alle despitely alle despitely alle despitely alle despitely.

PRINTING The Setter K as Commed Labels etc. May we quare one on year named "the Tro Proc. 329 Bacharda Avenue S. House New Jerney

PM BORGE & Regiment Persons Stationery Samples.

QUALITY PRINTING SON Lettersonds Paintoper Contract of accounts \$3.00 count about the per tile op his graph better \$5.00 count about the Houseon, Paris, 1912co.

PRINTING of every description. Our proof of Balliples Proc A M. Kraus, 669 Chemical Street, Milwaldan, Wisconsin.

OK AT TTY Printing for him 1000 Letterheade or aveloges \$1.00. Removade Printery, Levols. New

234 Letterbooks or strelopes, \$1.50. Other printing fumpies stamp. It finney, Paris, httspeart.

#5. NY: 2s for our dampies before ordering. "Mallop-grout, in a Congluon, Chicago.

31R ADVERTIGER Ask to-day for a mapy of the control Action As extends Rate I wider. It contains mine result important facts which may prove laboration and temporary temporary facts which How You as the Proposer Actions Monthly Franchishy You of the in Income World by you'd blanaper classified Advertising Proposer Section 324 Wim State Street. New York

CUMMED LABOUR

CATALOGUE, maples fron. American Ounseed Lated Co. Dover, New Jersey.

EMPORTATION

Bt. 1Airt. V. Information furnished on goy subject of houry refunded, for it military involve Terms Plate has refe Hennityn, New York

INFORMATION formated All automate Charge in the per subject, of the period quarantee Anterioral aformation fraction, 663 fact inits payer, New York

DOGS-SINDS-PETS

RABBIT Hugada Fathogada Cant. Openham Stuni Squerre Dam briane. Circular 10s., Bruss's haddels. Sufa Petinippopia

SOUCATIONAL AND DISTRUCTION

LINCOLS JEFFERS N Valverson Home story in Aradour College, Theological Law Science Phosphary Four-war and advance statement, banding to depress Lasts how 2390, Change.

FREE Learn to write Advertisation accept position or work beam eventual, member to the serving year rough by mad I made \$100 cmp in Sample [1900] man from Williams, Department F 76 Continent Paret, New York

BOX REFERNS of taught in a west from the formation to the first state of the first state

EARN 605 to \$150 a week Learn Mechanical Descring Complete 5 state in their their Learn partners. Diploma when quartners in a new partners need to the first their partners in the partners need to the first their partners have an ear fill Atheny Treatment Mechanical Descring, Dept. C. Lee's from 64 Albany New York

INVISTMENTS

CACOULAL Investment 'Opportunity' Make your movey do trink that Fave lives Save inteperty dansings earn profits. Neverther modification manufacturing factors Device Write for particulars Investment, Blass-Producted, Copp. Allestown, Producted,

GAMES AND EXTERTAINMENT

FOUR Magic Catalogs and Samples—15c. Gitmagles, Melyno Perk, Bloods

250 Partor Tricks, 25c Big Catalog, Sc. Harvey Teople, Derstor polisce


MAGIC knasetanpower Supplies, Johns, Morrison, Cord tells immouse forms telling Arts. Selected the State of the Principles of the State of the Principles of the State of the

MARCO payence bull - Will movely builts and amage of liberals forms have described up to alt. In symptom owners from Lance T. Herr. 2919 W. Morth Ave Railmann, Staryland

TRUCKS, seion and puzzles. Get our including final Agents dispoint flame. Motorwater New York, begin it is in

PIATE mendeni consector and because introduction of the control of

WR. AIN ERTISER has in-day for a crept of the Charts section advertising Rate Folder. It contains examply supervises there which will prove betweening and valuable to you. It also tells. Here You Can Use Popular Sevence Manually Productly Tour dire to know wouldn't you. Mexager (Lembon Adversaring Popular Sevence Manually, 223 West 19th Street, New York.



WRITE THE WORDS FOR A SONG

We revise poems, write music and guarantee to secure publication by a New York Music Publisher, Our Lyric Editor and Citlef Composer is a song-writer of national reputation and has written many lig song rite. Submit poems on any subject. We examine them free.

BROADWAY STUDIOS 200A Phagoraid Bidg., Broadway at Thom fig., Prey York.

Wrestling Book FREE



Andrew on her ber ment out to be the property of the format of the first out of the first o

Frank Gotch and Parmer Burner and State of State



Nation-wide decayed for trained men and women to all dispersaceurs of betrie clubs and apartment bouses. The countries of the laying, quick advantament in the bay bourle of the lating Sauces now America a Foorth segment Japaners Statistics since him by CPE IN EVERY TEN HOTE, P. W. I. HAVE AS CPEN NO FOR A MANAGER VICE YEAR Throughout of other contions also open to these why mounts; through training quant; denugh trateing

The Lawin School guarantees to give you the valuable impowie-face that it has altern some of the most forwardly body! men years to obtain some who are now making \$5.000 to \$40,000 a scar All of your training will be indeed to personal direction of Chiffield Lawis—a boost expert of tachnina reports those A lieu spour-time house a work givet a time bimple clear braiding of the scatter cycles the way may good sentine of the scatter cycles the way may good sentine on the brain, and a business which the braining will be more which the braining will be more proved.

Send holes the FERT DESIGN "You Ma Sewellands for a wall a crimbs are one less the apparatus of a Ultrinos that the compact NIW Your whole builds but depend on it. FormSed 1916 Laws Batel Transing School CLEFFO NO LEWIS . Seen.

Anom 2713 Washington O C

Washington D G. white part of the PRES INDOM

Manne Bureac

Chy

Steam

Lewis Bottle

Transfey School

FOR MEN AND WOMEN

BE a detective. Excellent opportunity good my travel.
Wette C. T. Ludwig, 434 Westover Didg., Kamine City.

GINE Indian Bushers Wholessie, Catalogue, Ergelein Gilbam, Schopellie, aldurate

SENCIAL Philosophy Sc Clear specific sutherign or complete less societies Fred & Accessments.

THE THE ENGINEER PROBLEMS OF THE WHILE Experience distourned). Par culars free Write Appropriate thereties by Principle Principle Appropriate Terral Parks.

R MASTER Keyn and Muset here (bate \$1. dipent and tens himman of different net. The mass hardfeel phonomics of patricians and are tased not recommende by the bates has, remining the next of formal a pair stand, tracelled sign harden Keyn adapting at Maskassan building, 35 Kwambase, Westmann

ARE You interested in a conflicted. Trial resultant for big high a good like. For our said Advertising Rid Citiesato.

the end filled on failure which is your desciny? Sciencific information. Streets patterns unto personality describing the filled blank blackfully included by the beautifully and described by the beautifully and described.

Tit is increasing constring full tent for the includes no betterprise respiling enduable forth annie large stratts mark sind elected are not be extended to expense the full transfer and a figure 1, translat. His input bits. But III Brooklyn, New York.

Chille Words Amount store mechan of obstances your desires Postpold for done describes 145 Miller Streeting, New York

RTART oil Palacing, Landerage and Portral Statishing ballets y learned in Itelahost tood par a native or facial alle bei appears us personal paragraphic alent or experience required out in Interest. Free bookiet. Tangley company \$47 Main. Scarce on Lore.

Hi-X blenka for Adul a - Chartrated ratiolar to - Smortam • C - Christian Michigan

f S S time title Belef after S Pecker Colff. Splerolic Simes to Thirman Miles called a Leanneth Equato, Pounc, confin

TATION & Supplies Laure the same Catalogue the Prof. States in at Ratcharph Le ron

SIR And RT will Ask toward for a copyr of the Copies, before According time Fullier. It can also make the copyr of the Copies, before According time Fullier. It can also make the first applies a year of the fact that the two makes weather the copyr of the two makes the copyr of the copyr of the two makes the copyr of t

PHOTOGRAPHY AND SUPPLIES

\$ 15,510 deceloped is full prints if each. Proto-terrido.

ACATA me also we have now then for development and disbetwell prime. It sould six bestatives only size and file top my grispes. The sould be for some har if managed which gequete. Propage perfect sometime Topography Physics Planishing Company T. a Mell Avenue. Resemble National

That he had a connect. Write for free animple of our high management allowing himse to make bother ple upon and on a mount of the animal of the property of the second of

17 C H s - H a lift is mateurs only send us 23s with first full tray a 5) to give and see the difference Painty Photo to I obtain the Settlement

[6, 2124 h. [Blue par size developed for Prints to and my Child's work Trial under solicited 3 selection plugito theuton. [12]

A N.C. (CAN debut neit in order Filip Newspace and De for enough in ... alcorder Nappistation ANA 1118 M Photo Security, Broad of Vermant

PHONOGRAPHS SECORDS, STC.

115 ... I your man phinomeraph Perfection dischardquality applied still electric medical, latteraries regional power exchange finishes or broached dearn. The may price the Historical on along stall for tilling institutional free Periodal flagging manger v inclinespoins indicate

pick is a quantitier but trust phototracturity and do be covered built. The period building and section. We have prove section, concerns with our definition to tell a section provided built for the print office. In the best Photographic in \$12, 1203, 20. (behave colleges.)

PRIOR TO BAPT posts complete finished cableds \$23.00 and up blacked Statute officials I. We red up making complete \$ 485 and up Time-appearable post up officials and Filmmetents demends the catch. Subtitude unipong theps 7 from Figures, Michigan

ht I would Phonousuph Prefertion which quality applied and electric Norma. These than Reproduces wooderly read a fill works. New condendance of the last thinkel in the works thanker stanges grow to the Papels of Phonousuph Supply Dept. 314 Maldela March Bullabagadis Luis.

BOOKS AND PERIODICALS

of PUNDER OF increasing elever publications, perpelot is any address nelly 25% throughout price \$ 10. An expression elever electricity grantees. With another conputer Lafa, year blake chilantelphia. Penant years

PERCHANA Present Basilian They resemble our to entiparential right. Supert Basil is happened in stational Sample rapy after 5 patrios Supplet a Browning Present again.

199 hg All blode Lists Eligens (\$244) Fort

MUSICAL INSTRUMENTS

NOMENSE deep mellew couldn't un credit (may bebus for womigratio natromense et desgris codev Comen a Penning 4:4 aylord es Penver, Colorado

MR AINTERT of it that to the a copy of the Guick Action as erieing the e-Yedder. It consists some results important local which only prove inserted at and valuable to yout. It plan elles from You that the Propular Science Machine Propular Science Machine Propular Science Machine Propular Science Machine Physics (Sander) theorytopas, Popular Bolume Machine 725 West 19th Street, New York.



CIVIL SERVICE

Link Carrier Badeny Bad. Usrai arrive Pertmarker Castenne January Browning and other Constraining. Who the sid of year

HOME STUDY COURSES

per can que la recours del con el firebre diffractive sectiones. On year can el me cancillo males col le le C il Leur primere coll con la calcimitation le care capet and on C results. From index for ful information CMC-400 CTIL SERVICE COLLECT. Les lies 226 L. Clemps 12:

Small Motors, Transformers and Electromagnets By H. M. STOLLER, B.E., M.S.

Unique, girtag typical complete detailed designs and actual construction methods. Fractions, tells how to reward used motors for changes in voltage, epood. Fraquency, etc. Authoritative, yet simply written, and equally valuable for the amegicus, repair man and destricted engineer.

328 pages. Prim, pastpald, \$3.16

POPULAR SCIENCE MONTHLY
ZZS West 38th Street, New York City

Quich-letton Admittements continued on page 12

YOU GAN KNOW

all about AUTOS,
TRACTORS, AEROPLANES,
BTARTING and LIGHTING
BYSTEMS, STORAGE SATTERIES, VULCANIZING, etc.

Valuable Book FREE
'How to Surreed in the Astambble,
Tractor and Aeroplane Business,' a company and reprovided by a limb of the many ar radid provided provi

AKE'S PRACTICAL



They Will Raise Your Pay-

Order on 5-Day Trial

The books listed below will perfect you in your chosen trade pave the way to the big positions. Written in non-technical tanguage—pasy in The books district the big positions. Written in mon-technical tanguage cary to read and understand. Every book covers its suspect cost, lefely. An entire course of practical approach to and attendance condensed and one values. Drake books in he is unnecessary to made the uge a big set of high to get use afformation you want to our charge a big set of high to get use afformation you want to our charge seas portation was benefit. So days—making relanded in full if may entirely assistactory Order direct leum this page

Auromobile Books

Chath 54 00 Inhow as the Curit Cloth 54 00 Interior of the Curit Cloth 55 0 Interior of the Curit Cloth 55 0 Interior of the Curit Cloth 55 0 Interior of the Curit Cloth 64 00 Interior	Printing Books		Automobile (graves by Mahir Leathening by Marky Bushes Automobile Starting by Bushes Automobile Spendings Leatheretic	(7.50) 2.66 7.00
	reso Painting and Busteria Art. Cie. Show as the Cunts. Cie. Ign Pate to go of Tarita. Cie. Ign Pate to go of Tarita. Cie. Ignat a Alphabeta. Cie. In ma re. t. octs and Prakes. Painting and Iteraturating. Cie. Iteraturating. Cie. Iteraturating. Cie. Iteraturating. Cie. Iteraturation. Cie.	All 400 1 v	Maring and Lighthm Trumbin. Remidles and Lighthm Trumbin. Remidles and Lighthm Trumbin. Remidles and Automobile Solvery Care and Repair by Leatherman Automobile Solvery Care and Repair Man Leatherman and Repair Man Leatherman and Tires and t airmapping by Yadiant Cloth Gas and in Faguire Handtook Check Check Automobile Lakey) and Care by Manly Chath Industryche Handtook, by Manly Chath	1.30 2.80 2.80 2.50 2.50 2.50 2.50 2.50

Riectrical Books

	Practical Applied Electricity	17	
		**	30
	Afremating wrems	н	35
	Live the Minimum I matter Systation		24
- 1	Winner Diagrams and Descriptions	ч	39
1	Mine ten, Entiten und inco		340
	Admatus and Magnet W fiding	1	50
	Mode in Rieseries Coper terrior	- 6	440
		- 61	9.0
	Electrication Operating and Tracing	н	38
	Malian fill said cipernion		
ш	Double is Kited sport to be repeated	п	50
	Cloudeld Martin Direct Alternating	н	310
	Drake's Telephone Icanelbeck	1	30
	Mariera American Palasinous	Ť.	DU.
- 1	bet deligant? Se long on Bib. 4 Artes London	-	-
	Witness, Tringraph and Telephone		- 4
	Handback Cinth		43
١,	Talegraphy Buil-Tamplet Chilli	-	21

Shop Practice Sooks

Blant Motal Warbers' Manual, Josephin atte Only Acetylicite Weisling and Cutting, 8.75

Handbook for Milbertahts Cloth 700 Machine Shop Practice Cloth 200 Mechines Drawing and Machine 100 Mechines Drawing and Machine 100 Districts Drawing and Districts 200 Cloth 130

Burinest, Laufunge and Reference Books Reference Books

Better Tuniness Artest Leasurerette 11 38

Better thatmost English Leatherette 1 58

Better til ernstag
Loutherette 1 36

Franch without a Trucher Clash 1 35

Foanst without a Trucher Clash 1 15

Everyday without a Teacher Clash 1 15

Everyday victoria
Everyday victoria
Finance Prints himphibos Clash 1 10

Plan to at Up to despre Plumbing Clash 1 30

Hot Water Henting Clash 1 36

Commission Clash 1 36

Communitary Chargestry Charle 1 300 Communitary Conserve th Civil Survice. 500 Beneduri Cyringania at Recipus, Civils 1.30

MONEY BACK GUARANTEE

tdark on this page the bunds you want and shad to with the perce thousand if our matrix too return to die days and inputy with the perce to be presented in the percent of the days and the books and help you. It are there were,

BIG CATALOG FREE

Many toute House feet Helps hally do scribed in our new COUNTY Feet. SEND TODAY

FREDERICK J. DRAKE & CO., Publishers, 1003 Michigan Ave., Chicago Drake Books are For Sale at all Book Stores

One Million Dollars

Can't Buy It!

NEW YORK CITY

Dear Mr. Liederman:

Sin months ago I was a physical week, on the verys of inherentarit. I had tried numerous doctors but made of them seemed to do we awy good. Inc day I met a te sed whom I had always etried hereas of his marrative physique and ushed him why he had been gifted with such a secong hody white I ded not have the iteracth or ambition to enjoy they presences in life. Cofted nothing " said he. "I gut this ky work. He then told me have he had laden your counts in physical training and middle himself the man he was. This was my start. I wrote you do one and we find mitted the stoughts change in my physical make up. I am mon 22 pounds hyprice, more house a slich day and feel as though I would lick my weight on wild call. If y hose has also mailed my abitity to accomplish begger things and I have had my satury advanced bear times, making a total interact of 40%. I would not change places with my former self for a million dollate.

Vances for begger things. Dear Mr. Liederman:

Where Do You Fit?

Are you mitteled with your present cond tion? Do you start each day (all of pep and ambition? Do you feel the thrill of witality surging through your body? Are you proud of your physical make-up? If not, get busy steam up and acquire is it is a possession that money cannot buy. But if you have the spark of manhood in you, you will jump to and get is.

What | Promise

If you are sincere in your sudesour and ready to follow my guidance. It quarantee to completely change you in one mouth a time. My course will continue on for months, but inside all thirty days your own friends will not know you. Your arm will acrease at least one full lock and your chest double in proportion. Your shoulders will brunden and your whole body fill out. You will have the spring to your step and the shrill of life that only an athlete lappen. Come then and try me out not make me prove it. I like it

ALE E LIEDERMAN "The same of physical perfection."

Send for my new look

"MUSCULAR DEVELOPMENT IT IS ENCO

It tells the secret, and is handsquarily illustrated with 26 full-page photographs of appell and some of the morid's best athirtes whom I have crained also full particulars of 20 sections and offer to peed. The valuable rank and spiculate of any section is an expect weappend and modeling. So right shows now and IV in the coupon. The spines who get started as the could to health and strength the ranker it will be a reach perfect graphood. Durit drug along the Section is a section of the coupon of the c

EARLE E. LIEDERMAN

Dept. 1312, 205 Breadway

New York

Copt. 1812, 205 Roundway, N. Y. (20)

Dear Sir - I ractions herewith 16 events has which you are up used me without are obligation on any part whitever a copy of your latest book. Mayrube Development. Please with or print phololy.

Chy

Quick Action Advertisements continued on page 13

LANGUAGES

WORLD ROMIC Greete Phonetic System Masterley to all Languages. Our Textbooks, \$ 73. French Chart, \$77. Frenc

AUTHORS—MANUSCRIPTS

WHITE for corresponded and magnetices. Hig pay, Experience unnecessary details tree. Press Reporting Syndicate 400, et Louis

WRITHRA Have you a song-pown, story photoplay to mo! Equal manuscript one to Music Saire (longist) 48. St. Leen.

WRITERS: Stories, puress, plays, etc. are wanted for publication. [Incomy Survey, 117 Hamilton, Atlantical.

FREE to writeen a wonderful little book of promp-making bloks suggestions, ideas the A B c of successful start and play writing. Absolutely free Just address Author a Princ, Dept. 15, Acoust, New York

285 FOR IDEAS. Photoplay plots accepted any form; revised criterized, analytic start marketed. Advice free, to revenir recentric Corporation, soll Western Matual Life files. Les Angulas.

CFL NINGS for Profitable and Interesting Work as Research to recover bingual on Report recent, cultivate advantable shows oir filete stock income; in their state. Need not interfer with your regular necessarial first policy on the few applies into a profitation of applications. A given by the profitation of applications, and residue, and residue, a profitation of applications. A given by the profitation of applications.

BCESARION published free. With name as author and rushin protected. Very steven, Del Monie. California.

AND Third's writers send today for Fron Copy, America's brading magnetic for will be of Photoplays, Stocker, From resign Instructive, helpful. Writer's Engels, 556 has been about Cosmobate.

At Timelik. Laces to write printing and stories. Resid-ted contains related butter in . Capital Esterary Pulsani, Lack Stor. 5.3 Department P. Madipul, Wilcomon.

MUSEC AND SHEET MUSIC

Civichi Tinti, Recombonita, Trombuntete, Cari-printe rentific Free Pointers on Weak line fileh Topes, Low Topes Starcete, Johnson Method topuration, Vitamo Pennel, Indiana, New York

WHITE the beach for a some. We revise passed with much and flaractes to secure publics for Full Plant partie on several parties, but for subject the several passed flatters, New York.

WHITE a Pour Poors. Laws, Minthey Screen Combo or any makers! I company make both purchase publics love Send words to day. Edward Trans, 421 Margar Mack,

Willit! the worlds for a south We will compose the Me. mettle septilities and justic Egiptists (newly who key subject to the house of members 200 B. Michigan Avenue, Leann the Chicago, Illinous

privacy martis and increased the optimic demand for each out able for their taken and the opportunities are attached and the opportunities are attached as a subject of the political and a subject of the political and a subject of the political and as set of political and as set of political and the set of political and

Willer White Rev. Mend for my free pamphlet, "Road Writers Section Ethnish Reason, John 607, 2015 Breadway Chicago.

PONC-WRITER'S Bucklet Pres A wanderful in-processe bootlet. The Bong Writer's Guide" sont abac-tories free Futual year latest song-poron. We write process print and accuse copyright. The Margandian Ptudies, throw 821 924 South Michigan Avenus. Chicago.

WRITE the Words for a Secs. We write tousis, copy-rish and rades or to promise popularity and agiright sale. Bell Studies, 1940 Recoderry, Dept 711, New York

All APVINITHESE Ask to-day for a copy of the "Court Artiso Advertising Rate Falter 11 escuates there built interesting and relief the province there built interesting and valuable to ran 1s also elle "How You on the Provint thirtency Monthly Troth after You of the to know wouldn't you' Manager Cleaning Advertising, Perpular Science Must be to 19th Street New York

MUTTION PICTURE BUSINESS

PROTOPLAYS Wanted Big prime pold Yes can been a them. We show you how from particulars. Ban Pubmaners, Box 176 F 43. https://

Will TE Photoplays \$30 cach Experience unnecessary details free to beginners. Produces League, 94 8t Louis.

PRIOR PLAY writers care biologically. He one become created Learn as bonze care y quickly, as little cost, or in alle: write Freebman Company, 801434 become

FIF W meeting pictures in bosse. Projecting machines in fet up. Abustrated rataker machines and films, Free. Werner Bress., High Hidge Interests.

E3000 to \$3000 a Year—Coormatestraphy (The Science of Ministra Protuces) New Fair-Invited Relativestra. Prospection Price American Institute of Cinematography. Inc. Suite 6 A. Steinway Hall Stein. Chirago. Historia.

MR. ADVERTIFER Ask to-the for a copy of the Touch Arthur Adverting Base Finder is contained more really important facts which will prove interesting and valuable to you I a give the "How You Can Underly Propint Science Monthly Propintly You'd like to know wouldn't pust Manager Classical Advertising. Topolar Science Municipy 225 West Mits Street, New York.

BEAL SSTATE-FARM LANGE

PECAN and Orange Princip on the Cold Easy arms Dis rules elected large C debutton Acres Company Orang Aprils Biomesappi

WANT to hear from party to my farm for ode. Fore-particulars and lowest prize. John J. Black. ("Ath Busine, Chippens Paris. To south in

Shall sets secure harm 20 Acces Sides Miliaes 12 acces product as illuser that we would discover that the barm parallel bases in the oil filled down lines 45 access from Speak for Street Farm Appears 150-10 M Speak at New York 150-

FOR INTENTORS

1000 Steenmeier Statements, which illustrations explainths 50 Perfection Misteria. My basis Illustrations explainths 50 Perfection Misteria. My basis Illustrations of alversal Liturature Pitty hill als hells have to present and
solid perfect and and I will perfect the centre oversal for
that her Prime A to I will perfect and observe that S size thousand of Person of the hardest of Statement and Statement of Misteria and Inventors assessed inventors assessed inventors assessed in the content of the size of the s

PATENTA When he from Counte book and In described Conception Blank when his mid-in or shelps of it was to he has opinion of the patent also no give. Makanta references. He sentiation to the Victor J. Evano & suspense 156 Ninch Westmanner 156

THE 4s & D. Manufacturing Company R 18 Austine General Accumies Tiept A 4 included Thin Special Schooling Notices from Part of a Toole, Manual School Part Notice for the Part Notice of Manufacturing A Contains Valuable In-

Clears 'reg per blacks for the built. Contains valuable information for type strong Been queen all your in ear on for
Fresh includes of the patient able on the Stronger was appearance. Talbore & Talbore & Talbore 10.

INAP ST - Let before plantaming your liques to others
with fur that be a before plantaming your liques to others
with fur that be the new of an involve time result about of the
particular by your in an ion or examine tens and od to
Apit for from book Spon to things a Property to the second design
was delays. With the day of Sponso-Manners & to built design
built-in blink With a being no. 15

Facts NTM Bernard Propert are a mid-ben a mid design.

Part N TH Recupied Principal metalion A mid disciplinate being a round for the life and of the entirely forms and Property deline in a type of a Parent mappy she is all the principal of examination of Property of the minute without the principal of examination of the minute of the same of the principal of the same of

If the your a practical insequence to not upt get in place on corally" front details to Adam Plater Afte, Co., 1934 fit Louis, Stimour!

Mariles in acid a specimental Work of every discription appears black party as a specimental Work of 25 Wint surface outwork. Birtham Boulevarit

The Parents Resultation in 18th Charles A. Best 773196 (entern Archive Horizotte N. Y.

Paris with Tendermarks - Between disclassing at the efficient, in the opinion of the state of the property of the state of

194 b With the Wildings consight of atracques a manife-facture in the end town is tracted in the minute lightestimal which meetings are appreciate. From the section of th

Wit 4-8 patents. While for information F () lines (06) fan Francisco (schrieben

PATENT ATTORNATE

PAT NTS Harbert Jonese Patent Attorney and Stechnoson Papert 652 P Wirest Washington D C Topic I a patent can be had and the exact seen. Book

PATE THE prospects already on the man books flow the effects a Parish which were said talentile interporting which exercise section which exercise section which exercise section and the parish as a parish, model of photograph of group in sprices we still protect the section of the Parish effect remarks with a sixty even shall prove a parish to resolve the remarks and of the protect of the parish and the section of the west to being \$0.00 to the parish and the section of the west to being \$0.00 to the section of the exercise of the exerc

PATERTS Anobjet from Highest references Timb patella. Framprises about it Warson E Cuteman, Patent Law er, 624 F Mirpet Winkington E C

FATENTE Write for the Huptward Chide Book and Fathers of Conception Which from make in the second of laws and make the second of laws and the second of the second second for the second second for the second second second for the second secon

ROLLS. R. Life & HT. I offer a returnly preference all markets to manufacturate and investors in patent or in expension and registering rathe highlight a territory which is the result of world result appropriate. Write for free booking and names of prominent manufacturers and temporary standard or prominent manufacturers and temporary at the results of the professionary at the profess Building Cleveland


LA EN Parent Beam From See page 14 The bunk the inventor house.

From See page 19

FATE S is present a precented. Send distinguist of the real design of tradegraph for a runal search of T. S patents and noted y report. Valley and obtainment in estimation. Farest and tradegraph state interferences in the runted states. Diver make the distincted anywhere in the runted states. Diver make the clients appreciate my afficient secure. No literature will be sent tributed by a professional secure. Individual search interferences in and after restrict restricting term individual case. Since a we on preserving of profitting that there have preciously reserved by he fattest control to the first tributed and the secure of the fattest of the restricting trade of the fattest of Fattest Trade mergraphics. Checke P is moral. Measure of Fatent Law 29N Lond and Trade Suiteling.

PATENTS Trade Marks, Constitute Prompt per-pendid religible services three is ruled and in practices. Write for ectal from these Address E G Biggers, Box I, N C building Washinston D C

INVENTOR A under free on request given valuable free on and advice. Frank Ledwinskin, 15 Fack Row,



ingling expressed approximate sharing the property of the prop

Flexible Covers Pechal Star

4780

1500

PAGES

THEO AUDEL & CO., FINA Are. New York City

(Thene appends me for five chartelination HAWKINE 20 For Edit at the Pare II reach. Ship at they properly the 10 manhers. If missinfactory I agree so would you BI at 10 merem days and he capther mail you be each month antil public.

Couper |

Computer

Employed by

House Address

FAM 42 Reference:



\$100 a Week!

He doubled his pay and now enjoys the comforts and pleasures of a tool income

Why not double your pay? Thousands of our students have done it and thousanda more will do lt. You can be one of them. Do not think for a moment that it is luck or pull which brings success and real money—far from it. It and knowing what to do when the right time comes that does it. The men who have made successes for themselves were ready when their main chance came, Your main chance, too, will come. Are you ready for it?

Remember the Empty Lot?

The older fellows were playing ball and you were watching, wondering if you would ever get a chance to play. You knew if you only got a chance you would abow them. Sure enough, one day they hollered, "Come on, kid, grab a bat!" Your chance at the pill had come That is the way with life Your chance at the pill will come, but if you want to stey on the ream, you will have to deliver the gnode—and that you can do only if you are prepared. The big paney and the parmanent job go to the man who knows."

You Can be the Man "Who Knows"

We will show you how. Without loss to you of a single working hour, we can show you a sure way to success and big pay. A sarge number of men in each of the positions listed are enjoying their salaries between of our help. We want to help you. Make a check on coupon against the job you want and we will help you get it. Write of print your hame on the opopon and each it is today.

AMERICAN SCHOOL Dept. 6-175, Drenel Ave. and 55th St., Chicago

AMERICAN 9CHOOL

Dept. 5-9% Drenel Ave. and 18th St., Chicago Send use full information on how the PROMO-TION PLAN will help me win promotion in the inb checked.

_	_trehitaet
_	Dalleling Contractor
	Astomobile Engineer
	Automabile Repairment
	Civil Engineer
	Structure Englavent
	Budgess Manager
	Cert. Public Arcountage
	Assessment and April 16

Book hospie Draftman and Dodg Countried Corts Electric Light & Pount Geograf Education

Martin Shap Printles
Photopley Writer
Surplant

.... Mechanical Kagla Erophysicant Manage Strick Engineer

Principle 4 in Life Bandbury Engineer Berrerer (& Mapping) Telephone Engineer Telegraph Enginers High School Gradum

PATENT Trade-mark and Copyright specialist.

Prompt personal and efficient settles: A4s or dy implicati

51 1 personal and efficient settles: Washington 25 1

(NYFRI RA ment shereb or model of your myst) those for option, overwriting patentially known and runes one of applying her patent. Both Blow to those a Patential state of the interest information on patent with the distance of patential of the land of the land of the control of the land of

1994 F.NT Re before the touch four idea to others write for our 1 tours of how a set both four the first of the market of rear in culture of examination and set of the Ark for two boos. How so behave a Patent Around an approximate and the first of the

PATENTS My been to installments. Advise book free Frank Fuller, Washington, 2

Mark No. 1 The Court Political Warkington

Do no continuous open courts to electric experibland quarter of more and foliable Markington characters.

Trip participe again for them "Leidence of the replan to its strain and w nessed. I stee for other in interestion free participation and allevane 222 characters from the washington in

PATPATES procured trade marks regardered A resuperhands a experienced prompt derived in the project ist and the vision of the project is and the vision of the project is and the vision of the project is and it forms for the project of the project

PROTECT your rights. Write for "Record of Invention, which continue laids to extend on an Arrive of Computing of your thresh of Prompt prototal service. The last usery any or my says charge. I Record hely the P Columbian Building, Washington D (

colo in the Colo of Record and Bulletin and without there are the form for the description for the color of t

PATENTS, prompt, personal efficient mixture by an Attorney at law miled to an ir nachon of Patent' picture. Over 12 years provid experience 2 till information on our request. It P Plantourne, 225 Spatent building. Washington 1) C.

PATANTH Prompt, personal efficient service for the personal service of Patrick Practices for the particle and the personal services and Contribution Lypenesed by James 1921 http://www.lypenesed.com/patricks/

PATENT'S procured Trude-marks registered Residence able fees Thanker Within Residenced Patent Attempt Museum Stage Washington, 17

BT Your Own Palent 135 Complete Application blants and till instructions \$2 Compre Curring camp-bell Cablemia

(New Properties of Section of Consistency and P. C. Seet 2013. Section 12. 1.

PATI NEW Traditionals Reform Charlesing in Investigation for the state of the Property of the Property of the State of the Property of the State of

PATENTE Toward C Samuel Attempt at Lan and Summer Principal Sections in the Spirit Section persons Office Plactated and or require Summer Persons in the re-

ACRESTS AND SALESMEN WANTED

ACT TO make 500 , weath handling Auto Memograph New Pictures Mandow for he'd I spaler hange Novelly Stem states From Einten de Hept 125, Star City

\$14% by much tower to reducish physicistics, brigh field, phomodyles by new mer well. I bit do a without capital appropriate Within Lemmettal 4 employs. Avenue. If

Stake have breakly welled parameted cont-parket orbo-phists sheares break makes has been much his real bases at we windowed clear 21 bears of been sailed comparate mount on maraness has real acts to paramin being the thept this Tolletin, while

A ENT'S. Make a quiter as hour will Mepricit a parent patch for butant r menting leaks to all preside fample parkage free quests him f empany Dept. MT Appeter to New York

TWING PLA Complete Mad Ciriler System Books, a ageing No. Here 145

For 'at a again for grade Fraderic forthers.

Crost 24 sharm in the cart dells har 5, not used her Contribute for relations at raise, weathers button for players at raise, weather button for the players for the forth of the Contribute for the forth of
y yes he have milital through the parties, talked duct at Hall Brushes etc. in a till gebon time specially profit makers, bankan limes o and whether trenge i harmon

PARTY for Principled Clear Lighters and Clear Vinerance Sell of Seal Stands everywheld Thou-in my hardest or pule him Mart new Drake AFRICA SHEET the P. Millershie, Willershie


p. C. Money and Fast Sales. Every somer born Gold and for he agts. Yet charge \$1.00 make \$1.35 Time bee charge through the particulant and five sometime. Proposers Conspany Dept. 67. East Charge, See Jetter

PATENTS Witte for Free Majoranted Guide Fools.
Send there's or model for two opinion of its patentiale made it is great referenced. Promot attraction Reasonable recent. Virtue J. France & Co. 1.4 North. Westergroup.

ACTIVITY Big profits. Best and cheapest windled by the market East's and of These trimes for market. Parameters from Stathette Company 115 feeded Avenue. New York

to marketing an age 16

ACROSTS, Mail Drain Men, are this new Ropper. Shows hips a built men rater blades. Sample, 20c. Opplant a Berrien Springs. Men.



WE'LL TRAIN YOU FREE

EARN \$15 TO \$100 A WEEK

After you have completed our Course in Drafting (mochanical drawing) we will give you free training in your choice of one of our courses in a specialised branch of drafting.

WHAT YOU GET FREE

We also furnish you free with complete drawing and draft no equipment when you about in our Course. Free consultation privileges at any time, during you rourse or after you to taken your post-tion. We help you to get a position as draftsman-and could you from submit pition to Distinguish a Pab-location. The Company

FREE BOOK: Write to-day for free book, "Your Fath a se Creating giving details of our home study powers in deafting and talling have jobs can qualify for a position paying \$25 to \$ 00 a treat.

ROY C CLAFLIN, President

COLUMBIA SCHOOL OF DRAFTING thest, 1973, 14th and T Mrusty, N. W., Washington, D. C.

Its Gause and Gire **

The right in antickey count, Bend 16 counts for \$46 pages rights formed book on Frantisecting ats. Statistics ing \$5 in feet 1 to the highest \$1.00 the book of \$1.00 the book



Home-Study Business Courses

Do you want an important, high-calaried position? You can have one of you can have prove you have guide the west. Labelle supervise will show you have guide the piece of the party of th

LeSalle Extension

Dugt. 1263-R Chicago, N. Continue: Band without still pe lion to me intermed and regardeng counts before and policy
alone copy of your intermedian
mount. The Feder Promotion
in Our.

Cityler Accommunity OTraffic Management Fareign and Domestic

Parties Managedent
District Depose of LL S.
UCommercial Low
District Managedent
Distri

OBaching and Plance
OC. P A. Conching for
Advanced Accounts the DMadera Ferensanhie Personnel and E ment Manageme el and Employe Officerose English
Officerosettle Speak CEffective Speaking

Ness.	
Preside Position	
A dilmon	

"RADIO" Liminom Paint — Makes any article visible in the dark. Guaranteet: Bottle to cents coin, Huminahi Company, Military Blee Street. Chrago

FOR DS run 34 miles per gallen en cheapest associac er half heroene, union ear 1972 restaureter indicased payers stylet for all anctors without fourselt Money back guarantees 30 days triat like pendes to make a Fraction Carbereter Un. 3222 Modinate Sr. Da. top. 1880.

50 MILES per sallon bands with new potented gasoline Vaporiner Wells for instructions. Vaporiner tempological Pulswater. South Controls.

\$15.00 DATLY setting the New Amberout Tuberedratus Combs think you can life with a banance write for whole-late price of Buckmain, Sec. 2703 Banane Management of

MARE \$100 weekly adjung Rally's Washing Wonder New rhemical the solven Marmican Cleans we next replant of the Appels and ever Vancoures. From amples and prescriber, Italiy Chemical Co. &8. Hashings, Nebranka

MARF \$75 in \$50 week representing Clover Famous Philodelphia student direct from noil for men women, whilities Freet hook flow to start tells be story George Clows Pompany. Brook 24. Philodelphia France range

GET our plan for munorizationing automobiles, tracks, hand lighted and all eligible as the by larger posting, appearing unpersions unpersions unpersions, alternated Acceptance Company, Manufect, With

A. P. YTS and portrait men, I rew Managers. We sive The buste for You money. Hence and quicker works 1.00cm prices on transce part plant. Repeat codifical Parallel for. The Poucer Corporation 1260A West 63rd. hirana.

GAULAND R made 1335 00 one work within guarantee? I offerion destroy used by all bistown facts therebying 3451 Shemold, Chicago

SOAP agents, his profits dansale TREE Protected Products Co., the Trill I wing Park Chicago,

REAL Stine toward for loss and tubes cont 2r. Result surpasses valenciating acres will. Provey outs and acres of y dealer layer. From a managing Shaw more last first day flart 5 ds first week. Particulars are "re- accepted for any latertal Equator 4. Supple 48, Stational Physics. Pa.

WORLD'S factor ophism mate accounty many dis-tributars manted write special C. J. W. sipring like Cu. Ban Luego, California

Bailchecht Ram \$3.500 to \$10,000 a root this or travely properties updatement quickly qualify through our speaking system. From employment merely or maintain them? For a resulting the history of the analysis of the second travels of the secon

AGENTS Subtract looking Mass imported rags, \$1.00 taken frame Taken and a bind a dark profit 5.7 You can do some Write for empire offer and soliton black throught selected posts proposed \$1.30 E. underg, temperature, 12 Pour offers, Source, Massachusetts

EXALERNY Durant for Furnance, Cook and Persons avec. Economy 848 Losspany 848 West Mississen

Arthroffie, \$40 to \$200 a week. Pres mamples. Cold Pige.
Letters for effect and Office Windows. All soles this do it.
Letter demand. Estages offer on general agents. Material
Letter in \$214, 9. Clark street. Chicago.

ACCENTRE 1931 a time and Memantion III phere will article and colling the physics at 3 and 40 for decay busher a should free to early expensive that there up for Correspondent to be a first transfer of the same
First profits every Proplet Transferance to-select the every notes. Have and Profits and Profits described on every wanted Junday bills of Ama, C. broken Selection.

\$10 WelltTl of Same oldet coups pertures, tasket which, appear, see absolutely free to accorde on our refund plan Lacendan's logic 5 5 64 Lacen Schools

FVERY man tunds it. Every man you sell starts an section chain of beneficts. Bette twelve recent for employ of her tund twenty five recent for the plant of the property for the first parameter. Further Atta to The First American Bulleting, Tolleto Ohio.

CENTRAT' NAL-dipportunity the mis a day means the part hunter F vs makes the Deliger month. Mac yellow part hunter F vs makes the Deliger month. Mac yellow part hunter and markine. Adds subtracts fruitpies, the reaching the reaching the reaching the reaching from the part of the reaching from the part of the reaching the reachin

EARN \$2.00 an hour in your space Hose taking sub-miniprious for this magnature. We a to-day for the accur-in your town. Popular retunes Monthly 225 West 19th Street, New York.

FARY pleasest work for mechanics, they men, electric, during spare hours, will said many chilars in their salaries. Also trait between who can give full cities. Dig muse assured. Novelly Current Company 2º has street. CARLON CIVID.

AGENTH- Beet seller Jess Standard Repair for three half types puperselles viginalitations at a sextent of forest soil per cont put a no cold, a Valentaire and in the community and in the community seller of the circumstation and is standard to hast the life of the circumstation and is standard to hast the life of the circumstation and is several to make the money and free accepts address America Standard to 504 America Building Political Political Standard Co. 504 America Building

AGENTS for to-day's best selling accountry thirty leaf spring solers, alts your springs cause squeeks and breaks makes Fords ride many 1997, prints Samuels hard set ill four for ill 50 and spring proposition. Springrup to details Side, St. Joseph, Mistorgi

1.4 MDS profit on small firstiment Lettering by Transfer Method Auin Monogram Supply Co. Utum Street Mawars, New Jersey

arroy Making the Other Perion Richt Manufacture and pell their grown parsell from Allier's Guarantees Manufacture's Formulas. Ensuming profits forestiment and Unformer quickly mensionable. Planty trings detailed discribed marriers again and Making Windowskid Cirche Amason. Bubber Senstr Launderits Standard Printing Paddies, Mariena Varets houp Foul. Addisonable Respectation of all lines. And other valuable therefore, Miller Industrial Chambert Did Battable Emablished (1977). Tappas, Florida.

ACCENTS Pleasing Learner Large gasperfactures of Handkertolless and Dress Green's etc. whites representative to each limiting. Vacatry to remaining 18g profits honorat poods. Whole of space Green, a resits at sent. Send for particulars. François Mily Co., 34 Nath Pt. [brooklyn. N. Y.

ACTENTS-2007, profit Wooderful http:// article-tetroctions.new sells interwilding corry to portless articles once for Free Sabiple Afters Wills, General Manager, 5183 Attanton, Bullding, Charlengell, Olice



L. L. Cooks Chart Engineer Chart & Engineer Chart ge Engineering Works



Electrification is sweeping the country in homes, factories, shops, farms, railroads—everywhere—it is fast becoming the one great source of power. Ten years from now practically everything now drawn by steam, horse or water power will be controlled by electricity

This means that the greatest opportunity of your life is staring you square in the face. Men are needed, badly needed, right now many more will be needed almost ammedistriy to boss the big Fiectional jobs that are projected. The men who boss these jobs are going to draw rea pay-Bug Pay that they will be trained men. Electrical Experta" who know electricity from the ground up.

Don't let this great opportunity shp. Deride today to fit yourself as an Electrical Export, ready to take your place in this Big-Pay field, ready to

Earn \$12 to \$30 a Day

That's the kind of pay you want to see bulging year pay envelope. And you can. Why should you plud through ble. to a long hour tman part no fature job, when you can jump to soccess and big pay in Electricity?

A few short exoculas training under me, through my easilylearned quick v grasped, sparetime home study course in Practical I lectricity and you too can step into a bug-pay job in this faremating field.

I Back You-Guarantee Your Success

As I hiel Propineer of the Chicago Residential Works a million of the sure of the case by the causing of a length of outcomed as an interest of English his cause in Electric y a simple prescribe and can be a military of the sure of the sure of the sure of the works of the sure of the military matthewn be an interest plan over a day interest is not the simulation. I have the are not can easily the sure y model the in fact I morantee it for it too are not can easy as interest. I will return every cent paid one. There are, change for tailure with me

Free Electrical **Working Outfit**

To make your recess still many certain I give you sould to work werk a appended heat coulds of tools materials, sustraments and sumder wal apparaton with which you can do practical work.

Save \$45.50-**Enroll Now**

By encolving now you can save the course But you must set as once Write to-day for full particulars and toy big FRFE book. How To Become An Electrical Except I is the first map towards bigger pay

L.L. COOKS, CHIEF ENGINEER. CHICAGO ENGINEERING WORKS

Dept. ly

1918 Summyside Ave., Chicago, III.

L. C. COCKE, White Single-or, Phings Engineering Works,

Bust, Sy. 1944 Surveyable Pers. Oldrags. M.

Deer Ser Send at once Samule Lemons, your Big Book and Juli particulars of your Free Outfit and Home Study Course will july prepard, without obligation on my part

Rame

Address

115 4

The Cooke Trained Man is the "Big Pay" Man

Wanted! Men to Fill These \$5,000-a-Year Positions

A Great New Field as Yet Unthought of by Most Men

BOUNDLESS opporthe men who are willing to qualify for positions paying from \$2,500 to \$5,000 a year and more in this new profession. It seems incredible to the aver age man that thougands of openind tobs are actually going became for lack of men (fill riem.

Transports son in treaty

the second largest and most enuncey. Freight charges

amount to a million of large on look over four billion defeats a year! Yet it is retinated that eight out of every ten obligates are lasting money. Thousands of delays are lost daily because less men actually because the most occanomical methods of the retire of the most occanomical methods of the retire.

per use less men actually and the most economical methods of the pring.

The T after Printenius only about the years old-was created when the travectorisms, passed an amendment of the Interstate tommer of the T is made to permissly for about 1 (this cashmans of 000 to per bightness operate, nearly 440 (this smaller shappers a thousands of hambers of Commerce and Commer-cial violes, State Rallway Communions and the linearing Commerce from main to employ men-with a lecture knowledge of Traffic Monagement

Can You

A Need for Trained Right now 100,000 trained Man That Has Nove traffic men are promity needed. Every large concern must maintain a traffic

department: employing it, sea of men A Boston convers employed a competent traffic man who saves \$9.751 n we weeks. Another traffic extent coincided an Eastern Rairoud to telend \$ 17.0004 the Merker Loof Company A Sew Yes.

Traffic Man saved his company \$ 4,000 h one year.

Internation of the part of the

Manage Production?

Production must be managed. Men, material, equipment must be understood and di-

An industry launches steelf up-

on a great drive against waste,

the doors of the nation's .00,000 producing plants are

open to the Industrial Engineer today as never before. Industrial Engineering

is being taught according to the university plan to thousands of

men who are destined to fill the big, executive, managing jobs in

of them have already increased their misries from 200% to 400%.

all the way from \$2,000 to \$25,000

No man with industrial inclina-

tions has a right to expect a great

er opportunity. Get the whole

interesting etory with the coupon

Industrial Extension Institute

8 West 45th Street, New York City

(Pop. Rei. Mo., Doc. 1971)

industrial organizations.

per year men.

Name

Address

rected by trained men.



The trained expert in the new professor plant a most important part in his figur's business.

An Amasingly Ever Way to Train for a Big Job

Until a short time ago, there

WAS DO simple way for the average man to become a Traffic Manager. But now the American Commerce Association, a sate nal organization of Tratic Men. offers to pre-pure men to handle the problems of shipping It has already be ped hundreds. to but positions as Traffic MARLETTE.

Once a member of this great assoc atom, you receive Tracks Council, made up of the belg of the Affricary

traffic men of national reputation.

An Interesting To give the whole story the Asso.

An Interseting To give the whole story the Association has prepared a remarkable back. Opportunities and Kaquarementa for Traffic. Work. This back replains how an one can que thy qualify for the uncertaint jub of Traffic Manager. It is en many a ries of success by members of the Americana. A tert reading it you will understand why \$5.000 asks. For aneer more and why thousands of jobs may \$2.500 to \$50,000 a year and more. Write to day for this winderful book no cost or obtgaslon just mail composite below. Address American Commerce Association. Dept. 1622, 4063 Dresst Ried. Change. IU.

American Commerce Association, Days, 1412 664) Deved Bonisened, Chicago, 38.

Please total pour new free beats on "Departualities and Requirements for Teathe Work" without abligation up my I have had previous traffic experience no tradic

Same

Occupation

Catalugue on National College of Chiropractic

16 N. Ashland Blvd, Chicago Our passed factif so for a complete factorist of the control of th





This Man Earns \$83 a Day

His name is J. F. James. He left school when he was a boy. He was down but he refused to stay down. He worked! He studied And today he is president of the Mascon Stove Company of Chattanopus. Tean, at a valery of \$35,000 a year! He says that the L. C. S. "made his success possible." his success possible

Won't you let the I C S. help you, too? When everything has been made so they when so many other core are going forward to success -can you

afford to let another priceless hour go to weste?
The way is easy Without obligation or a The way to easy Without obligation or a penny of cost mark and shall the coupon today and let us tell you how you too, can win advancement and more money through spare-time study at home with the 1 C S.

---- TEAR OUT SETE-----DETERMATIONAL CORRESPONDENCE SCHOOLS Bern Tuette H.

Explain fully about your Courts to the entjace marked X

Continue Con

JAME!

Quick-Action Admittisements continued on page 17

District Managers wanted for transcriptishis age comply been office the latt. Two minute demanderation matter take themselves to repeated (1914) mine for our fretextion Min., 125 So Fourth, Philadelphia, Pon-

of the second of Everybody most and buys the Distance while Bryan descrit 2500 to July Send for sample 100 from Suchala Company Box 12, Naper-

the twin the chirt pointing all metals. Sumple and particulars free Manufacturer 400-E. Sun Building.

Carly ICh Namemaky Charte 25c, setts 21.0b. his repeater. Agents coloning thereof. Acideccof said Co., Philadelphia, Polangivania.

Af TALIEF four spars they hardy and plomantly blacks \$ 100 where you buy make \$ 100 No experience now enjoyed occurry. Status, South Crutcher direct, United Texas

MILL ALIVERT FLM Ash to-day for a copy of the Good Action Advertising flate Ladier. It contemps some fraily important facts which will prove interesting the valuable to how it also the like You Can the Proposite increase Monthly Franching. You can the Rhow, wouldn't your Manager Lamibed Advertising. Franching fireman Manager Lamibed Advertising.

TOWLINES Small Guaranteed Son alvertagement ander AUTOM of PLES AUGESTORIES. Superior Manufacturing Company

AGENTA A pew investion. Harper's three brings and oth-use briain set. It process wanted such drive upstains the brightness and then seven other thinss the process according to the crisis offer thank to other the brightness. The period of the crisis of the crisis.

MAKE 600%, props From namples. Lowest priend gold bloodow fritars for parent white Anglordy can do it Large demand. Include torritory him ruture hide last Arms Latter (company 1900 M frequent Chinage

.7 CENTS profit on every 25-cent only means hig daily profits from 500, otherwiser La.

PHILI Sample. Ram stated; Wiper Promy Addition being quark. F. M. Charles to the character pay 25 performance (2007). Print: No case bearing a startment no rights rain, more special products and bearing approach to packet, tight I from manyle or year away to Your town. Rurry with its yours Not the Auto M. And Christophia. Planting transports.

(N. 15) industy selling Noverwel Shoulder Strag Water proof a probe fivery welcome buys, first on market, Wa Scaluterture and soly direct Cet details to tay A. E. Berger Municipalis Company, 412 London Street, Publishedphia

AGENTS soming homey wiling Conversal Can rivers for westy the store Wonderton device Chie can bitle in half furfrence best. Fopulat prices. 1964, Proct Lecture's territory Wile quick & D Moore. Use they obspecy Topela, Kalona.

Extint interfor man every day. You may handle blagar brown i antend toocate, to led Fruit Coffee and entered too of francistance as well as Pathia, Rossing, Aluminum Wars and Automotivelate the with his result to pay ho manney thyorical, that a set tendent from analytical factions are numerically seeding their chapters. Seeding experience to the analytical positions of the workers, Address, Historical till Co. The 250. Thankly 12. Betweener: Any Raph or Engress the

At PATH Wanted Respection New Figs Farster sells camely Missay a speciarular deficient rates car empty begins, farstering attern practically help un which the maps \$4.0 th o found a day exclusive strategy if you wish to massion a technical of pure you with stallments but money write us today Pyther Co. 100 Pyt. Fyter Didg. Dayton. Other

We don't make and weather who are destroys of making \$2.5 th a \$500 th per week about print from the arest to a president four week about print from the arest to a president to the destroy of their own. Mother's four the appropriately beauting the arest of their factors of their factors of the first to the first town in a ry them. Nothing size the first are in the first town to the time of the first town to n to the first

A Grad Policy A desent means, President Co., Questa, New York

CALIFORNIA Receiption Mending Times reptains election without tread Directions resided by hedrest year every where Riplement statement A tractice proposition and mapping tree. Northead there has the Biograph attended

At I TP mentally their money with newest present interested article ever put into Every woman wants this car is a at the at least on the map. Fively woman wants this car is a so that the every map of their perfect for their perfects their perfects the source of the perfect of

His if them specially subspices discrimit one or more charten with specially may at an extension of subspices. His movest with us (Scaletifials or no supports. Confidential, the key (to \$107 Wentworth Chirage)

MARK Money as home making upp - we above you have feed file the stronger for complete working descripes and testourbeaut. To kiddle availabilities Co. Electrics, Controlla-

THEE Rample of quite artitles potented specially fave Wire sciences are triure non Alar details of wonderful to 1000 year opportunity Agents wanted everywhere. H G Martin, b' ('M' 42, Mee York

ACCENTE If you are making less than \$300 a paint, for proposition on "entiret Burglet Aleren for rinteres and deem will therest you. Many agents each \$20 daily Brand new inventions. No wire or bestevies. Insugantly attended to age door or window. No representation. I've the chash burglet insurance. The money makes will be to day for an entremy thereis became to agents. Smalled Alere Co. 1636 Starquette Bidg. ("birgary, illinois.

*ELL Food Products Everybody has to out. Strictly high grade pre-war prices Strady work proof profit. Sample Free Computers Rappir Computy 601 Cuspoteers Dids. Purchant Michigan.

MILLES made 1775 one with selling Guaratteed Bud-men Produce: Box le Display metal changeable levice map for stories, worth 33, both 53 memple 2 his box point. Write Currier Mig Co., Minnespalm, Minnessa.

MR ATVERTIMES. Ask to-day for a copy of the "Quick Arthur Ad ertains hate Folder." I reprishe some really impercant facts which will prove interesting and valuable to red. It also tells 'How You I an Use Proposite Science Mountally Probably "You'd like to have worldn't you' Manager Presided Advertished, housest benear Applicant Sciences Afontilly 225 West Dista hurset, New York, hougher because Mountainy 225 West Dista hurset, New York,

AGENTS: Everybody uses extracts. Sell Due Double Streng h Fa rants and complete line Household Necrombia, Products gard constantly. Hig repeaters. Write today Products and constantly Big repeaters. DEQ c.s. Dept. E50. Attion, New York

At E3 District Minnarers wanted for Dominant Publish, the new wonder that to being adopted everywhere if you have small reposal, we use flowing you a remarkable other has will put deltars in your pockets white you are making cents pow I ariusing Test may granted being the Product in. All remains Summ. New York city

ACENTS (Tever Invention) inkapoon makes every pen a lugastato pen bust office setter big profit deroand intropling profit big traducts settlery affected formally free H Mann Company. Tribune Building, New York

ATTRACTIVE openings for now and women who have time so build up a permanent and invaceve business of here own. No experience occurancy. Fell protection adulted death aid lines of investigate and pickings, IT 500 death benefit 425 at meetly cours \$10.00 years. Other amount a to properties a characteristic new transfer and a properties of the accordance of the course of the cours

ACCENTS We pay \$6 a day taking orders for New Merimus Burner. Pers and stove, burne cost of No experiment of regular transfer Work space time in full blue. Write for deminating sample, Thomas Mig. wassen. Odle

1011 Fit FIT selling Three-in-One Holder New paternist, and indiversally undur at tele. Very bet seller fundamental three-land three literactic fundamental fundamental publish, New York,

Work for yourself felt auto specialties thate eral mobey Parties temples. Marks were the historia

CNEAN AND Tembre, Plane, Fortistical Carality Ideal book theop. 65H P. Narth Henry, Chicago

Wh'MD for free mapping Freeman Washing Wonder. Do rentifered run can do a whiteward business. Constant re-leader might happe profess. You take the rinders. We take the professor of the constant of the const flooring and it blesses.

POPERTY Pullaking a light observed all metals. Harad Manufale from P. C. vanto. S. Edittourin harael Hanaton

Ch NT 36 Hartages Jayon threet from better 43.75
314de from mice of show Agents wanted. Installmangue
4.0 hore of Converselle, New York

PHEPARE and Markot Your Cres Products - Master formation, manufacturing newtones trade society compacts by high markot products from The Thought Co. Dept. , , Washington 12 s

Sile Alvin R. Core R. Ask to-day for a copy of the "Quich-Arting Advet hipp Race Folgo: In contains some mally important forth mounts will prove interesting and valuable to you it also rise Rose You tank to highly Provide Market Silentify Provide Adversaries Silentify Provide Adversaries Silentify Total with York Lake Silentify Total Silentify Western Silentify Total with Total Silentify Total Silentify Total Silentify New York

BRLP WANTED

for Paragraphy gold wiscoust sign jetters are an excellent police analysis properties for handy man. Mana Mich Bysters 7,500 At Andalus, Detroit & Februar

Mil N. Age T o 43 h specience inhiercomety. The ot-make secret investigations, reports estimate, expense American Exitation Sector on Adenty 32. Hi tanks

B. Vill W. palerage, French phase saught. Last to each humaness printed. Them from West Merce Vocas. Excelsive Springer, Misseage.

h. N will be be made bestet. Breefignslight and bestebb kinnischer lathresensty. We e. a. I autor Frescher I an b. Spine while by the sound

WHITE Protoplane \$50 each I specience wasperson; Octable free in techniques Producets lengths 194, 64 mile

\$155 Sten b. Balleny Statistics I underest importable to pur Please Last James lines from Marte limited a city. From the besticate Dogs. \$42 Barbonsov, New York.

PRC, Manny Made Streeted Mirrors, metal placing principles in the furnished y freete Laborationes, 2001-Fifth Average New York

DETECTION From Dis Stoney Fracellest reported Trial Facellasting with a speciation re-covery Pertugians from Matte Appellast Intecting rates 1969 between New York

CHIVE SINGIFICE Floring Section From June Common Common Well and Common
NEN a represent emportants by intersteering testions posts at home or cravelling. Newhire as self. Equipment furnished to not true. Earnings from 2000 to 2000 testign from 2000 White faith the New York.

BE a detect or, Facellent representing to travel Wive t T Ludwie 424 Wisson's Bidd C'har hitammigit

BE a history Expert \$1-916 a day appear time at him Bret the explication we crain what the making and alter principles. By Property Press, 679 Percent Springer, New York.

BF a Rallway Truffic torpector \$1.0 to \$250 monthly Pinte in: Fron Roselet m. 3 Planshold Business Train-ing politics [hoffsin, New York]


F1911.5: FN trademen bornscennen S 40-1200 Colored porters by reliciable everywhere. Experience anaecomory. 1025 of Streets Exel 28 London Hilpson.

CTOP dated urland. Stant allegating mirrors auto fogot-thes, philosophy at Piana from Clarence Sprinkle, Dope, lighus phirmore ut 95, histian, ladiena

HAVING told 50,000 of a bouseful appliance to New Engineer we are ready to make general offer inhereby direct subsection or new averaging Fan weekly in capital beguined. Unlique method of obtaining interviews, the portraity for District Standardment. The places Company of Proof street Standardment owners are places.

WANTED Representatives to handle household never place Grand organizative or work way Errosah Elma Cummercial Cullege Students Ald Sales Department, Newsch, New York

DUILD a Sun Business Experience quasermary Petal II of for sample pan over home emboured information Improve the Company 203-B. District National Hank, Washington, E. I.



Trained mechanici asen 1750 to \$400 a manth and many are sern-MORE - year in THEIR OWN BUIL HESS. We de rose in our Name rehoof to WAKE REAL MONEY in 4 to 4 weeks.

E Catalog and Book of Views of Washington

Cateful anthornes estimate that more than ONE BILLION DOL. LARS were spent on 1921 for the care and repair of the nane and onequarter MILLION mofor vehicles registered in the United States, H

you are one of the millions who has been out of a job this year, or if you are dissatisfied with your earnings, get into the trade that knows no lay-offs-a trade that pays beg money all year round.

Marvelous \$250,000 Schools

Our new \$250,000 Schools have every equipment and apparatus for successfully From Norge (1900) 21 Condex DRIFT TO LOTTE Preschent and CHIEF INSTRICTOR O a designer of motives an electrical engineer has been in charge of machine storps has taught electricity and is one of the ment thoroughly informed inspecture in the

Learn Through ACTUAL WORK

Our method of teaching puts you on the actual kind of work that you will have to the when you are in a garage or repuls shop working at wages of \$150 to \$400 a mounth Cut complete nativet to NCLUDES transmissions, engine assemble starting and aghting systems, carboretion welding

gutting forging in fact, we teach you all that you M. ST know if you are to he rated as a brasiciosa au o mechanic

SPECIAL TIME Tuition Rate

To quickly roral, one thousand students we have

made a very 1 (8) ERAL R 1914 TION from our regular rate. We reserve the right to withdraw the offer at any time

HERE B YOUR OPPORTUNITY IN learn to be an auto mechanic and visit and see Wasa, agrees at it same time and at a very low cost. Decele a make the ti p that you have always wanted in a ake and to learn the trade that you have always wanted to learn. True for Inde-pendence property and success NUW Lone to Washington.

New Cutalog and Book of Views of Washington

Before you decide on ANY school ANYWHERE DE SURE TO READ OF R CATALOR. IL contains as the internation you MI ST have before on can decide fairly be your own best fullare

CODE ON TROUB

American Meter School, Inc., But III Harrist U. Br., N. W. Washington, D. C.

Walkings must or instigution, planes with pour cutaling and "Washington Views

Address

DO YOU LIKE TO DRAW? Carteenists are well paid

We will not give you our ground orien. If you make not thus not. For gret we observe to make a your job is to you will be supplying to the property post which he will be our post of the post of the supply of the post of the supply of the post of the supply of the post o

The W. E. EVANS SCHOOL OF CAMPONING.

HEAVEN and HELL

By Emercuel Swedenborg

This book of 632 pages, or usy of the following works of Sweden borg, printed in large type on good paper well bound in still paper covers, will be sent, prepard, on receipt of 15 cents per book .

Divine Providence • • 629 pages The Four Dectrines • 635 pages Divine Love and Windom, 618 pages

The American Southenburg Printing and Publishing Society 2 W. BOOK STREET Banes 754



By Make Iraciy assessed that, bader Principle of the Party of the P The control of the charge of the charge of

From

Yark

Times

Aug 30%

And the second s

Address, of Charles, many by advanced to the first of the charles of the first of t

a great majority of thoughts from their sections and floor of them seemly floor at the section of the section o of rater and through a nethronested

system of inchestal (cannot devaluate in

Trained Minds Win What Chance Has Yours?

1 Chance for Success

9 Chances For Success

238 Chances For Success

Thus does a great newspaper comment editorially on a recent report on industrial education made to the American Society of Mechanical Engineers.

STREET OF STREET PROPERTY OF STREET STREET, ST Think what these figures mean! With only an elemen ary education, you have just one chance in 41,350 to achieve markets. A high school education increases your chance mae

times. With a college education, of its equivalent, you multiply your chance by 238, Univ a few men out of every thousand can go to college or to a good technical school-

The great majority must fine some other way of gerting a spenial education. The United Y. M. C. A. Schools burnsh one reliable way of doing this through the use of spare hours without giving up present employment. Thousands of superintendents, foremen, department managers, engineers, accountants, salesmen, husiness executives,

etc., owe their positions to space hour study under Y. M. C. A. direction. In the 240 I nited V. M. C. A. Space-II sur Courses there is one to fit your need. United W. M. A correspondence instruction gives you to the map service for the least money to careful guidance in nelecting a curse. If the personal sympathetic attent in a an earisms. Intractor and of as much encouragement to comparte your course as to begin it

During the dot twelve months more than 140 '000 amountout pound men have excelled with the United Y M C A. Schools Advance with hem. Then I dende along to perfet paid or distanteful work when the world is demanding trained break, men able to take positions as leaders, who can crease, execute and aspect

Multiply Your Chances Of Getting Ahead

Sand this inquiry coupon. You will receive interesting details of the course of your chains, also a free copy of our new booklet." Does Education Pay ?"

UNITED Y M. C A SCHOOLS, Dopt. B-D. 175 Lonington Ave., New York City I am interested to the position or bour study course f have marked. Please give (all informations

- Acceptants Man.
 Astronomical Man.
 Astronomical Physical Acceptants
 As Miles Mechanic
- Australia Recommenda participation of the Control o

- tot) Service to mosel to Sphilish to the Frement States of States of the Frement States of Service
Machine Shap Pine in Idah bengua at Ingenera Idah bengua Bagimera Properse Product Continues Badho Surfacer Radio Suctoury Radrand Lington



.

Salesman Description Strain Engineer Strainsent Description

(Please Write Plainty)

Compacte Address

HIGHER EDUCATION



Crurece in Baglish, Spanish, Mathematics, Chemistry, Druw-ing, Education, Sustanne and in 15 other subjects ore given by con-temperature. Begin ony time.

The Buiversity of Chicago 3065, Yes Division 31. Chicago, III

or engines hundition RAILWAY MAIL CLERKS

Examinations coon. \$1000 to \$7300 a year. Steady life-size job. Common videcasson

Steady life-size job. Common education sufficient. No pull necessary little for the pull necessary little for the pull necessary little for the pull of the pull o

Address

Popular Bandbook for Cement and Concrete Users A people of paint to the managete wart all facilities have all property operations are constructed and reter at historiate inspection and not me extendes only and painting, rates, tables work or and not date

430 pages, \$25 lifes. Price, \$3.00 POPULAR SCHEDUL DIGHTREY 225 W. 39th St., New York

Our Scientific Method will stop the

The Levis School for Stammerer 56 Lawie Birty., 73-77 Adelation 28., Lintent., Milet.

Orleanie Correspondence School Est. 1964
Dept. 27, Devest Step., Philo., Pa.

Quich-Action Advertisements confounced on page 19

CANERNARY needs trainer vint Clerks, 1431 to 1197 matte. Write for the greenbet qualified galga-tes trainers commiss that

WANTED Stee to prepare for positions or Mechanical Problems and personal supervision of "blef Engineer Box 45 for Carried Name

MR ANNERT SER ARE SINGS, for a copy of the Chort 4 see Advertising Rane Fidility securities some force reall indicated force which will prove interesting and valuable o your state that the Your see require Monthly Profit also Sould like a know would be out Montager anguled Alvertising Popular Science Manually 22. West Mini Street New York

BUSINESS OFFORTUNITIES

PUTENTIA Macaupe, Clare, And prints hig pendu schemes one subscriber made \$25,000 from hims ga-otter \$10 high from one Try your took \$ year \$, our

USED recrespondence retries pold, rested and re-tained that free (Learner bought) Lee Mountain. Pagedi Atabahar

STEER COLLEGE OF THE CONTROL OF THE STATE OF

1 SPLET Torons will furnish Fermula and Trute feetests ab all figure 1,500 feet W. I. Commings, Ph. D. Cordina Actuae Pyrocuse New York

lit a detective. Unit sent apparentially gainst pay Egyptical Control of the Canada City.

(4) NA Text open party transcript that comply A P described medical to repulsive will enable to the problems will enable per to the respective will enable per to the respective per to the period of
I Make Adipose up hashing Made copies bindings wanted for Pres booklet reading Albertain Colone May Mark

5. N.T.S.R. a new bindings. Farm 13 to 31 o. \$6 that year p in profromming two making and fired in its first special properties as a sequence in the set that sale. But then a lettle to could be added by the old on finite in a lettle to could be added by the old on finite in a lettle to could be seen to fire her capital regulation for groups to be seen and experience and the second regulation of replacements for the second of the sec

We specify the helpfuless furnishing a system of the plant which is \$150.00 ft. with input of the helpful to the state of
PSETT CTANT A Locations District a Seminar on the back I appear one more many Particular line in the Admiriant Series of a system (1919) Menagings New York

With a but well do to the epith of their Winner of the first product of the last way with the war No contracting of method in the couplest of the transport of

PATES THE Unit, Prov. mond shirted, for free equining of paternable cattles. Tablest & Labors, 427 Fallers (Main th added on 1) (

Bit Y and explois practical bissentians. There for property Form compations and samely rights. Adam Faire align to 1934 in some 5 image.

PATI NTS Produced Trade Marks Signisisted A restricted to the first of the state of the

PT SEC a Managine rapital \$1 passiple (Dr. Cope on Li Tentopologi [literate

If N has and clother elegated parter to home count. Wonderful represently. Mill profits. Wells, flyring if 27 Station I New York.

A) We find set the marks of the transfer to the additional line at I would be from the fund there in these we have a the transfer Fallerington. Persons to have

ARTII II IAI, Markle mottady Sportur instruction, Grangement conting Collectors planted system Brest law, therefore the Collectors and Collectors bearing the Collectors and Studies there is a Chris Stabiles. See Viet.

NTART a present of the the stand declar establishment, the profile, little request for cell you have Well a by profiles from Vointe Restein Liept 2 Charlotte Korsh

Stable and self regressive marks (Onlink Industrial Energy) a Northeaster maintaine union, grants, excitentainess medical (extintial and practical rate service, processes to excite testiment, 54th engagestian i of process (e.g., e.g., e.g.

A HI II t J. and Man able to finance toward will be given a valuable exclusive when authors for Remaile toles in a serious property of the serious pro

Militare. Plans automobile accountries, backware, checivisal paris Sie jerolita Regulera no rapital Maple battery process. Wite to-day Weinster Limitare ind.

1 MAPE \$20 a week bome Prouch breat-making ...

LET'S swap' Buy Sen Whatd're and Whatd're and Islam brings results' Swap Bulletin, 1933 Bathind a

A ** Breas

START a basitess in your kitches. Write Chat.

AN actractive preparation is affected parame desiring a citer better. The Actin Company, 8407 College Ave., petine turne Philiadelphia, Pil.

TO Amsteurs in Towns of 100,000 or less Listen Arayon intersected in making money in your spare (spar" Write to telling your styr and manding with your lacel radio field. The infrarestant you formed we will describe whether your or substitute and respectable proposition from his Address Hadio Irep: Poderas Telephone & Telephone & Telephone & Telephone.

STAMPS AND COUNS

LIKE I rhangular rhangua? To harochire our rigiden Berrice Approvals we'll send triangular France set triangularly harde it to intend states receive also parties 25 foreign, multimeter sends perforation knusse ruler and burgain hars for only be Francii Names Company Department (Fulleries Building et Laux, Missouri.

CALIFORNIA pold By the 27c & 4 day 35c White-lent and Catulogue, 10c Narmal Shutta, Calorado Springs, Colorado

1000 different élamon, \$3.00. 500 \$1.20. 200. 20c. 100.

CALIFORNIA Gold, quarter size and Greman had like; Villa roth and entaking the. Hother Shultz, Union Star, Missouri.

56 Convine Foreign stances history War issues, Venezueta Pairentel and India Pervare, Cuatemara, Clima, etc., enly tie, history approved Shorts for ap 60. Agenta wanted. His Tip. Late Free We buy stance. Fatabitated 25 years Humana stamp to be pany Dept. 15. % Louis, Missouri.

RTANIPA 50° different 5 25 200 Th cents 200 25 cents 100, in routs Tue tree. Approvals for reference. Elwood D Weber 812 south avenue. Plainfield, V 2

STAMES IN Springs All Inferent Lampia, Monting oper Quaker Stamp Co., Tuledo, Jilia.

STARTS In equipment Africa, Breath Ports, Cultar, Method, etc. and Alisan eller Bit different U. S. 25c. 1986 hinger, 16c. i (1881 missed, 40c. 1 let from J. Boye, Grange V. Mengagan, 30ch Com Brillagane, At. 1986.

FREN II commute 25 definions, only 100 Section, 112 Florida Avenue, Washington, D. C.

35 As 3 F1 F4 F MT playing projecting takes Japan. Projects admition care given to applicable for our high grade applicable for our high grade applicable according to the Lateranaed stranger company coupt of Middle to temperate

* I cultur harge full writing entangers of coins for his tree changing specifical private found for coins were center. Weldern Hamilton José Thompson Maries, demand,

17 VARIST That Distance straine In one a lat of Their line proper stance they then better strained bloody bloody to be 11 to Name of Access Son York City

T 149-4 5 A4 vaccinities, \$4 00 Machinis, 900 Wags, 198-5 A rest, Nova Loris.

pc] Abype for different Jatinates Venesuels are only like him all different size 1000 all deficient, \$6.5 all different fulls to exacts, 350 meta hinges, the fall p highly calls both above order first from) has stanges. In the above Landenburg, a plurade,

60 1777 F.R.P. SIT Foreigness Colombio din. Scowns, U. William Wolkerlein, Monteconstoners.

20 Newformelland, sie Two costs Barkent Dargeth

Pierry H.J. of France 45 different for 75c Incoh Pierry Hard North James Changes

APPROXALMAND OF BUILDING APPLICATION OF K. Labelle, \$344 Marshall Way Harrington, although a

AIR ADVERTMENT Ask coulse for a copy of the "Quest Arthur Advertising Have Judger to consider bosin really imperiod factor which a li prove interesting the valuable as Judy 1 also also like Yest as I appears Remove Monthly Printights Judy ille to bring wouldn't you Manager a Landidet Advertising. Propiler pictures Manager at Landidet Advertising.

Interment of the university, Management Chemistree, the compilers by the Critical American of August 24, 19, 2, of Principal Principal August 24, 19, 2, of country of Need York to the August 24, New York and security appeared to the Principal August 24, 19, 2, or and the security appeared to the Principal August 24, 19, 2, or and the advantage of the Principal August 24, 19, 2, or a first expect and a first expect an

(Bigned) O B Callin. Business Menoper

Sworn to and enterribed below me this 715 day of October 1921.

Arthur A Binnyolt, Queens County-1390, New York County- Of York Red Soils

(Sept). My commission expires blanch 30, 1933.

His New Invention Finds and Corrects Your Mistakes in English!

S the result of thousands of tests, Sherwin Cody found that the average person is only 61 % efficient in the vital points of English In a five minutes conversation, or in an average one page letter from five to fifty errors will appear. It is surprising to see how many experienced stepographers fall down in

A Remarkable Discovery

Mr. Cody has specialized in English for the past twenty years. But instead of going along in the old way he has applied scientific prin-

ripler to teaching the current use of our ian-

guage. He made tens of thomassls of tests of his various devices before insenting has

present method. In all his tests he found

that the trouble with old methods is that

achood you were asked to remember rules, and

if you forgot the rules you never could tell

what was right and what was wrong. For the

post five years Mr. Cody has worked almost day and night to find a way to replace bad habite in writing and speech, with good ones.

And as a result of his experience he evolved

Self-Correcting Method

Mr. Cody was granted a patent on his unique

device and now he places at at your disposal. This invention is simple, last nating I me

saving, and incomparably efficient. You do

the lesson given on any page, then you see exactly how Mr Cody lammelf would correct

it. You mark your errors and check them in the first blank column. Next week you try that page again, on the second unnurked

his wondertus new

points learned do not stick in the mind

spelling such common words as "business, "abbreviate." etc. It is automishing how many business men say "between you and I" instead of "between you and me," and use "who" for "whom" and muspronounce the simplest words. Few people know whether to use one or two "cs" of 'ms or "rs," whether to spell words with te or er and when to use commas in order to make their meaning absolutely



Sherwin Cody

the second column. You see at a glance what you have learned and what you have failed to remember, until you have reached the 100% point in spelling, punctuation, grammar, and

Only 15 Minutes a Day

A remarkable advantage of Mr. Cody's course as the speed with which these habit-forming

practice drills can be carried out. You can write the answers to fifty questions in 15 minutes, and correct your work in five minutes more. You waste no time in going over the things you already know. Your efforts are automatically concentrated on the mistakes you are in the habit of making, and through constantly being shown the right way you soon acquare the correct habit in place of the incorrect habit. There are no rules to remember. There is no tedrous copy-ing. There is no heart-breaking drudgery

New Book Free

Every time you talk, every time you write, you show what you are. Your English reyeals you as nothing else can. When you use the wrong word, when you mispronounce a word, when you misspell a word, when you punctuate incorrectly, when you use flat, ord nary words, you handrap yourse! If you feel your lock of Language Power, if you are ever emborramed by mistakes, if you cannot command the exact words to express your ideas, our new booklet. How to Speak and Write Masterly English' will prove a revelation to you. Merely mail the coupon, and it will be sent by return mail. Learn how Sherwin Cody's new invention makes command of language easy to gain in 15 minutes

Mail this coupon or a postal AT ONCE. SHERWIN CODY SCHOOL OF ENGLISH 1862 Suarle Building. Rochester, New York

Sherwin Cody School of English, 1412 Searle Bldg., Rochester, New York.

Please tend on at other your Free Back 'Blow to Spanis and William Manter by English

Address

Chy

Descriptive Astronomy

State

By F. 26 Moulean. A rindy of the earth, one moon, and start with a simple explanation of the principles of extraoromy. Popular Science Municipy, 125 West 18th Street, Place York City

Copy this Sketch

and let for need what you can do with it has by can regular and theory gors marriang \$100 to \$

THE LANDON SCHOOL





Learn Piano! This Interesting Free Book

almore here per can be recer a platford player of places on severe is pour own become of force outputs on the pour own become of force outputs of places of platford by the period by th

Dr. C. Steiner (1998) (1977), Steiner PS 32, 500 Centrelite Stein Clieber, 25 Mary

sheet, correct your errors, and check them in The Boy Credteman

Tells how to design and make many mortal though him, fugaretions or whom an earliest postumen Price postumin 57 90

Popular Science Huntily, 225 West 19th Street, New York City



F. W. Tuenbbym, CF Ridge Bidg., Kamens City, U. S. A.

promy large FRSE base expend "STAMMERING https://www.based.com/ he fragging and The Advanced Statement Services or gave-bugant in their and exampled or paragold. As for ap-cial tension refer that is PEEF copy of "The Northean Bowle Magazane Largest, berg required and should mercental actions in the world for the race of planning may come of Overhead. School open all years. Northean that there are consult. Les Walls Milliard, Press, The Harsh-Wassare School, 2225 Good for. Manufes, Wo.





Thousands of man some or write in mo-

"Haw can I make more money? I want a better jobmore pay a bigger future."

I mawer them-"Know how to do some one thing well. Be a trained man. Learn by actually doing, under competent instructors, the work you would like most to do. Become an expert in the best paying business today the Auto Service Bunnem.

Come to a RAHE School. Learn Auto Mechanics thereoughly. Qualify for HIG MONEY John Don't delay Write for my 98-page cuta-log. Write TODAY

OPPORTUNITY is now hundreds of miles closer

JOW you have the choice of THREE BIG RAHE-SCHOOLS. I have established the famous RAHE-WAY of Automotive Training in Chicago and Cincinnati, as well as Kansus City To thousands of young men, OPPORTUNITY now a hundreds of unles closer-as near as Chicago or Cincinnati,

Hundreds Train at Cincinnati

For 14 years I have been teaching Auto and Tractor training at Kansas City. The great success of my school meant I must expand—add more floor space or establish new schools. Why not, I thought, take Automotive Training to the thousands of men who could not come to Kansas City? My idea proved sound. The Cincumulti School has been a big success from the day its doors were opened. From the Eastern, Southern and Central States, hundreds of students have poured into Cincinnals.

Chicago School is Popular

Now the Cheago School is going full-blast. It is a full-fledged, independent institution, teaching the lamons RAHE-WAY, eguipped just the same as the other RAHE Schools, Already hundreds of students are in training. Hundreds and thousands are coming. Why?

This is An Automotive Year

More money to being spent this year than last for auto and tractic upkeep and repair. THREE Bills. LION DOLLARS the year to keep autor running. You can have a log part of the \$2,000 000,000 00 if you train yourself the RAHE-WAY—the Practical Job Method of teaching Automotive Mechanics. You can



ake \$150 to \$400 a Month

RAHE Graduates everywhere are making Big Money. This is YOUR opportunity to BREAK AWAY from LOW PAY Clip out the Crupon and send it to-day. It will be one of the most fortunate things you we ever done

SEVEN DAYS' TRAINING FREE

Come seven days to a Rahe School. I guarantee that if you are not completely attailed with the training at the end of that period—IT WONT COST YOU ONE CENT

SAVE SS

Write taking for mir special fracting time turtion offer which will save from \$50. This is a lot of partner. It will pay your rough and begand while here, due pany than pay your relicond here in the partner pay where relicond here in the partner when the minute. My quarance makes a case for you as come now, or I am caking the change has you if ampossible to such the first train write coday for my PS-page explosure, which belief here within more which the rough has been positional independence representations.

HENRY J. RAHE, Dept. 2880

Chicago, Itlinois, Alleign for & Outro 21, Kansas City, Me.

Cincinnati, Ohio fth & Walnut Stn.



Popular Science Monthly

December, 1921; Vol. 99, No. 6 25 Cents a Copy; \$3 a Year

Published in New York City at 225 West Thirty-ninth Street

How the World's First Wireless News-Picture Was Flashed Across the Atlantic Ocean

Paris gets President Harding's portrait in twenty minutes

By Wilfred S. Ogden

LAST January Popular Science Monthly described the apparatus by which Edouard Bélin had sent photographs by telegraphy. By midsummer M. Bélin had realized improvements predicted in our first article, and was able to undertake transoceanic wirelessing of pictures and handwriting! You are sure to find fascinating information in the following account of his new apparatus.

HILE the erowds are still filing out from the footh all field, theater audiences in cities a thousand miles away are watching actual motion-pictures showing the last plays of the game!

Do you call that merely a fag-

Wouldn't you also have said only a few months ago, that the scheme of flashing a man's purtrait by wireless across the Atlantic Ocean was merely a funtastic dream?


Yet this amazing feat is actually one of the miracles wrought by science in 1921! A picture of President Harding in action was wirelessed from Anaspolis to Paris in the space of twenty min-



The Miracle Picture of the Year!

Here is the first important news-picture ever to be sent by wireless. It is an action por trait of Prendent Harding, exactly as it was received in Paris, twenty minutes after M. Edmard Belm's radio apparatus had grapted sending it from Annapolis

At the left is the cylinder with the chromegeistine print wrapped around it. The microphone point travels over the cylinder in the same way as the reproducer on the old type phonograph




utes! How many people are familiar with the imaginationstirring details of this pictorial conquest of space? How many even know that it occurred?

Somewhat crude, but wholly recognizable, was the Harding portrait as received at the Paris and; and surely from the germ of this first wireless picture, progress to future radio broadcasting of moving news-photographs while the events pictured are actually taking place seems no more impossible than many another modern marsels that has been accomplished by science.

In general, the wireless outfit

with which M. Edouard Belin sent the Harding picture is the same as that with which he sent pictures over telephone and telegraph wires, as described a year ago in Popular Science Monthly, A new method, however, is utilized to keep the two cylinders, thousands of miles spart, revolving at exactly the same rate of speed. On one of the cylinders is pasted the picture to be transmitted, and sensitized paper on the cylinder at the other and is acted on by a beam of light, reflected under the control of radio waves, which are, in turn, governed by a needle moving over the sending cylinder. In wireless transmission, these



SENDING END


cylinders are operated by small dynamos Instead of by clockwork, and their uniform movement is assured by a regulating chronometer with electric contacts, which stops and starts the cylinders at each revolution. The simultaneous starting of the two cylinders would be assured by the two regulators if the latter could only be made to keep perfect time, but this condition cannot be realized. In order to overcome thm difficulty, M. Bélin has devised the following method. At each liberation of the transmitting cylinder, the wireless station sends out a dot similar to the noontime. signal. The receiving station does the same and the operator of the latter adjusts his apparatus until he hears the two dots simultaneously.

In sending pictures long distances by wireless, it has been necessary to reduce the cylinders' speed from two revolutions a second—the time for wire transmission—to one turn in four seconds, making the time required to transmit a picture twenty minutes instead of two and a half Compensating for this delay, however, is the belief that Hélin's system may make wireless atations independent of electrical disturbances which frequently "ball up" ordinary wireless mes-

At certain hours and seasons, electrical storms drown the dots and dashes of the Morse signals, and produce so much interference that it is often necessary to repeat a memage two or three times before it is comprehensible. These repetitions reduce the number of messages that can be handled by a wireless station, and

most of the day's communications are crowded through in certain hours when atmospheric conditions are favorable. A message sent by Bélin's system, on the other hand, goes in facultule, each fetter being taken down at the receiving end in its characteristic written form. Even if "static" interferes with the transmission, amough of each letter will be reproduced to render the message legible. It is not necessary to make a photograph of the written message before sending it. The writer uses special lok that gives sufficient relief for the sending-needle to feel when the paper on which this raised message is written is rolled on the seguence of spider.

Another disadvantage of onlinery wireless which the Boun apparatus does away with is the fact that any message sont live radio is practical r howier out for all the world to hear. Engineerative hopefully at work on plans which will ultimately assure



Fingerprint reproductions, as received over the wire in Paris, three minutes after they had been taken from a captured suspect in the provinces. Thus is realized the prediction made by Popular Science Monthly ast January, that the apparatus of M. Bélin would prove invaluable in running down criminals.

secrecy in wireless memages, but the fact remains that to-day practically any mossage can be heard by almost any wireless station that has the capacity to receive the sender's wave lengths.

It would seem, in the case of M Béan's apparatus, that any given station likewise might capture the picture that was being sent, simply by tuning to the right wave The sending cylinder probably wouldn't correspond in speed of revolutions. to the receiving cylinder that was "fintening in," the photographic points would thereions be more spaced out or more closed up on she receiving cylinder than on the sendintegrinder; but even so, there is still a thatre that they would remain legible. ever, if the transmitting cylinder reperiod in an breegular way, stopping and starting at unexpected intervals, the result produced on a receiving cylinder turning uniformly would be an illegible acrawl.

The points would be out of place both vertically and horisontally

It is this little trick that M. Bálin expects to use for sending written messages in secret. He is perfecting a compact secret-message apparatus that can be kept upon any desk. With an equipment of this kind, the foreign representative of an American business house could write personal messages to his home office, to be transmitted from the cylinder on his deak by telephone, cable, or wireless. Using a rhythm of ravolutions agreed upon by code, be could be certain that nobody except the operator of the receiving cylinder that was adjusted to the eccret rhythm could understand a weed.

World-Important diplomatic interchanges, when this system is finally perfected, will be carried on by an actual exchange of authentic hundwritten documents, carried broadcast through the air,

yet secret from all but sender and receiver, while men in New York will be able to close important deals in San Prancisco, instantly transmitting endorsed checks and signed contracts across the contracts.

Machine Ties Parcels as Reaper Binds Grain



ELEVEN years ago J. J. Backmayer was in the vegetable husiness. His fingers got to some tying bunches of obtons and radules, that he determined to invent a parcel-tying machine. A year later he built the first machine out of old junk and bicycle sprocket wheels. For seven years he struggled to get people to use it, but it was not until 1917, when a machine was developed for tying candy-buses that the company had any great success.

The machine is electrically operated. A box or parcel which is to be tied's the length or width after for interes but life beight must not exceed five and a built inches a passed over the recoil tra which pulle the lawing about one say, and ties a nest, strong knot without waste of cord. To tie the pickings both lengthware and crosswise it must be passed through the machine again.

The tying action is based upon that of a self-binding resper, but this machine ties the twine tightly in the first place, instead of tying a knot in a loose cord while the straw is compressed, and relying upon the expansion of the bundle to tighten the knot.

Watch for These Fastures Next Month

Travel by Pullman Auto Bus How Music-Rolls are Made Trawler Seeks Sunken Treasure Your Family's Heredity Chart New Japanese Plane-Currier Subway 400 Feet Below Surface



Cylinder on Automobile Wind-Shield Contains Sunshade

THOSE who find their pleasure behind a steering-wheel will appreciate this sunshade, which is next and compact and unobtrusive when not in use. The driver is shown pulling it across the wind-shield where it is hooked to a special attachment. The shade is of green allk

When unbooked, the shade files back into its container. No screws are needed to attack this accessory, as it is provided with clips which map instantly over the ends of

the wind-ahield.

The Month of News of the Universe

Earth to Plow through Broken Comet's Wreckage How science explains November meteor shower

ARTHE Aggreet a ter that must be we not be established a sort feestal sambar a sail sweening path through the ught of the terminal samble of the whole or and fragments rushed to end agent to a furnish one file report to end or the terminal or the term

at who as the soft motor residual to the control of the term of the pure term of the control of

Year the remarkable of at mear V the rule and secure of facility and a it a so b 's cure & right braugh the swarming track for our up compla were mage and that in our or b ar a fire sun we can are struc-I so the sea in the same time en is mere en due en Novem and the name of are the remains of 1 are end where writing the other sough a after forces in or as now a preer that the standard are go to rouse up ander the percof the man have the first sixteened pulsately mening with all resident in the entire mienter O pour injury n'hilwin ment of the or to 18x2 assig y'w up a buf times the earth o CONTRACTORNEL PROPERTY

When Field is a met record on 1945 of what served and its five coincide. The served and larged between 1941 the major of the defence of week the way have need the way to the major of week the way have need the served of week the way have need the served of week the way have need the served of th



How Seriven Bolton, famous astronomer, pictures the earth's armust November rush through the vest shoul of meteor fragments left by Bigle a lost comet

Cotnet particles, thyriada
no larger than
a pinhead,
others some
times bigger
than a man,
flash into
flame as they
atrike our atmosphers
and are quits
burned up before reaching
the ground

After this return the council was moved seen again case this a dispagative of a become in the fate of the earth's passage across the council with the earth's disparation are treed from 6 h M and middle gas and it is thought has not good and it is a long that are the analysis and the council see f

The fate of lie a's comet as not an isolated retained Several cases on terms

and that the sales are applying a sectegrated for a many courte to not an anmore of the formation of male cities, tangtage in size from stone had for I ochs
weighing much tone flown of the first
poweer or dest. Hurney at a first in
what they is not at me here few of these
fragments ever strike the earth a sough
a cest pate that yet 46 col 000 cd of
them tonough is a read a



Where the "Last Discoverers" Are Now Seeking New World Riches for Mankind

Earth's few remaining unknown spaces are being "mopped up" by an unprecedented number of explorers

E are living to-day in the greatest period of exploration that the world has ever known. During 1921 hundreds of men have gone forth into the waste spaces of the earth seeking at the risk of their lives new wealth and knowledge for mankind's benefit.

Coal, oil, minerals, new medicines, and precious stones represent in part the objects of their search; but more than that, this wast after-the-war revival of exploration is apparently going to clean up earth's

ast remaining myetery spots

With one or two exceptions the hundreds of explorers in the field to-day are not striving for spectacular goals of discovery Rather, they are consulidating the game in our knowledge of authorizing portions of the globe made by the Pearys and the Scotts who went before them. They are "mopping up" the earth

The last objectives to which the explorer has yet to push are shown on the accompanying map, the black portions of which represent large areas of the earth of which we know absolutely nothing.

This year sees Locatement-Colonel Bury on his way to climb Mount Everest, the

By Ralph R. Perry

world's highest mountain and the one really spectacular goal left since the winning of the poles. Parties will soon push into the virgin wilderness in the interior of New Gunes. Before long some exceptionally daring adventurer will cross the notrodden Arabian desert of Roba-el-Khali.

"Mopping Up" Arabia and India


Roba-ol-Khali is shown on the map in the interior of southern Arabia. On its nutricits there are petroleum springs. What lies beyond, no one can say. There may be more oil there, but not even the native Araba have crossed this waste of shifting sand and naked rock, blasing under a tropical sun that makes it the bottest portion of the earth's surface. If a man were to take young she-camele in full milk and push out in the spring, some explorers think that this waste might be crossed, but as it is 550 miles long and 650 miles wide, no one has made the attempt, as yet. It is the largest blank space on the map

To the north our chart shows two

smaller, divided dark spaces. These formed one area a few years ago, but this year travelers pushed through from north to south, and we now have some information on the country lying thirty mues on either side of the route.

At the foot of Mount Everest is the kingdom of Nepal, of which we know nothing except from the reports of natives it is an independent Mussulman kingdom, and the maharajah refuses to permit a white man to set foot in his kingdom. A few men have penetrated the southern border, but only for a short distance. Even the party which is about to climb Mount Everest was refused the right to cross Nepal, and was forced to make a detour into Tibet and will climb the mountain from the northern aide. Nepal will probably be the last unknown area on the map.

The same condition exists in the interior of New Guines, where savages attack every exploring party that has left the coast. This island is owned by Great Britain, Holland, and France, and a combined expedition equipped for resisting the natives was about to set out when the outbreak of the war postponed the attempt.





The diminutive "Quest," only 111 feet long and 200 tone displacement, in which Sir Ernest Shackleton will survey the Balloons, a haby strylane, and special ocean sounding apparatus comprise part of the equipment carried

It is to be resumed in the near future, since the forests of the interior are believed to be rich in natural resources.

The largest unknown areas, of course, are those surrounding the poles, but the expeditions of Shackleton and Stefansson are constantly adding to our knowledge of these sections. Among the parties now seeking new knowledge in the Arctic is that of Donald B. Macmillan, which will make special studies of polar magnetism and the Aurora.

How Little We Really Know

Outside of the Arctic, it is true, we know comething about nearly all the rest of the earth-but in spots it is very, very Little. Throughout the vest shaded areas on our map we know little more than the courses of the navigable streams. The whole of northern Canada is practically unknown, and what undreamed-of possibilities may he there are binted at by the elmost the whole of interior Africa, central Asia, and the deserts of Australia. When the French pushed into the Sudan, which was thought to be well mapped, they found streams and cases from fifty to a hundred miles distant from the points the maps declared them to be located—which would indicate that our geographical knowledge is nothing to boast of. In the valley of the

find that water is often from one- to twodays' march from the points indicated on the map—which is apt to be fatal, in a dry country. If the day of the explorer is over. there was never such an opportunity for ecientific expeditions.

These are made up of parties of five or six men sent out by the great museums and societies of the various nations. They live in the wilderness for months, even for years at a time. One man will make a careful map. A geologist will study the underlying rock strata, a zoologist gathers data on the plant and animal life, the anthropologist learns the habits of the primitive natives, the entomologist collects new species of insects, and when all have completed their work, scientists pomess full and exact data on the conditions existing in the country, and the possibilities, If any, for commercial exploitation

At the present time literally hundreds of these expaditions are in the field. We have recent discovery of oil on the Mackensie. shown some fifteen of the more important gave out, his party was so overcome by The same is true of Siberia, the Sudan, on our map. In the Antarctic, Shackleton privation and weakness that one of their is salling in search of an island. The charts number deliberately wandered out into the show two large islands in the Southern darkness to die in order to conserve the food Pacific-Dougherty Islands and the Nimrods. In there really any such land?

claimed to have nighted up island there. No one has ever seen it since. If the islands do very end they dragged those thirty-five exist, if it was not a mirage or a floating pounds of fossils. They had set out for iceberg that was seen, the land would make scientific evidence and knowledge, and Amazon there are three areas, each larger a useful radio station in the chain which as although they died, the fourth were found than the New England States, of which our rapidly encircling the globe. Shackleton in their last camp by the rescue party. It knowledge in the slightest. Although intends to search until he either finds these is this spirit that actuates the later-day ar-Africa has been grossed and recrossed from islands or proves definitely that they do not

and to and, the traveler is not surprised to exist. Then he will sall further south to the Antarctic ice, to chart \$000 miles of unknown count, to discover new sites for coaling, whaling, and wireless stations, and to make deep-ees soundings.

Scientific Research Inspires Explorers

The new spirit that has arisen in exploration since the discovery of the point is manifest in the records of the two expeditions by Captain Scott. In the first, which was before the discovery of the South Pole, he simply made a deah to the furthest point south ever reached. This was pure expluration. In the second expedition, in which he lost his life, he was actuated by the newer scientific motives. His party had found thirty-five pounds of fossil boxes that gave evidence of the life that existed in the Antarctic before the formation of the polar ice specimens of incalculable actentific

On his return, food failed, oil for heat supply of the rest. The men tottered toward their base camp and safety by piti-Nearly a hundred years ago whalers fully short marches, discarding everything that impeded their progress-but to the

(Concluded on page 111)

Popular Science Monthly Civilization Must Abolish War

Prophetic pictures, based on statements by famous men,



These pictures reveal the elternatives to the prevention, of any her world war is awaken by to the fact that unless the Wash nying. Dragmament Conference paves the way toward peace no mode of destruction will be banned in the nest conflict

HE INVASION -"Fleets of fast-movfing tunks equipped with time of liquid gas, against which the enemy whater any have no r ter ion will gross the fron serand oblives elevery a rightness in the fields and farms the viages and chest of the enemy are unity. While life a helog awapt away around the frontier fleets of airplates u. attack the enemy a great industria una givernment centers. Al these attacks will be made against the civil population in order to compe, it to accept the will of the attankers Laratemant Cotonel Fuffer Chief General Btaff Officer of the British Tank Corps

THE NEW TANKS - [They will bell "organized in large units, with General Staff tanks, telegra " tanks tanks carrying wall be althed with

machine guns, and guns of all calibut-(a need for a companier of the Frence First Arr. or up the war

LETHAL RAYS , mag ne from the past that nother for wow not once recourse to gas a a ta a conjuly every force of na that we can and there is a time as a present for progression be seen to me of no different forms. We also be about the stall nurpiece with with abrivel up or paralyze or pose a bu-

man beings if they are unprotected Major General Secution Bro ph , one of the tank inventors.

The soldier of the next war will be clad constantly in gas armor made of amperviour materials smeared with charmicals. The suit pro-American army

or War Will Destroy Civilization"

show why disarmament is the great international problem



There will be no' declaration of war. Hostilities will be inaugurated by toyrinds of airplance and feets of tanks. A few hours later will come gas bombardment of great commercial and industrial canters, hilling hosts of civilians or driving them belowground



THE SOMBARDMENT—"In 'the next war' this gas bombardment of capitals and great towns is not only a possibility but a strong probability—almost a certainty" " ... cellars will never form a defence against sinking lethal, cell-killing gases like lewisite and its probable successors.

"The shelters must be large enough to accommodate the people of a whole city; they must be deep enough in the ground to resist the enormous explusive force of the great new bombs; they must be gasproofed, either by rendering them airtight and furnishing oxygen to keep the inmates alive, or by providing ventilators which make the outer air pass through an anti-dote.

"They must be as easily accessible as subway—even more accessible. Thus

virtually involves rebuilding modern cities, if the inhabitants expect to survive a war "... "Had the war continued, Paris would have been attacked from the air on a new plan.

"A first wave of airplanes would have dropped on the city roofs tons of small bombs which released burning phosphorus. . . . It would have started a confingration against which the fire department would have been aimost helpless, in a hundred quarters of the city

"Into the light furnished by this general fire the Germans proposed to send second and third waves of sirplanes loaded with heaviest hombs. . . From that the gas bombardment would have been but a short step." — Will Irwin, Ismous war correspondent, in "The Next War."

Railroads Use Motor-Buses to Improve Service

Motorized equipment now used on short lines is designed to compete with highway buses

AILROAD passengers may soon be riding in a new type of gasoline-driven car which will operate over many short branch lines and interurban routes more cheaply than steam or electric fra.m.

After various makeshift experiments with auto-trucks converted into passenger coaches, the railroads have begun to feel the need of a standardized call-car that will regain for them their lost short-haul traffic. Several truck manufacturers are now experimenting with vehicles of this type, and one particularly interesting model has just been put upon the market. It is a sigpafigant advance in the neverceasing struggle for cheaper and more convenient transportation.

This Car Is a Hybrid

The new car is neither a motor-truck with flanged wheels nor a railway-car with a gasoline engine, but rather it is a happy and sensible combination of the best elements in both. Its power plant, consisting of engine, clutch, transmasion and their accessories, is founded on meter-truck practice, but the wheels, brakes, the body, and its appointments are "restroad style"


Gasoline-driven railway-cure are not how; heither are

motor-buses with railway wheels. But a hybrid vehicle combining the best festures of both is as novel as it is interesting. It represents a deliberate attempt by one of the leading truck manufacturers to get ranway business, and to get it by giving the railroads comething that they want acutely but heretofore have not been able to buy; to wit: a thirty-one-passenger vehicle that our be run for fifteen cents a mile, or a thirty-six-passenger-and-haggage car that can be run at twenty-five cents a mile, including interest on investment and depreciation charges. It costs one dollar

and fifty cents to two dollars a mile to operate a rangond-train of two or three earn, each car having a sealing enpacity. of seventy passengers. Railroads that are losing money on short-haul passenger traffic have already found that a gasoline reil-car will turn lesses into profits. As an example, there is a sixtymile railroad in the western part of New York State, serving a rural population of about ten thousand. The volume of passenger traffic in not sufficient for profitable operation of one train a day in each direction. Therefore, no passenger service is offered, although there is a freight-train every other day. The rail-ear makes passenger transportation economically feasible on this road Assuming one car makes a round trip each way, a total of one hundred and twenty miles, at fifteen cents a mile, the

A New Vision of Railroad Service

MOTOR-BUSES equipped with flanged wheels to enable them to run on rails have been tried successfully on many short roads. Over a sixty-eight-mile stretch through the Hetch-Hetchy Valley of California, buses are transporting passengers and freight. In several parts of New England large railroads have found motor-buses to be the solution of the problem of giving satisfactory commuting service at reduced cost. It is not without reason to believe that the motor-bus may eventually supplant the coal-driven locomotive on the numerous branch lines. The substitution would mean faster and more frequent service, cleaner travel, and lower transportation costs. -The Editor.



One of the motor-cars developed sepecially for the N.Y., N.H. & H.R. R. for use on their byench lines.

total cost is eighteen dollars, and if an average of only twenty passengers is maintained, at three cents a mile the revenue is seventy-two dollars a day, or a profit of fifty-four dollars. Furthermore, there is no question but that much additional business might be obtained by making several trips a day instead of one. On the average breach line, the public is served by one two-car train each way each day. The same senting capacity may be obtained by four fail-cars. Service four times as frequent is thus offered at less than half the cost. In the eyes of the public, service



summer on the Narraganastt Pier branch of the New Haven lines with complete satisfection to the patrons

four times as frequent is four tames as good.

The rail-car not only gives the railways an opportunity to ronke money on branch-line passenger service that they now offer, but it will enable them to win back a skeable percentage of the traffic that has gone to the motor-bus and the motor-car. On a conservative basis, it is estimated that the railways annually loss \$200,-000,000 in revenue because of competition by road vehicles. Much of this revenue has been lost because the railroads have been unable to compete with frequent service. A train once or twice a day could not be considered by a traveling publie that could obtain motorbuses every few minutes or every hour, or an automobile at command. But the frequency of service which the low-cost rail-car offers will do much to bring back a large share of this business.

It is expected that many interurban electric lines that because of recent conditions in the traction field have been forced to allow their rolling stock, power houses, overhead trolley system, etc., to run down, can recuperate quickly by the purchase of rail-cars of thm type.

On steam lines the car's Jee is not confined to "feeders" and short branch routen, but will be extended to commuting

service in the off-peak hours and to regular off-essson service on longer lines that cannot afford to operate with steam, except in the tourist months.

Thirty-Six Persons and Bassage

The rad-car in its latest form has a roomy body for thirty-six passengers, with a baggage compartment in the rear. Passengers unter and leave through doors at the front. The vehicle is propelled by a four-cylinder engine with six-inch stroke, to which is connected a clutch and four-speed

transmission. The engine is provided with electric starter and generator Up to this point the muchine follows standard truck practice. But the four-speed transmusion has combined with it a reverse gear that connects with all four speeds. It has a maximum speed of thirty-five miles an hour, and because of its high gearing a bevel-gear rear axle is employed.

A four-wheel pony-truck supports the ear at the front, and a single pair of driving-wheels is used in the rear. Regulation brake-shoes act on all wheels. The driver's compartment looks much like that of a motor-truck. Turning the wheel however, does not steer the ear, but applies the brakes. When air-brakes are fitted the brake lever is placed on the steering column, and the wheel then operates the emergency brake.

What Are Your Chances for Success in Radio?

Read these typical romances of four poor boys who found the route to wealth and fame via wireless

The brief annals of wireless are packed with the names of celebrities and men of wealth who were just ordinary kids" when the radio bug bit them. Their success is explained by the fact that they grew with the industry -and helped it to grow. And the point for you, reader, is that the industry is still growing, and growing at phenomenal speci-

Take, for instance, the dawning opportunities for radio operators on land. Hitherto few operators were needed, except at sea, but now throughout the world nations are being linked up by direct radio communication. In the United States, police and fire departments are beginning to use radio, as are the forestry service, news-

By Armstrong Perry

distributing agencies, hotels and husiness houses. The Federal Bureau of Marketa is broadcasting daily reports, the Post-Office Department has a chain of stations for directing its usail-planes, commercial companies are establishing services between cities, and railroads are beginning to use radio for general message service. With every year the field will broaden and so will the need for experts in its various phases.

Undoubtedly, however, when the present shipping slump has passed, the sea will again offer the greatest opportunities and the higgest adventures to the new operator

> When he has secured his commercial operator's license from

the local office of the chief radio inspector, United States Chamber of Commerce, he will doubtless seek through the medium of one of the half dozen great radio and telegraph corporations a job on a cargo boat. However, luck and ability may place a good operator as assistant on a passenger steamship.

Now let's assume that you are the new operator and suppose that you get a berth as the only one on a slow-going freighter. You will discover that the captain begins to rely upon you for the information that will bring his ship safely to port. In the old days his ship had to plow along until a drop in the barometer showed the approach of a storm. But now your prompt

(Concluded on page 30)

by radio.

for the other side.

keeping in touch with

the Berlin government

fault that his station was used in double-crossing

the Albes. Having unin-

tentionally contributed

to the wrong side of

the world argument, he

promptly struck a blow

A vital part of every radio trans-

It was not Dublher's

FROM East Side schoolboy to millionaire radio engineer in eighteen years—this is the romance of William Dubider.

It all started when, at the age of filteen, he happened to pick up a book on wireless, by Marconi. He rand three

hundred pages at one all-night sitting, went to school next day, and that same night attended a lecture on wireless. The door-keeper tried to keep him out, but young Dublier was already the get-there kind. He sat in the front row

After the lecture was over, he hung around asking questions and making a general nulsance of himself, until, to get rid of him, the lecturer offered to allow him to earry the apparatus back to the hotel. That simple act decided once and for all his future. From then on, as long as the lectures were conducted. Dubiller could be found nightly, first in the audience and later as an assistant to the lecturer, switching lights and arranging the equipment.

So rapidly did he absorb the technique, that a few months later Dubiher was himself delivering lectures for Marconi, filing engagements of lesser importance. He was still in school, but he worked after hours and attended lectures when he was not giving them himself

His next step was to get a night job with a wireless-telegraph company. It paid neither salary, commission, nor



William Dubilier

Eighteen years ago a poor achoolboy, interested in radio; to-day and of the wireless industry's greatest engineers, the inventor of a condenser that has made his name known throughout the globe, and has sarned him over \$1,500,000

expenses, but he considered the experience ample compensation. After holding the position five years, he won a gold medal at a World's Fair for an exhibition of radiophones.

At twenty-one years of age Dubilier had such a complete mastery of radio equipment that he was summoned by the Russian government to erect Ita new high-power station. His fame had preceded him. On his arrival in Russia, this boy, who was no older than many youths in high school, was installed in the royal palace, where for a month be was fêted and entertained. The station which he erected at that time was the one that gave the world a jolt a few years later when the Russians, supposedly cut off from communication with Germany by a declaration of war, were found to be

mitter is the condenser. The type in general use at the beginning of the war was the Leyden [ar, n glass jar lined with copper. fragile, noisy in operation, and gave off quantities of oxone that seriously affected the atmosphere of operating-rooms. The Germans controlled the world's mics supply, so that the Allies could not change to a condenser using that dielectric, instead of glass. One day the Germans awoke to the fact that the Allies were using higher power and longer wave lengths than they had supposed were possible. After the war, it was discovered that among those who had been fighting from

behind closed laboratory doors

was William Dubilier, whose condenser, conetructed on new principles, had belied materially in condensing the German Empire.

Dubilier confesses to thirty - three summers. He can spend the rest of them at Bar Harbor and the winters at Pa.m Beach, if he wishes—he has the wherewithal. But his favorite resort summer and winter is the little old laboratory on Center Street, New York.



Dubilier secured his narius training by making himself assistant to the great Marconi during the latter's lecture tour



A few years later the ind from New York's East Side, now a leading radio supert, was entertained by the Coar

report concerning conditions abead will enable him to dodge the storm area by a change of course. In the same way, it is predicted, radio will eventually supplent magnetic compass, chronometer, and lighthouse. Already it is recognized as indispensable. At herbor entrances automatic radio transmitters are being installed that repeat their exact positions at short intervals. Similarly from the mouths of welldeveloped harbors radio cabies lead incoming vessels to their anchoring grounds.

Agun, as a radio operator you may be able to get from ships in your vicinity their posttion reckenings and so supply your captain with a welcome check against his own computations. Then there are hydrographic reports of submerged wrecks, drifting derelicts, and buoys broken from their moorings. And usually twice a day time signals can be intercepted from the government observatories in several countries.

A Radio Operator's Perquisites

All this is routine; but meanwhile, remember, you are visiting interesting ports in every quarter of the globe without expense and with accommodations as good as those enjoyed by the officers and firstyour ship docks, you are at liberty until sailingtime-and your uniform often admits you to circles closed to the man In plain clothes.

And all the time, too. you are making money. Pay for the beginner ranges from sixty-five to seventy-five dollars a month, while experts often draw more than two hundred dollars. This is in addition, of course, to your "room und board" and numerous incidentals, while many an operator finds opportunities to do other remunerative work on board. Thus, some write

radio articles for tuchnical journals, others compile trade reports for exporting firms back home, and many study the science of navigation. But the "wise" delve deep into the still unsolved mysteries of their own profession. They know that the big men in radio have all been operators, amateur or professional, who have studied as they worked.

For the big men in radio once knew as little about the subject as you may know now They realized that the time to begin is now, and the way to begin is to purchase a text-book and get busy. If possible, they would advise you to take a course at a good school, locally or by correspondence, or else to get a radio man to give you instruction. If his terms are high, hesp organize a class and aplit expense.

Free instruction, you may not know, is

now being given to civilians by the Way Department From corps he diquarters powerful transmitten, we senting matruetions by rade, while other instruction is given by mal. Your questions will be answered. You will have a chance to be inducted into the signal reserve corps, being called to active service usually for the duration of the short summer encamp-

It takes little time to acquire proficiency. In my own case a government license was secured after only four months, and I want to make clear that I was

and keeps cash accounts and other records in proper shape. Mere technical ability counts for perhaps one third in your succem us a radio operator.

But the hig prizes in radio go to the operators who stick to the game and set into the executive or engineering branches of the business. Scores of important inventions are still to be perfected and many a practical operator and experimenter now beginning will reap the cash rewards for these achievements. Not one of the calebrities pictured on these pages had a better start than you who read this article. The

one brilliant quality I bave been able to discover in them is the ability to stick to a thing after the keen edge of enthusiasm had been dulled by the inevitable knocks of drudgery

They just kept at it and added a bit of knowledge and experience each day, with perhaps a double dose on Sundays. And avery Little while they have given the universe a joit by announcing some discovery that was right under our nones all the

It is interesting that, of approximatery 20,200 licensed radio operators In the United States today 12,400 are licensed. amateurs, leaving a total of 7800 who earn their living by operating. Of these 7600 only thirtytwo bold commercia. first-grade deenses, and only sixty-six of the coventy-eight hundred hold cargo iteenses.



Michal Idvorsky Pupin

where epochal in-vention, the Pupin onl, brought him weelth and made long - distance communication possible

REFERRING estimenable in the land of Washington and Lincoln to a life in Serbia as a general in the army. Michal Pupin sold his schoolbooks and an old watch and started for America.

He landed at Castle Garden at the age of sixteen, with five cents left in his pocket, and spent it for a piece of pie. He licked a newsboy who jeered at his red fer which a fellow immigrant gave him when his own but blow overboard

He spent his first three months in America working on a farm and studying English. Then he got work in New York and saved enough money for an education. He entered Columbia University with two hundred dollars in savings. There he won a name for his muscular, as well as his mental, prowers. As a wrentler he won the college championship.

A scholarship took him from Columbia to Cambridge, England. From there he went to Berlin, but Columbia called

him back to the pro-(essorably of mathematical physics.

His most widely used invention is the Pupin Inserted at intervals in the line, this

makes transcontinental telephony as satisfactory as local calls. With the coming of radio telephony, it was found that the Pupinized telephone lines easily took up the human voice, transmitted by radio from Catalina Island in the Pacific and automatically transferred to the land wires. carried it across the continent. and delivered it into another radio transmitter on the Atlantic coast loudly enough to make it audible on board yessels a hundred miles of more at pea.



Pupin, wearing a red fee, got his first glimpes of grant ship

well past the age when men "learn easily " "But surely," you object, "the profemion must be overgrowded by now."

It is true that the current industrial slump has temporarily hit radio operators as it has all other classes, but nevertheless the fact is that in good times or had there is always employment for the exceptionally good radio operator -and by that I do not mean a radio "winard", I mean an operator who can send and receive at commercial speed, keep his apparatus in condition and prepared for accidents before they happen, respect the laws governing radio communication, handle customers in a courteous and businesslike fashion, and who is case of service at sea-copies as much "press" as possible for the benefit of passengers and crew, is amiable with officers and associates,

Cost of Learning Radio

Tuition for a course which will prepare you to pass the Government examination and receive a commercial operator's license will cost you about fifty dollars.

Books covering the same ground and used by many men for self Instruction at bome in place of a school course cost from \$2.50 up.

A simple receiving-set, composed of a mineral detector, & single phone and wire for serial and ground can be purchased as low as one dolar.

Better sets, transmitting and receiving, can be built or purchased for from \$10 up.

A very liberal allowance for putting a beginner in a position to earn thing from radio within a year is \$100. This is more than the average operator has spent for his advention.

My own expenses, covering the four months from the time I applied for admission to the East Side Y. M. C. A. radio school to the time I received my commercial license were as follows:

Tunnen Text book 2 90 2 25 Nore-broka Car-fatta 10,00 Notary a fee for excepting math on Scenie \$55.30

He Used His Auto Horn to Get Wireless Message

WHEN Roy A. Weagant was still in short pants and bare feet, he built a telegraph set and cut in on a local circuit in his home town in Canada.

own in Canada. A discarded hand

generator that fell into his clutches peeved him because he had to turn a crank with one hand in order to produce juice to operate his fearful and wonderful electrical devices. It was worse than trying to work a chain pump and keep your mouth under the spout. So he built his own storage battery to serve as a receptacle.

Thereafter, he turned his energies to the construction of a motor. He has not finished it yet, for before he could get all the parts together he went to McGill University to study electrical

engineering.

He was mainly dependent upon his own resources. When grub was scarce, he filled up with an extra portion of Hertzian waves, now known as radio waves. He had telegraphed over



Chief anginese of the world's largest radio corporation. His experimentation has lad to methods by which static interference is aluminated and weak signals from far-away stations are amplified.

wires, and had found absorbing interest in these ether oscillations

that made it possible to telegraph without any wires at all

After graduation, he went to work. He's been working ever since—working hard; to that alone, or to that and the fact that he always got what he went after,

he attributes the success that has made him head of the engineering forces of the largest radio company in the world.

When he landed a job with the Marconi Company -- "by going after it," as be says—be soon became absorbed in research work, which led uiti-



mately to feats that have made him famous.

Weagant's outstanding accomplishment is the elimination of static interference. In addition to making it possible to receive aignals in spite of atmospheric disturbances, he has also perfected a system of amplification that takes weak signals from

distant stations and by means of relays makes them loud enough

to be plainly audible

The other day," said Weagant, "I brought in POZ | the transmitting station at Nauen, just outside of Berlin, about five

thousand miles away at rong enough to operate a relay. Summer-time worst sensor for atmospheric disturbances. Sometimes hard to hear signals. Hooked relay to Clayon born on my car. The horn started off at thirty words a minute. I'll say you could hear the signals!"



Turning a generator with one hand as he operated the key with the other, Wesgont learned his first lessons in electricity

Sarnoff Tried Every Job from Office Boy to Manager

PEOPLE think that if a man gets a big job he must be a wonder. It is not so," says David Sarnoff, once office-boy and now general manager of the Radio Corporation of America.

"I came to America from Europe at
ten years of age. I
did not know a word
of English. I started
in school and worked
when school was over

"In 1905 I got a job with the Commercial Cable Company. Having caught the glamour of radio, six months later I went to the chief en-



Even white he worked at the telegraph key young Samed was meatering the theory of radio from testbooks

gineer of the Marconi Company and asked him if he needed any men. He and: 'We don't need any men, but we need an office-boy at \$5.50 a week.' I grabbed the job. I learned how to work the telegraph key and learned the code by studying at home, nights.

"When one of the telegraph operators was transferred to wireless, I got his job. This was the turning point in my life.

I knew that the executives then in the office knew little about the practical end of radio. The real radio men were all down in the research department, or at the

shore stations or on the ships. I believed that if I could get out of the office atmosphere and into the practical end of the business I could come back and have something the other men did not possess.

"In 1907 the company opened the Siasconset station and I applied for a job as radio operator My friends in the executive offices told me that if I took the job I should be a sixty-dollar-a-month man all my life. I took the job, and in two years became a competent commercial operator. There was an engine, a generator, and a storage battery emergency outfit there. I did the dirty work because I wanted the experience. Nobody quarreled with me about that. I was only eighteen at the time.

"By 1912 our company had four hundred ships and fifty coastal stations. Men were needed as operators, and I was soon appointed an inspector, to supervise their work and our equipment. After that I was made successively chief inspector, assistant to the chief engineer, assistant traffic manager, contract manager, manager of the commercial department, and finally general manager.

"There is no country that offers such opportunities as America. I have traveled extensively and I know. And there is no profession that offers better opportunities

than radio."

w 1977

David Sarnoff

After his climb from office boy to general manager of a great wire-less company, he declares that any boy with a definite object and persistence can win out



Every-Day Wonders

Easy Questions About Familiar Things—Can You Answer Them?

- 2. Why does alcohol cool the body when used externally, and seem to warm the body when taken internally?
- 2. Account for the appearance of frust on window-pance in winter.
- What causes clouds to form? How high up are rain cloude?
- 4. Why should water recervoirs he without roofe?
- 5. How does a fire-extinguisher put out n Gra?

N cuch issue Popular Science Monthly asks ten questions that every reader should be able to answer. Follow them carefully and you will acquire fascinating knowledge about the secrets of science affecting our daily lives. See answers below.

- 6. Why is a burn from steam at 212° F more severe then a burn from boiling water at the same temperature?
- 7. Why does water freeze first in pipes on the top floors of houses?
- Would the householder who kept a wet cloth over his gas-meter be able to get more gas for his money?
- 2. What causes the black smudge to form on the calling above an oil or gas fiame that is not burning properly?
- 10. Why does blue cloth look nearly black in gaslight?

Five Minutes a Day Will Make You Master of These Fundamental Facts of Science

Alcoholic Effects

When used externally, alcohol makes the body feel cool for the same reason that water does. In each case the bound evaporates: and since heat is necessary to change a liquid into a gas, the water or the alcohol takes the heat from the body, to which it is closest

When used internally, alcohol affects the nerves that control the small bloodvessels in the ekin in such a way that they are dilated. This results in a ruch of the blood to the surface of the body, which causes a warm feeling. On a warm day it is the heat of the atmosphere expanding the blood-vessels near the surface that gives us the warm feeling. But with alcohol so the dilating agent, what is actually happening is that the body is being unduly cooled, because so much blood is being brought to the surface of the body. Because of this fact a drunken man may freeze to death despite his first deceptive feeling of warmth.

Frost on the Pane

The sir you exhale on a cold day cools to the lower temperature of the outer air. Warm air has a greater capacity for holding water vapor than cold air. Having been very warm in the body-the body temperature is 98.6° F. — your breath was able to hold large amounts of water vapor, but an it cooks it must release the excess water, which therefore condenses into a cloud of vapor

Now think of the window-pane of a warm room in winter. On one side there is air that holds a great espacity for mointure, because it is warm. On the other is the cold air that cools the gises through the inside surface. Inside, the people are living and the moisture that they exhale and the perspiration from their bodies are being absorbed by the warm air. As this moisture-laden air comes in contact with the cold window-pane, it loses its expacity for holding moisture and condenses, forming frost.

Height of Clouds

As currents of air are heated by the ing expand, due to the gradually lemening because it is lighter and freezes there.

pressure in higher altitudes. In expanding, the sir is cooled and condensed into minute drops of moisture, a large number of which form a cloud. Rain clouds are seldom higher than a mile.

Why are Reservoirs Roofless?

To allow the exygen of the air and 4. the nitra-violet rays of the sun to mingle with the water and purify it. The rougher the water as it is agitated by the wind, the more oxygen will be absorbed. This is the reason why the water in many purification systems is aprayed into the Air so & fine must.

How are Fires Put Out?

In either one of two ways. The more 5 common is by wetting the burning surface to reduce its temperature below that of the temperature of combustion The second method makes use of heavy gases that form a blanket over the fire. preventing the entrance of payged, without which a fire cannot burn.

Burns from Steem

It requires over five times as much 6. heat to turn icewater to boiling water and them to steam as to heat the entire mass of liquid from freezing to 212°-the temperature at which water boils. This axessa heat that goes into the steam must come out again when the steam strikes a surface and is cooled. It is the presence of this extra amount of heat-known in physics as the "heat of vaporisation"that makes a burn from steam more severe than one from boiling water.

Freezing of Pipes

Most substances shrink in volume as " they are cooled. Water is no exception to the rule until it reaches 4° C Then it ceases to shrink and begins to expand as it cools to 8", 2", 1", 0" C., when it begins to freeze. As ice it occupies more space than it does as water. Now if water behaved normally, lakes and all hodies of water would freeze from the bottom up, killing the fish. But water earth's surface, they rise and in ris- near the freezing-point floats to the top

The Gas-Meter

As the wet cloth dried, the gas-meter 8. and its contents would grow colder. Now, most things, including gases, expand when heated and contract when cooled. And when the gas in the meter contracts, more gas flows in to fill the epace. This space is inside of a believe arrangement which turns the dial Indientor through a series of genra as it discharges the gas through the pipes into the room where the gas is being used. Therefore, if the bellows holds more gas, it will discharge its contents and register the same amount of gas on the dial as when the gas was warmer

When Lamps Smoke

When a gaalight is burning properly, 9. It is being supplied with anough siz to burn the fuel completely, which mry be gas or oil or kerosens. The light is usually produced by small particles of carbon coming from the fuel, which have been heated till they glow. But if the air supply is insufficient, a great deal of this carbon will leave the lamp-chimney or gue-tip unburned. This exodus of minute particles of carbon forms the amoke and the smudge that accompany the lmproperly butaing lamp.

Color of Cloth


When a beam of white light, such as 10. we get from the sun, shines on blue cloth, the latter will absorb all the colors that go to make up "white," except the blue, which it will reflect to our eye. The cloth then appears blue to us. same way, red cloth looks red when the light striking It contains rays that it reflects. Green cloth will reflect green rays, and absorb all others. Now, gaslight in usually deficient in certain colors, especially in the blues and purples. That is why gazlight is yellow. And so, because there is very little blue from the gasaght that the blue cloth can reflect, it sends practically no rays to our eyes. The base cloth absorbs most of the other colors, Since practically no light comes to our eyes, the blue cloth appears black, which is merely due to the absence of light.



Railways of Odd Design from All Parts of the World

Autos now furnish the motive power for the trolleys in Apeldoorn, Holland. Each locomotive is capable of pulling three cars. Before the advent of these gas locomotives the cars were drawn by horses

The famous suspended radroad of Elber feld. By making use of the space above a canal, the clevated road is made possible without obstruction of street traffic



Two airplane ingines and propellers, one on each end of this car, drives it at a speed of two hundred miles as hour. The car runs on a regular scheduled time between Berlin and Hamburg, Germany



This imique teepede-shaped hanging trolley that does service in Burbank California, has a seating capacity for sixteen persons. It is driven by a propeller at one end. Such construction is practical only in California's climate



The Malberg stalway at Erm is built to conform to the steep slope of the mountainede. The passenger compartment is built in a series of steps so that the seats are always upright



Only intrepid Alpine mountain-climbers second the Wetterhorn in any other manner than by this cable realway. The peak of this mountain is over twelve thousand feet high

Getting Thrills of of Made to Order Collisions

EVEN if you don't nwn a flivver, you can have the pleasure of running into people. You can experience the sensation of having your automobile struck by another one, or by two or three at a time

The sport is staged in an enclosure paved with sheet steel and with an overbead covering of heavy steel notting. There are parked within this well-fenced lot about twenty-five small care that look like big tube set on four wheels. The visitor takes his seat in this round flivyer, and grips the steering-wheel firmly Next he puts his foot on a big button. The effect of this pressure is to start things going in every direction. Each car has its own trolley, the wheel

of which connects with the netting which forms the roof of the pen. As the metal strands are very uneven, and the car has no guide for its wheels, the motor which



Care driven from overhead trolleys supply thrills by their accentric actions. Tempered steel springs on the base of the cars act as buffers

gets the current, causes the machine to go plunging around the place like a bucking broncho. The motive power comes from the overhead acreen, which is charged with electricity and which can be turned on or off at will by the electrician at the switch.

The effects might be serious, were it not that around the bases of the cars are projecting circles of high-tempered steel aprings. When the cars cultide, the shocks are easily broken by the metal absorbers. The amateur chauffeur has all the excitement without the broken benes that often accompany adventures on the road.

In the course of a few trips, one may become proficient as a pilot and even steer a strictly straight course. The worst performers in the arena are the skilled chauffeurs, who apply the principle of steering as they understand it and miss the idea. The wheel turns in


the reverse fushion of the automobile steering device, therefore the better driver on the road one happens to be, the more awkward he is under these abnormal conditions.

How Heatless Tires Are Made by New Process

INTERNAL heat, one of the chief causes of tire destruct on, is said to be a mineted by the invention of a tre-manufacturing process that embodies seventy-three improvements. Each cord or rope in these tires passed through a machine called the beamor, which takes the piece of the more familiar casener to tire manufacture and februh costs each strand with an even later of livertinher. Buring manufacture that there are directly a process with the more are directly a later to the market of the increasing a second comb and reparation the strands. With this remposition, it is impossible for the friction of one strand on another to couse heat

The cords are continuous around the bead wire. After the cord belts have been rubbers

they are too a some factor of the with a some factor of the some facto




tire. As each rope is surrounded by rubber, it is free from the rest during the process of manufacture, and can twist and turn and adjust likelf individually when the tire is shaped by the sir process. At the same time, a patented device keeps each rope in the finished tire at exactly the same tension, so that every one carries (to shape of the load.

Hergins of the elimination of internal friction, it is said to be possible to build this tire with only two plies of cords, instead of the customary seven or eight layers of fabric. Long life is expected from the tire as a result of its great flexibility.

The inside living is of rubber—
a new feature, which the manufacturers say could not be succonful if internal best were generated, since the inner tube would
have this entities integ. No suspru past to the attent tenness
the far lubrication as the tube



After the rubberized cords are formed into I the tire, the strands are combed so that I each cord is carefully separated from its meighbor



A section of the completed tire-carcass with one of the two layers of cords removed to show the assembly of subber-covered cords



Hand Loom Produces Big Cravat Output

WITH a simple hand loom, crude in its design, but expable of work that compares with the finest, William Bennett, n disabled sailor, who was formerly a pratstioni scientist and an optiotan of ability, has been turning our take quantities of allk ties in his/improvement diameter the Dugont, a well-known New York institution for expery-alimen diameter has become so proficient with this loom of his own invention that he is


able to weave ten to twelve all neckties or belts a day. The handlwork is so fine that his product brings the highest prices.

Conveyor Handles One Hundred Tons of Flour an Hour

PORTABLE ship-loading units for freight in bags consisting of an electrically driven conveyor which can be moved unywhere about the dock and a tower by which the conveyer can be raused to any he abt required by the different classes of this will county experite the storage of

discharge the bags in Dev into the bald through automatic chutes. Thus the whole operation is made as nearly nutometic as possible, and few stevedores are necessary

By means of this conveyor ordinary bag flour is easily handled at the rate of one hundred toze an hour, and by speeding up, an exceptionally efficient crew has



Conveyors carry the bags from wharf to ship's hold at the rate of one hundred tone an hour

loaded as much as two hundred tone an hour. In this way great savings were effected, not only in wages, but by cutting down the length of time a vessel must remain in dock to take on cargo. Breakege and spoilage are practically eliminated, while the cost of loading flour is reduced from \$1.26 to 86 cents a ton.



Space in New York's Canyons in the Panic that Never Happens

WHAT would happen on one block of New York's crowded streets if all the workers in the buildings were suddenly transferred to the street? Where Pine Street funs past from Broadway in New York, by stere it a thirty substory building often the chine por mule of the entire block. The average fleight of the buildings opposite twenty are stories. The total number the go and come to work me Pine Street is sixteen thousand.

The average man requires about two and a quarter square feet of standing space. If averybody in these buildings tried to stand in the street at once, the crowd would be packed nine tiers deep and 124 men would be left over. The street would be packed solidly with people up to the level of the windows on the fifth floor

Boxes Fall Thirty Feet Unhurt

To expedite the handling of heavy cases of canned meat between the packing floor and the shipping platforms an American concern has installed a shaft down which the cases can be dropped over thirty feet without injury

No cushions or spring shock-showbers are used. The air in the shaft is employed as a cushion. The shaft is made slightly surger than the dimensions of the boxes, and is arranged so that when the cases are dropped it is bermetically sealed at the top and the bottom. The falling box compresses the air is front of it and creates a vacuum behind it strong enough to drop it at the bottom without injury. This method has proved three times as fast as an elevator



For Drawing Wedged Keys in Transmission Shafts

HOW to remove tightly wedged keys in transmission shafts without tedious hammering and without danger of scoring or otherwise demaging the shaft surface has long been a problem. The torsion of the chart, here and run all lead to wedge the key tighted and aghter their it suchs cases it practically turn with the shair. Instead of hazarering patiently it me

thin edge of the key in staulut, a German now uses his recently invented key-remover, which, because of its aureness and simplicity and safety, is likely to become a famous tool


The device may be placed over the shaft at any place: it does not have to be slipped over the end—an advantage in the case of a long shaft with several pulleys. When it is fusiened to the shaft and attached to the key, the turning of its screw brings a powerful leverage to bear on the key. The upper of the two rollers shown in the illustration comes down to the shaft surface like the other and the key is extracted. Rollers are used to protect the shaft. The continued turning of the screw until the upper roller reaches the surface of the shaft removes nearly every wedge/

However, if the key should reliet this powerful leverage, it does not mean that the remover has not functioned. Either the key is pulled or the pulkey is pushed -one or the other. And, of course, when the pulley is shoved past the key, it is no longer difficult to astract the wedge

Raising Figs instead of Thistles

RRIGATION and the tractor turned a California desert that had grown nothing but carries and thistles for centuries into the content lig-gradiens region in the wirld.

The hor sun and the dry air are Heal for this frunt and the desert soil proved surprisings fertile when irrigation was applied.



Turning water into the frylgation ditches in a plot of young fig-trees



A secondary ecreen, made in sections and reteted in front of the main acreen, makes motion-pictures appear elerescopic, that is, they stand out in relief from the background

Adding Perspective to the Motion-Picture

N interesting experiment has been car-A ried out on motion-pictures by a French scientist in which he has obtained some remarkable effects of depth without the employment of accessories beyond a unique screen. In his researches he ducovered secidentally that if two positive views taken from the same negative and identical in every way are placed one on the other and viewed by transmitted light, the human eye distinguishes between the two views and produces an effect of perapective.

Further experimentation with this phenomenon brought out several ways to which the idea could be applied to motionpictures. One method makes use of a rotating acreen as in the Mastration. This rotating screen, with the sigments removed. is placed directly in front of the regular acreen. By reason of the persistence of human vision, the spectator is made to see certain parts of the picture in more than one plane and the result is as if the picture Itself had stereoscopic qualities.

The principal objection to this scheme, and one that would prevent its general use. to the fact that the audience must sit directly in front of the acreen and at a certain distance from it, otherwise the distortion becomes so great that the effect of depth in lost. It is expected that further work along these lines will produce a screen or series of acreens that will give the deaired result without limiting the seating arrangement of the auditorium.

Attrough a falling bacometer will invariably give warning of had weather, the fall does not take place far enough in advance of the rain to be of much value However, you can tell if the glass will rise or fail hours before the movement occurs.

If it is a mercury barometer, look at the top of the column. If level, the glass will be steady for hours. If the top of the mercury is concave, a fail is coming: if convex, a rise may be expected.

The information can be secured from an aneroid by watching the movements of the point of the indicator when the case is tapped lightly with the finger-neil. A jerk backward indicates a fall; forward, a Auto Crane for Barge Canals

Till's French automobile crane may give a hint of one way in which the United States may make its harge canals profitable. It has been cheap, if slow, to haul by water, but unloading has been so expensive that few husiness men use the canals, particularly at way stations, where modern handling equipment was altogether absent. This crane goes where it is perced, and will handle cargo as rapidly as any hoisting device of its type. The trake ror often in a complete circle on its base so that patterns only be talked from the barges and loaded directly into reachs.

Use engit supplies power to both the wheels and the trake. In through a the takes are locked with the

rake and the transmission gears thrown into neutral. The gear-box is unusually large, and contains an additional set of gears attached to shafts operating the hoisting windless and the turning mechanben of the crane

The driver sits facing the rear. His right hand handles the lever controlling the turn of the crane, his left operates the hoisting engine. The puny brake-pedal is under

his right foot, and his left is on the regular accelerator


in cranes of this type the cargo is raised and lowered by the tackies. The boom is not moved except to adjust it to the proper height or reach. This is accomplished by a apecial gear-shift that throws a gear on the holeting engine late mesh. The boom is then raised or lowered to the proper position by the regular controls. An engine supplies the power.



A traveling crane mounted on a truck makes for mechanical efficiency in unloading barges along French canals. A fifteen-horsepower engine supplies power for crans and truck

Elevators that Run on a Curve

ELEVATORS usually travel perpendicularly, but those that connect the East



One of Boston's enriceities is an elevator that rises on a curved line. Hard-wood guide shoes heap it lovel

Boston tunnel with the State Street station run on a curve. Owing to the narrowness of the street at that point it was impossible to build the station directly over the platform in the tunnel, a variance of six and a half feet being necessary,

The cars run on hard-wood guide-rails heavily backed by steel I-beams that are attached to the iron attacture. There are guide-shown at all corners that accumuted the thomselves to the curvature of the rails. The car floors are evel at all times and the passengers are not aware of the peculiar path it, awad by the cars.

Each car there are four of them will sold fifty leople and it will travel at a speed of two burstred and fifty feet a minute. The thomel station is fifty-seven feet below the

and station is fifty-seven feet below the reet level; thus the six and a half foot curve is a very gradual one

Two somewhat similar elevators have been installed in the famous E fiel Tower, Parts. The legs of the tower are curved and the elevators travel on curved raisa distance of four hundred and twenty feet, the beight of the second platform

TRE German alloy "elektron" contains 90 per cent magnesium by weight, but may be melted without danger of igniting in air as magnestum will. The metal has a tensile strength of from seven to nine tons a square inch, which is increased from eleven to fourteen tons by rolling or stamping. Elektron is proof against gasoline, acid free oils, grease and alkalis.

Polarized Light Reveals Original Work of Artists

With a tube that looks more like a telescope than anything else, M. Lambert, a Paris scientist, accomplishes what seem like minacles with the dingy works of old painters. He has taken paintings that have become darkened with the dust of centuries and with his apparatus has made them appear to the eye as though recently finished. Even the details that seem to have been lost are restored to all their original brillancy.

The painting to be examined in illuminated by a powerful incandescent lump or an arc enclosed in a lantern. The light passes through a condensing lens and then through a correcting lens, which makes the rays paradel before they

pass through a tube containing a Nicola prism, which polarizes them. After the light has passed through the polarizer, it is refracted by a diverging loss so as entirely to cover the painting to be examined.

A painting may be said to consist of two parts, the layer of



A highly illuminated pointing viewed through a Nicol's prism is disclosed in all its original coloring

The varnish turns dark with age and the light referred from its surface interferes greatly with the light reflected by the pigments of the painting underneath the varnish

When a painting, flummated by pourized light from the apparatus described, is viewed through a single tube containing a Nicol's prism or through a binocutar containing such prisms, it becomes possible, by turning the prism or prisms to the proper angle, to deflect the rays reflected from the variab, permitting only the unpolarized rays reflected by the pigments of the painting to reach the eye or eyes

In an exhibition given before the French Academy of Science, on old picture of a bounget of flowers was marvelously revivified. The painting was old and obliterated but under pularized light the flowers were seen to be rusts and hone-suckie, rusting in a dark-green glass bowl of water.

Print 1500 Photographs an Hour

THE professional photographer who prints negatives by the thousand needs a machine that will do the work quickly. The machine flustrated below has a capacity of fifteen hundred photographen one hour 16 prints from single films, uncut rolls, or glass plates. Shelves above the operating true consum stacks of organizes, while present the raths are intended, for the warriets size stacks of photographic pages.

James Flynn, a New York, the invention, has also devised a one-piece adjustable mask, which merely requires the turning of a thumbersew to fit it to any width of border or any size print. There is also an automatic stamping device that changes the number with each print and stamps it upon the back as the print is being exposed

treadic will operate any one

of the switches and at the

same time it will number


the prints

to the light. The type is of steel and is inked by a ribbon.

The light for printing is provided by four gas-filled incandescent bulbs of one_hundred-watt CHIPSORY. These build are arranged to alsure even illum nutron machine has a "double-break" contact switch that operates the prober or red pilot light and the printing light. When the paper has been alipped into the mask, the operator presses his foot ID & foot-fread This brings a felt pad down on the paper and turns on the printing light It the same time the steel figures me down on the back of the print and stamp its num

A thumbserow is all that is

mecassary to adjust this mast to any size negatives





Floors, walls, and stairway are all of plate-glass. This is how a morie director obtained the litusion of fairy-land

A Plate-Glass Fairy-Land

A VISION of fairy land was reproduced in the movies by a scene taken in a setting but tentirely of plate-glass. Glass of five-eightheatach thickness was a look, warrant from drawings, a possible of carpeter's processes to completely cover a big table and sitch of the surrounding studio space, buttering a floor. At too has of this platform glassworkers simultaneously installed a solid plate-glass starway.

At soon as the pratform was in read near, other glaziers proceeded to cover the entire wooden floor with large stabs of more plate-glass. Plate-glass walls twenty feet in height were set in place along two sides of this "room," the stairway forming a third side, and the remaining side serving as a gateway for the

Beneath the transparent stairway a complicated system of lighting was installed in such a way as to provide a striking picture of flickering lights playing on the waters beneath the glass steps. Where the steps debouched on to the glass floor two wide shallow pools were constructed. Rising from the surface of these pools were eight octagonal glass pillars, each bearing upon its apex a large basket of blown-glass fruit over which the water from the enclosed fountains played.

It required two days and nights to film this episode and the whole vision will flash on the screen in approximately three

minute





Giant Outdoor Reflectors for Photographing Movies

DID you ever wonder how the movies were able to take such sharp, clear photographs in the shade? Here is one of the secrets. A gigantic, flat reflector is being used to give the proper a gh-lights on the face of Corinna Griffith who does not appear at all emparement by the Juvenin audience at hereloves years.

With these agreens the camera man can control the mating effects sub-of doors as perfectly in mate studio. They are part of the regular opulpment of some film-produce a companies for pictures taken under the shade of trees, which are usually are despair of every amateur photog-

The reflectors are made of galvanized tin to keep the light from becoming too bright. The reflection from a plate-glass micror, like aunlight itself, might produce halation effects and would certainly destroy the Blusion of shade when the picture was exhibited.




No More Telephone Heathands for Train-Despatchers

SINCE telephonic traffic despatching has been in use, many of the men have suffered from east trouble, some of it due to the pressure of the receivers and some due to static and other noises constantly occurring on the ne

The inversion of a loudspeaker for transdespatchers will do away with all the

The invertion of a loudspeaker for transdespatchers will do away with all the drawbacker of the head receiver. This loudspeaker in composed of an audion amplifier, an electrodynamic loudspeaking receiver, and a voice-strength regulator. The amplifier allows the most distant tration to be heard with clearness, while the voice-strength regulator tones down the voice from the nearer stations to any required volume.



AMONG the latest innovations are steel mandolina and banjos.


The lastruments are comparatively inexpensive, since they are premed out of steel, are an importantible in anything can be and the manufacturer classes they tone a excellent

The intrumer is area shi in weight, and should make a testic give to your chalten learning to play, who would be almost certain to damage a mendolin of the usual fragile construction.



M. the environs of Paris, looky for the roughest roads. The bumper they are, the easier it is for him to pedal, for each bimp that rocks his anddle also causes a set to drive a ratchet heat attached to the rear wheel.

A traing quadrant of springs is the rear support of the antide, which rests in front on a lever har whose fulcrum is beneath the handle-bars. With this arrangement the rider feets only a slight shock on the most uneven roads.



A tilting quadrant on springs supports this bicycle saddle at the back, resting on a lover bar in front

Bungalows Made from Discarded Street-Care

THE housing shortage in Washington, D. C., during the past lew years has produced some queer living accommodations. Here we have a family who considered themselves fortunate to get a couple of old house-cars to serve as the nucleus of their bungalow.

The abundance of windows practically turns the entire dwelling into a suff parlor. It is said that many houses of it sixtype have been constructed along the banks of the Poternac.

Besters as viral probes the use of street.


Header saving lumber, the use of streetcars for side walls reduces the cost of har iing the remainder of the house. Numerous windows and complicated framing become unsecessary. It is reported that the cars were sold for their value as lunk.



Holds Lamp-Globes Safely and Insures Quick Removal

Carved shoes which hold the lampglobe by pressing against t oftwardly from the incide, this new arop pader is said to be alsolutely safe. Turning one knuries sortw spreads both these arms apart until the globe is clamped between them and therein of the fixture.

Contact mestablished all the way around the globe, whereas in the usual three-or four-point holder the lew points of contact make the hanging of the globe uncertain, and unequal stresses set up by tightening one screw more than another often crack the globe when it becomes expanded by heat. This trouble is avoided with the new holder, which also permits quick removal by one man.



The Hangar that May Never Have a Tenant

THE huge hanger built at Lakewood New Jersey, to house the District ZR-2 may never have a tenant. Whether or not the estantrophe of America's British-built dirigible will have a dampening effect on the further development of ighter-than-air craft depends on the governmental investigation of the accident. In the meantime the second ship of the same class, which was to be constructed in this country, remains unfinished.


This photograph was taken as the finish.

ing touches were being placed on the hangar. The shed has a height of 200 feet a width of 250 feet, and a length of 307 feet.

Elect of the four doors of the hangar weighs 1851 from and a ordened and classed by two co-hange power attention mot at. All of the windows in the walls and not are supplied with special amber-coroned glass to prevent the entrance of ultra violet light rays that would deteriorate the fabric of the envelope.

Severa, hundred feet away from the hanger is the hydrogen gas plant where the gas for inflating the big dirigible was to have been generated

Whatever the findings of the board of inquiry as to the structural weaknesses that caused the danster, it seems to be the belief of military and zero experts that since the dansible has a defin to piece in wartime, its development must be continued, but perhaps along slightly different area than heretofore.



This machine runs special cutting tests on brass rode to determine uniformity of material

Taking the Guesswork Out of Bress-Rod Cutting

TO insure that his brass rod shall be abactuately homogeneous and possess unicreated in the control of counter runs a autitude test in energy lot before it is nouse.

Since cirtial quarties of orans depend upon the accuracy with which the mixture of copper and zinc is maintained in the making, a small rod from every "mix" is rut in the special machine shown, and the mixture is changed until the indicator shows the desired cutting qualities.

Such careful testing proven its value in screw-machine work, where uniform toughness in the rod allows continuous highspeed output and reduces tool breakage to the minimum. The resistance of the test paces is recorded on the dial of the dynamometer on a special lathe.

California Weed Causes Seventy Punctures a Day

CEVENTY punctures in one tire in a single day is the uneaviable record of a California motorist who recently traveled through that section of the Golden State where the puncture plant is prolific and productive. Introduced as a slowaway in burn in the freeen of imported alreep, the plant has become well oftanished in certain section of productive and approximately at per cent of the bicycle and approximately at per cent of the automotors punctures that occur in these

Uncle Sum has been conducting a countrywide weed survey and has sacer-tained definitely that the puncture wood is spreading rapidly. The bur splits at



Puncture word has five sharp prongs, any one of which will penutrate automobile tires

maturity into five sections, each equipped with a pair of bayonet-like spines about one quarter of an inch in length. Three sections are scattered about on the ground in such a manner that one of the spines always points upward ready to puncture any inflated tire that passes over it.

This Portable Lamp-Guard Is Strong but Light



VARIOUS new features are embodied in this type of portable lamp. For one thing, its a features of cubitruction will appear.

A caming completely surfounds the lamp nearly to the base of the filament and from this casing radiate nat guard strips around the lamp

A special aluminum alloy is used for this metal, so that strength does not me weight. A bayonet type socket is The wooden handle is easily us and when taken off, it facilitates of the socket. There are no a passages through which to thread to



Milk Aerator and Cooler for Small Farmer

THE milk nerator and cooler invented by Cyrus W MacKenzie, of Waverley, Indiana, combines extreme simplicity in design, operation, and effectiveness in results. The inventor was a dairyman on a small scale, and found that cooling milk by dipping it up and pouring it back into the can sorated the milk and drove out the animal heat well enough, but took too much time.

The idea of arrest tath it shall twould be quicker to orde air that the bottom with a purphend let travel the mult as it bubbled to the surface. His chief difficulty was to devise a pump that would be perfectly smallery indicate to wash.

His avention is essentially a simple pump that sucks in air on the upstrake, compressing it and foreign it through the

H.A. Evention is essentially a simple pump that sucks in air on the upstroke, compressing it, and forcing it through the milk on the downstroke. It gives the small farmer the use of one of the improvements usually reserved for the large dairy, and as for ease in operation—the picture above the simplicity of the machine, such that even a child could bandle it.

Electric Iron Turned Upeide Down Forms Stove



TOTELEEPERS will the determine who invented the first for travolers an evil gen us. In the first place, the non-chests the house a stout of present businessand also up correct. The novity of the fact that it also is be turned appeared down, the handle still apart as a rest, and a meal cooked on it. It is meal packet in a handsome case. The handle weight is only about four pounds.


Endless Elevator Loads Truck in One Minute

BACK up your truck to the coal, sand, or gravel, pull a lever, and this truck-loading machine starts doing the work of four men.

The elevator buckets, arranged on an endiess chain, fill themselves at the feeding end and automatically discharge into a hopper at the top of the machine as shown in the picture below.

The self-feeding devices (operating like two large human hands) dig into the stock pile alternately, and pull in the material against the line of rotating luckets in such a way that each backet receives a full load.

The maritime can be deplated with either a four-cliender gaspline begins of an electric potent. When it is properly operated, this material il mindle more than a cubic yardful material a minute. It is unnecessary to go into fuller detail about this affi-



Two self-feeding fingers on this loader dig into the pile at the rate of a yard a minute



Testing the Breath of Bananas in Transit

IT seems that the popular banana continues to breathe after it is harvested, the respiration being greatest at right. The carbon differ de expended by banana cargoes in ables, table, and from storage houses in action, table, and from storage houses in action, table, and from storage banana's devices, for the sake of the banana's devocation to preservation

The device shown in the shustration on a refrigerating car, tests the inside air Samples of the air are collected through rubber tubing, and the reactions on lime-

Graphite Sorted by Primitive Method in Ceylon



that no machine can compete with them, and about the only way to start a strike would be to insist that they do then work mated in chiers, for they prefer to work in the squatting possibalishich would be impossible to a Turopean's. The group is engaged in sorting graph to

Graphite occurs in isolated scales and veins embedded in the older crystalline rocks, chiefly greiss, schist, and crystalline limestone, although the Caylon deposits are found in granulite. The rock most be

broken into small pieces examined for indicat, his of graphite, and the calls thrown as is, much as slaur in picked off of coal in a bahaker

The chalpness of native labor is shown by the fact that harmers are used to fracture the rumps instead of breakers, and that the sorting is done by acattering the lumps over the ground instead of placing them on a moving belt

Graphite is found all over the world, but the greatest quantity comes from the island of Ceylon.


Importing City Lighting for the Country Road

EXPERTS declars that a large percentage of night automobile accidents can still be traced to the blinding gare of headlights, in spite of the improved headaght reflectors of many types that are being adopted. To chminate mishaps from this cause, an experimental installation of highway lighting has been put up on Paradise Road, near Swampecott. Massachusetts. On entering this stretch, the motorist turns of his man head gets since the road is lighted sales of his wife help as with Avenue.

If the experiment is a success, it is expected that the cost of hugh against improvements will be apportioned as part of the observer of high part were.

the otpense of highway work

The light built consists of a nest of reflectors, one within the other. Two of



these direct the light toward the roadway at an angle of ten degrees below the horizontal. An opening just below the tap of the lamp also allows some light to be directly on the road immediately beneath the mutalistion. The bracket holding the reflector is adjustable, so that the fixture can be mounted on poles close to the road. or on tocations some dutance away

Machine Measures Leather Area


TLLUSTRATED below is a machine med. tomesauze the area of hides. It will make allowance for the uneven edger of the skin, and wi heved subtract the area of a hole in the center of the laste. Astherwise drawn through the machines the friends turns a series of wheels that will not move except when they are in contact with the leather. The rims of the wheels are of known.

C Rafel & Hertert.



The hide is fed into this machine and numerous fingers follow the contour, measuring the surface

width and circumference, and it is comparatively easy to translate automatically into terms of surface area. Hides are sold by the equare foot, and a machine like this is used to determine the amount to be paid.



Fire-Truck Helps Out in Water Famine

THUNDERSTORM that burned out the meters of the pumping dation of Clintonyi d Wescotten, totally of of he fire-truck applied fater service until the repairs could be made.

The truck, which was equipped with a

five-hun-fred-gallon pump, was located near Manay well. A double line of home an to the pipe lines inside the pumpstation, and although the water tower ch can be seen in the background of the Mistration is 164 feet above the pumping mation, the fire-truck was able to fill it.

Gas-Bombs Reduce Rioters to Choking and Tears



A handful of the tear bomba that effectively dispersed the mobe

'EAR-GAS" bombs with which various pouce departments are being equipped for use against rioters and unguly mote, are of the United States Army Prise an apparent of of a wall agrice to peace the uses,

During the war sheds a sed with nebry-matory as were used over by the funake the enemy bland wit inglard distressed with coughing, dioking,

Tear gas hombs will not only check the **edynnee of a** wild mob and stop picting, but will be invaluable in "smoking out" dangerouts criminals barriended in houses. With a puff of tear-gas near him, the worst of desperadoes is no longer dangerous. One little bomb may reduce the most hardened criminal to a weeping, covering wreck.

Two hundred members of the Philadelphia police force were the first to experiment with luchrymatory gas. These stalwarts were organized into a rioting gang and were dared to rosh past a given point, within throwing distance of five A. E. P. veterans. None of the cope got past the point, excepting those who rolled on in paroxyams of sobbang.

There are no after effects from a dose of lechrymatory gas, but during its half hour of efficacy, it chokes and nausentes as well as produces floods of weeping

The Smallest Ornamental Tree in the World

APANESE gardeners pruns, starve, and pothind trees to dwarf them. Conifers are best liked for this development, so the hard woods are not so tract-

The method of stunting is said to be secret, the heritage of certain families for centuries, but two explanations are offered. One, from Japan, is that the tree seed is placed in a half grange lis roots being cluped of when they here through the

An American arbories turing suggests that the trees are proposated in Mich sititudes whose rarefied air products stunted growth; strong pruning, lean soil, and pot cultivation also being resorted to.

Japan offers many varieties of dwarfs, but the popular kinds of these tiny trees are; bonses, perfect miniatures; kengal, with long branches; sascechi, with "weaping" branches; sikki, with geometrically arranged twigs, and weagars, with exposed



A stunted tree produced by the . methods of Japan



Completely Automatic Car-Coupler

SIXTEEN years ago John Genin, of St. Albans, Verment, set to work to make an automatic railroad coupler that would make it unnecessary for the brakemen to crawl under a car to connect the air and storm lines. Recently his invention was perfected and tasted by Canadian Nationa Railway, which endorsed t very highly


The couples is an adjustation plate so constructed solid a car equipped with an automatic coupler tan couple up to one that atil has the old-fashloned mechanism. It makes the connection a per-brakel, steam, and whose lines all automatic and does not require the attention of any one during the process.

Horizontal Forge Press Economizes Space

ONE of the features of this horizontal forge press is that it economics in overhead space, which is cometimes a necessity and aways an adventage in small works.

The soft metal in molds or matrices gets the full force of 10,000 tens upon it and the forge quickly turns out axim and similar products. Only the matrix need be changed for a variation in the forgang

This much ne is proving a great success in Germany, where, it is said, novices are operating it. Many German mechanics were killed in the war and simple machinery is in demand.



Inspecting High-Tension Pole Lines

A N inspector of high-tension wires must be able to walk over ratiroad-ties and other uneven places without lowering his eyes from the wires overhead. An error in judgment on his part, the neglect to notice a rotting cross-arm or a broken insulator, might involve the famure of this high tension transmission line, with a stemporary ebullition of fireworks and subsequent after local throughout the city

There are some the sequent of the high tension transmission line, with a stemperary ebulition of fireworks and subsequent distanced throughout the city. There are some peculiar recuirements for his work. He must be able to determine the send-tion of telegraph-poles at a game, and have took replaced before they blow down in a heavy it remails the must be able to gage the rate of growth of various kinds of trees on that we can have them trainined before their interiors with the wires.

Most difficult of all perhaps, a wire inspector must remember every minor defect along miles of line, to avoid reporting the same breakage twice. His route is arranged so that the whole line is inspected at least once a week. Cracked insulators and warped crom-arms give the most trouble, as any electrician with telegraph wire experience will tell you.



A New Way to Bob the Hair


IT said the engiest thing in the world to eat heir so that it will hang evenly all the way round, but with the little guide shown above the heir is trimmed to the proper length. The device is an improvement over the traditional soup-bowl used by our grandmothers for this operation

e is made of heavy tan be cut out card court pro the SET. 10 thn. who want ood their own hi ir căn do it the same way, but to pa phrase Punch a fumous adthe wiscut course) for about to bob the hair is-Don't.


The Tower Bridge in Valve Fittings

This window-display model of the Tower Bridge in London was made of valves and fittings, with only a posteard view of the original for a guide. In it there are 15,555 pieces taken from regular stock, comprising 280 different kinds of elbows, toes, crosses, nipples, and valves, and 16,251 joints were used to make up the fittings. It is worthy of note that not one left-handed thread was used in the entire structure,

The model is approximately 19 ject upg by 1 widowy 4 feet bigs the draw can be raised and lowered, and the colored lights on the pipe model signal traffic exactly as do the warning aights operated on Tower Bridge.



The operation of this burisontal forge press is so simple that a more novice is able to run it



Not upo left-handed thread was used in this model of London's Tower Bridge

Primitive Methods Are Still Used by the Japanese in the Manufacture of Silk




The biograts in this J. bisht stoop or commen by ankwar and seat seat a er as e . . . et lays from the hape of the hundred ears in the 101 104



A corner in the silk-weaving These girls weave beautiful designs with the primitive foot power looms, yet the high degree of dexterity demanded of the workera calla for a wage equal to about one fifth of what the uming task would bring in America



The completed cocoons are placed in a besin of water and then unwound on to reels. Close watch must be kept for uneven strands and strands partially enter through



This picture shows the primitive machinery that Japan is content to use in its manufacture of silk-As a rule, the weaving is carried on intirely by foot treadles



At frequent intervals during the life of the silkworm the beds on which they are placed must be changed. The man at the right is placing a bed of worms back on the storage shelf



Feeding mulberry leaves to the sileworms. The worms take about a year to hatch and after they emerge their appetites are unbounded. During their life they eat their own weight in mulberry leaves



When a car of grain is to be sampled, this testing-rod to thrust down through the lead. When withdrawn, the compactments are filled with specimens from different levels.

Grading Wheat in Carload Lots

that there is a vital relation between the grade of wheat and the yield of quality flour that can be milled from the grain, but it has been difficult to the point of impossibility to locate a small pocket of low-grade wheat hidden somewhere at the contents of a loaded freight-car. That trouble has been over-ome by the invest on of a sample parted that crabbes wheat no be taken from every politicized a stread in a about time, southly sunning a test on samples taken from fifty different points, the investigator can get a reliable idea of the average grade of wheat in the car. The grant profile has ten compartments, independent of each other what are opened and closed by turning the handle after the probe has been plunged into the grain. Five probes are made and the samples placed on the cloth. Dirty or faulty wheat loaded in


The grate probe has ten compartments, independent of each other what are opened and closed by turning the handle after the probe has been plunged into the grain. Five probes are made and the samples placed on the cloth. Dirty or faulty wheat loaded in any portion of the car can be easily discovered. If none is found, the cloth is folded from the four corners, which thoroughly mixes the samples, and the grade of wheat is then determined. Thus the Bureau of Markets can determine the quality of the entire carload by one test. Farmers get a better price for clean wheat, and where these tests are in use, they find it profitable to store the grain carefully.

The Tire Is Inside the Rim

BASED on an entirely new principle, this patented automobile wheel carries its pneumatic tire inside the rim, where it cannot be punctured or cut. As the illustration shows, the new wheel consists of an outer tire of solid rubber on a flexible metal rim supported by a small, fully inflated pneumatic tire attached to a



The inflated inner tube serves as a cushing for the outer rim



A steel disk covers the wheel keeping dirt and oil from the inner tube

second rim bolted to the hub. In service the whole wheel is protected by a metal cover that guards the tire inside even against dust and sunlight. The inflated tire "rides" in fork-shaped grooves that connect it with the outer rim.

The inventors claim that this arrangement combined he wearing qualities of the sould rubber transvith the actioned comfort of the presumatic. It was reverope for use of tracks over rough touch that cut productions property the past has been shinisated, and as the over the rever domes into contact with the road, it will had its as fee along time, on want atmost indefinitely. The outer rim sounds of steer and is sufficiently flexible to keep from being perstanently deformed or dented by the shocks of driving over rough roads. The weight of the car is borne by the forks, and is supported by the inflated tire.

Roller Coaster Built by Children

The track is uneven and the car inseture, but the boys who built this relies conster get more fun from it than if it were perfect




THREE of the eleverest boys living on the East Side of New York City conceived the idea of making their ewn roller counter from odds and ends found in back lots. The enterprise fitted into the imaginations of other youngsters and soon boxes and boards were collected in

As completed the construct the conster.

As completed the conster is two hundred feet look and it is nown the patural more of while A paterior case nounted on refer-white where struck as the car. The track is not spooth that that only adds to the exhibitantian of the slide.

It is not uncommon for glassblowers to drink from twenty-five to thirty quarts of water in the course of a day's work, but history mentions a baby of three who used to drink two pailfuls of water a day. She grew up, apparently quite healthy, gradually increasing her quota to four pails.

Keeps Airplane Engine from Freezing



This simple heater keeps the simplene engine from freezing by circulating warm water through it

COLD weather no looper has any terrors for the airplane owner whose hangur cannot be heated in winter. An airplane engine-heater, tested by the Army Air Service, that maintains a constant circulation of hot water for twenty four hours will keep the malatter from neezing. The storebooksts of a twenty-four-inch

The star property of a twenty-four-inch tertion cot of three-quarter-inch ropper pine surrounded by a sheethron jacket. A burler in the base, two fire screens, a fuel tank gastime feed pipe and connections and thiet and outlet water-pipes from the yel to the top and bottom of the radiator. The introduction is thermosiphomic. The burners require a pint of gasoline an hour, Care should be taken in lighting the stove, and the fire-screens above the burner intist be kept clean, for sout deposited at this point is liable to cause trouble


In starting the stove, the feed-pipe is filled with gasoline, the tank put on, and the main burner valve slowly opened. The "gas" then fills a cup. When nearly full the burner is closed, the fuel in the cup lighted and allowed to burn out. Then the main valve is again opened, at the same time lighting the burner with a match. The door of the heater is tightly closed and the valve at the bottom of the supply pipe is then put at a quarter turn. The stove will burn without attention until the fuel is exhausted.

Mutilating Plants to Make Them Grow

TRICT or flowers are worth more than a the mark, if treas in or so than or of the control of the

Deliberate mutilation of plants increases their growth and productivity

wood, for this would kill the branch. The cut is then bandaged. The result is that the sap cannot be absorbed by the bark, but passes on to the buds. At the Ashton Experimenta, Station in Bristol, England, it has been proved that in skilful hands this treatment makes the bark thinner, and greatly increases the size of the leaves and the productivity of the tree.



A 3 per cent solution of hydrochloric acid forced through the tubes of surface condensers effectively loosens the boiler scale and makes a comparatively inexpensive job of cleaning the boilers

Hydrochloric Acid Removes Boiler Scale

A POWER-DRIVEN mechanical cutter is usually employed to remove scale from the tubes of surface condensers. It is admittedly not the best method, for in addition to the expense of the operation, tubes are liable to be broken, but engineers besitate to use a dilute follution of as decelloric acid, in spate of the transcent parts of the condenser and tube purking, parts of the condenser and tube purking.

In the opinion of Norman Hardy, chief mechanical engineer of the Arizona Copper Company, this danger may be overcome. He has used acid for cleaning con-

denser tubes for two years with excellent results by the method illustrated in the illustration. He calculates the saving effected in cleaning a 7500 square foot condenser amounts to \$893 41 over mechanical methods.

A sper cent solution is pumped through the condenser from four to five hours, after which the loosened scale is washed off with a wire brush and a hose. To protect the metal parts, the water-boxes, heads, and tube sheet are first cleaned mechanically and then painted with two costs of roofing tement. Cover plates and gaskets are next lastened over the water in at and outlet, with especiewe tapped into the water-box. The heads are then replaced and the apparatus connected up as indicated above.

A two-inch brass centrifugal pump with a directly connected motor drive is used to circulate the solution.

Caruso Candle Will Burn in 6921

A CANDLE weighing a thousand pounds, that will burn twenty-four hours every secure on a Mind November for five thousand year is a memoria, to Caruso that will be presented by Italian orphans in New York City of the Church of the Madonna di Post Church of the Madonna di Post Church of the Madonna di

the second the spirit on November 120,000 bours consecutively, or for a most fourtren


years. The figure of Christ will be modeled it and on the candle's base, and the name or every orphan contributor will be imprinted on the stem. The wax was contributed by the candle-makers, Antonio Arello and Brothers, of New York

This memorial is a grateful acknowledgment of the singer's contribution of ten thousand dollars a year toward the support of the orphan asylum in New York City

This Oil-Tank Was Moved Nine Miles

TWO hours and fifteen minutes suffeed to move this water-tank from Engle to Cutter, New Mexico, over the tracks of the Santa Fé. The tank is 45 feet high and 24 feet in diameter, and weighs 65,000 pounds. The difficulty of the Job was increased considerably by the fact that there are two one-degree curves in the tracks over which the tank passed, in both at which the outer rail and with before the curve and two and three quarter inches in the other two and three quarter inches in the other points to prevent the tank from awaying and averturing

The tank was cut from its concrete base, raised upon packs, and a spur track built beneath it. It was then lowered upon a flat-hr, which was atrengthened by bridge-stringers placed lengthwise on the floor. To prevent swaying, this car was then securely fastened to another car loaded to capacity with broken stone.



This twenty-four-foot oil-rank, forty-five feet in height, was hauled nine miles over a railroad track of ordinary width at the rate of four miles an hour

The First Large Suspension Bridge to Be Built since 1909



In building a suspension bridge, a temporary pathway is first strong attemfor the movement of workmen and the wave-stringing machine

SPANNING Rendeut Creek a tributary of the Hudson R ver at Kiegaton New York, is the first large suspension bridge to be eracted in twelve years. The last one of any consequence was the Manhattan Bridge over the East River, New York City, which was built in 1909.

The Kingston brings is made up of two towers, 168 and 185 feet high respectively, from which rables 1186 feet long are bung. The length of the roadway is 1145 feet, with a courance of eighty five feet shove the stream. Dropping from the cables are the "suspenders." which support a concrete roadway twenty-two feet with an its footpath seven feet pide.

footpath seven feet wide

The supporting rather were bard on the place, two strands at home. Large webs of hard-drawn steel wire, here extend the of an inch in districter, were piaced at each corner of the pridge and the free undefastened to the anchorage shoes. A revolving wheel is an endress moving cable, shown in one of the libetrations, was then alsped in the bight of these wires and draw them across the bridge gap over the improvince suppension path. On the opposite

shore the loop of the wire was attached to the anchorage, and the traveling wheel sent back carrying a bight of wire from the other ruels.


This operation was repeated until four-

teen ropes, each containing 282 wires, had been built up. More than 9-3 miles of wire was consumed. After the cables were complated into place in their whiles on the tops of the towers, and refully adlate until their sag, or versed sine, was the same as that of a guide wire. At this stage the cables consected of a loose bundie of parallel wires.

After the engineers had satisfied them-

selves that the sag was correct, and that the strain on every straid was the same,

A mear view of the pathway, with the wire cools showing at the extreme right



With one and of the wire anchored, this traveling wheel carries one loop across to the other shore and returns with another

the cable was compressed in a powerful screw clamp with a circular opening which forced the wires into the form of a round rope. They were then wrapped concentrically with steel wire, as a whipping is put on a fishing rod. An electrical winding machine was used to but on this whipping with the requisite tightness. The last step in the construction was to clamp the authenders over the finished cables, and erect the steelwork and the roadway in the customary manner.

It was d be quicker and easier to form

the cables of suspenrion bringer out of twisted wire ropes, but for an equal weight and diameter a cable of paradel strands is at least 10 per cent stronger It is also easier to detect and cut out any imperfections in the wire when it is built up strand by strand. In spite of this apparently slow process, the Kingston bridge will be finished in less than a The cornerstone was fuld in De-

cember, 1920, and it is expected that the bridge will be ready for traffic any day.

Plastometer Reads Person's Ability from Contour of Head

THE young woman in the farm clamped to her head, is he we measured. A Rethn ortist, Dr. P. reinterested in phrehology along with his passion for modeling. invented the 'soul and body caliper," which is called a plastometer. It is said to register accentifically the meaning of every crantal depression and protuberance in cambrated degrees of physical and mentaweaknesses and powers, and inherent intellectual and manual proctivities, with a sureness that would require months of observation by any other method heretofore known

It is ead that the face and head comprise a human dia which the plastometer can interpret with anerring accuracy One hump tells whether you are musical, another if you are combative, another if you have great



The humps and bollows of the patient's head are revealed and translated by this strange-looking instrument called the plastometer

These names have long been known to phrese that the make readings with and the Burger goes further than the mahual phrenologist by reporting that signals in the surface of the cranium warn of

approaching disease and in-

enpacity'

NATIVE American weeds might produce three hundred my hon pounds of rubber a year if it were commercially profitable to exploit them. Dr H M Hall, who has been investigating possible sources of pat ve rubber, believes that the common milkweed and the aster family of plants both produce a rubber sap. The Chrysothamaus nauacomia, or rabbit plant, is a promising species that might be used for a source of rubber of excellent quanty in case emergencies should close the usual channels of import.

Pumping a Million Tons of Coal from River-Beds

Susquehanna River takes coal rejected from mines and makes it better than colliery's best

THE Susquehance is the world's champion "coalbearing" river. It bears this coul not in strata, but in the lumps and dust that are ejected from Ponnsylvania's great anthracite mines. This is "reject" coal, and it is estimated that the rejects from the 350 principal collieries in the state amount to nearly 500,000,000 tone a year, much of which is dumped into streams of various sizes that pass the mines.

Now here's where nature jeers at the maner It accepts all this anthracitie waste in its rivers and promptly proceeds to carry downstream. In the stream-conveyance it bumps this coal about. The operation has some to be technically known as "juging" or "riffle-washing." When

the waste roal has been figgled for from the susquehanfifty to a hundred rate, it is found to be a much obster! furthan coal hash the greatest yield from the breaker.

Besides relugate man the his wasteful resthous, nature case transports this enormous but is of mittens of tons of coal, free of all dost, to great mill centers, where its easy extraction cheats the collisions out of the sale of their rasi-transported product.

The Susquehanhi and its tributaries had the greatest yield —1,586,000 tons for 1919, and approximately the same amount for 1920. At Harrisburg alone 400,000 tone are being extracted yearly A little creek called the the sale of their rasi-transported product.

The method of mining this dump coal from Pennsylvania river-beds is by the use of ordinary sand-pumps and clamshell dredges. The pumps and dredges discharge on a screen which permits mud and sand and water to filter back into the river, but retains coal.

Thirty-three years ago "river coal" was first extracted by a sand-pump with the idea of its being used. But it was re-jected because of its high ash content

In many intervening years "river coal" was sold by a few sand-pump firms for from fifty to eixty-five cents a ton, sometimes even lower, the buyer doing his own hauling. Then a state geologist became interested in the alowly growing coalpumping industry and made tests.


Coal pumped from the Susquehanna at Harrisburg averaged from 15 to 15 per cent in ash content. The same anthracite from the colliery breakers had from 18 to 30 per cent ash content. The dump coal had turned out to be better fuel than the qualsty grades fresh from the mines! Volume

for volume, it was higher in thermal units than accepted coal just because it had been dumped into a river and allowed to jazz downstream!

An average analysis of river coal showed this aplendid composition.

M sisture Volațile masser Fixed earbon. British thermal main

There was a quick right-about, of course, and a big market was at once opened for river coal. During the years of 1919 and 1920, the yield of coal pumped and dredged from Pennsylvania river bottoma was more than two midion toos for each



Huge numps operated from flat-bettemed scows lift up the wat coal from the river bottom and deposit it on a screen, which allows the mud and send and water to set through the mass, leaving only the pure coal, which is much higher in thermal units than coal taken straight from the mines


> A btile ereck called the Shamokin le yielding

750,000 tone a year; 235,000 tone comes from the Schuylkill, 120,000 from the

A state geologist poking around in the little Shamokin creek, found one bed of 2,000,000 tons, a thousand feet long and ten feet deep. He mentioned this casually in a recent lecture before Philadelphia coal experts to convince them that the yield of river east in by no means being exhausted.

Pessimusts have said that the supply would last only from futts to ten years longer—this term depending on the degree of personnism. But other experts reply that there are not only twenty-five to thirty million tons still resting in the riverbed, but that the dumping is continuing at the mines.

Before the pumping and dredging of the coal had become o great industry, the waste coal cost the mines a great sum in




These coal-pumping dredges are reclaiming millions of tone of low-priced reject cost annually

yearly indemnities to farmers. The riverbeds were filling up with cost, and during the rainy seasons overflows were frequent

However, farming land is no longer spoken of as being ruined by the anthracitic sediment. Instead, ratiway-tracks have been laid out on these flats and the silt is shoveled into coal-cars as soon as a providential flood comes along

Farmer's Airplane Rises from Barnyard



With wings folded back this five-hundred-pound plane takes up no more room than an automobile

BUILT with wings that fold back against the foselage so that the plane may be stored in a Ford garage or any barn that will house a two-horse wagon, this new machine, designed by A. K. Longren, of Topeka, Kansas, may prove the Ford of the air. It is one of the smallest practical airplanes ever constructed. The total wing spread is about pineteen feet, and when folded it measures only nine feet wide, neven feet tal., and nineteen feet long.

To prove that the ability to fold the plane was not gained by any sucrifice in strength, on its repta. Sight that plane was put into two there, no swalve loops, and a harrel zoll, whichshows that its wings are as strong as those rigidly connected to the fuseings. Although the plane weight only five hundred pounds, it will carry a useful load of the same amount and is equipped with a sixty-horsepower motor

Its outstanding feature is its ability to take off and land in confined spaces. It will leave the ground after a run of 125 feet and land in neventy-five feet, so that it may be brought down on a field of ordinary size. and is independent of elaborate landingfields and hangars. This makes it an idea. machine for farmers and professional men who are awake to the advantages of the airplane for inspection trips, patrolling forests against fire, and for long flights to examine property for from ordinary lines of communicution.

Basset Process Makes Steel Direct from Ore

PRODUCTION of steel direct from the ore in five hours is the revolutionary accomplishment of the French scientist, M. Basset, whose process is now said to be developed on a commercial scale.

For years metallurgists have dreamed of a direct steel process, eliminating the spectacular Bessemer converter. Numerous mothods have actually been tried out, but the Basset process is the first one for which really sweeping claims of success are made.

In the most efficient blast-




The hot blast is charged with a meanured quantity of powdered coal dropped through the small pipe

furnaces for more coke is supplied to the charge than is theuretrally needed to reduce the iron ore. The result is that the molten from which dissolves carbon almost as water will dissolve sugar, takes up an excessive amount of this element which must be hurned out of the platform by the open hearth or Bessetter process before stoclean be made. In other words, the iron is first careful the applied with too much carbon, and these he excess of carbon is laborabush burne tout. This takes time

carbon, and the sahe excess of carbon is laborabush; burne fout. This takes time and it meets by flamet has apparently solved the problem by mixing the iron ore with limestone in wrotary furnice. There is no coke in this charge, as is the case in the usual blast furnace. Instead, the carbon is supplied as finely pulverised coal, which is carried into the furnace by a blast of air heated to 1800° F The quantities of air and coal blown through the ore are carefully regulated, so that the combustion in the furnace is incomplete. Even after all the oxygen is taken from the ore, the coal is only had burned. The guses given off from the ordinary blast furnace are largely carbon dioxide, CO,. The Basset furnace produces only carbon monoxide, CO, which will not re-oxidue the metaore fron

The high temperature of the Bamet blast is obtained by passing the air through brick retorts that are heated by the gases given off by the furnace steelf, which proves that the combustion is only half completed in the presence of the iron. Nevertheless, the heat produced in the furnace is amply sufficient to melt the iron, which is poured into molds in the usual way. When a pound of carbon is burned, about a thousand heat units are emitted in forming carbon monoxide, and pearly two thousand



Brick retorts for superheating the air blast to 1500 degrees. They are fired by the carbon monoside given off by the sea furnace


more when the monoxide burns to form the dioxide. By making them two steps take place in different furnaces, M. Basset reduces and melts the ore without danger of re-oxidizing it, and still gets enough heat energy from the pulverized coal to heat his air black.

The new process will produce steel from ore in five hours. With the blast furnece it takes thirty hours.

Reports from Paris assert that in addition to the saving in time effected, from can be produced 70 per cent cheaper than in a beast furnace, and 80 per cent is saved in the cost of installing the plant. The cost of subsequent operations in the manufacture of steel is also reduced, as the exact control of the amount of earbon supplied to the metal and the heat of the blast allow steel to be withdrawn directly from the furnace.

There are still many skeptics among metallurgists as to the commercial possibilities of the process, but M. Basset expects from it far-reaching benefits in France, since a poorer and cheaper grade of coal can be employed in smelting, and France will be enabled to make steel with the coal found within her borders, instead of importing coking coal from Germany and England.

Here in the United States, we have an abundance of good coking coal, and the steel operators are naturally leath to



Lined with refractory clay, the reduction furnace tilts to pour off the molten from and slag

abandon their expensive blast furnaces until it becomes becausery or profitable for them to do so. In the West, however, where good coking coal is scarce, a successful process of this kind might help to hulld up a locally profitable steel industry

Printing Our Own Postage Stamps

HAVE you received a piece of "metered than" yet. You are deplace to before long, for thumswig, save in 1 postage maker as being adopted by a car ago a corns to speed up that outper a last. It will pust-



The deak model postage printer takes up but little space and is handoperated

mark, stamp, seal, count, and stack mail at one operation, and at the rate of forty pieces a second.

Instead of using postage stamps, the machine prints the date, the time, and "Postage Paid" on the envelope, using ink of the color of the stamp—green for one cent, red for two cent, and so on. Yes, but how is the Government sure it is being paid



This is the style of postmark printed by the sectors meters


If no stampe are used on letters and parcels?

The meter attached to the machine is taken to the post-office, a payment is made, and the clerk unlocks the meter with a key in his possession. He sets it to print as many "Postage Paid" lines as you have purchased stamps and no more. After the last impression, the meter locks and grout be taken to the post-office again,




For large husiness bound the motordriven machine will postmark 250 letters a minute

The Perfume Industry of France Where the rose, jasmine and cassia are robbed of their odors




Photographs & Kwing Cathering


The receiving room of a perfume factory, where the freshly picked fraves of the root and other flowers are domined before being thrown and the auge contact almost at the left of the picture.



A corner of the distillation room, where the flowers are distilled with water or superheated steam. The method of treatment varies with each flower or berb that is used



The mixing room, where the atters are mixed in the proper proportion to obtain the exact scent. Most of the natural perfumes are mixed in solution with alcohol.



Some perfumes cannot be obtained by distillation, but are gained by maceration or inflowering both processes requiring a maxture with fat, and the perfume is then squeezed from the flower or fruit by these hydraulic presses




The essence secured from the flowers must be tested constantly in the laboratory to be certain that the final perfume does not vary the most careful measuring of ingredients never producing the same strength twice

Music New Comes on the Movie Film


MUSIC is always served with moving-pictures, but if it isn't appropriate, it may easily spoil the effect of a picture.

We can now have music and pictures combined on a film in the manner shows

As the firm is made music is selected and is to, duced along the gweet elewhen the our are a projected on the screen the music will pottom where it of the man at



Suitable music for each plo-ture is printed on the film



Enlarged Phonograph as a Vocal Sign-Post

IT is the custom in England to drive out to the Derhy to see the races, and in the past, parties sometimes lost their way over unfamiliar roads. An English newspaper decided that the ordinary guide-posts were not enough, and installed a loud-speaking phogograph at every important


The machine depicted shouted To the Left! To the Left! To the Left! The last space of the last space of the last space of the last space of the phonograph stade it countries a man can shout. The invention was leveloped during the war to permit aviation to about instructions to troops, even when flying a thousand feet above the earth. In the September mane, Popular Science Monthly printed an article on the invention of this amplifier

Here Are Two Drums in One

FOR orchestra and band members thus two-in-one drum will be found convenight. Not only may a smaner drum be placed into the larger one, but parts making up the drummer's trap supplies may arso be praced inside.

The accompanying illustration depicts this novel instrument and the margar to which

bout a the shell of the dram.



Showing how the smull drum to placed inside the large one

Grandstand from Ammunition Boxes


SALVAGE of the war is now improving the standards of sport in England. This grandstand for the tennie matches at Wimbledon is constructed of ammunition boxes.

Unhanted amounts of these boxes can be had almost for the asking, and since they are about ten inches square and are exactly the right height for senturns and trong! lumber is needed to make the stand of intuity in amounter work was needed for this job, as their axes could be the fifty abrumon labor. They were received from the gray with their order already acrewed on. As they were man of shooth are mark my were at any proved the stands were qui ally but a new gar a perfere seat start in


A Homemade Silencer for the Motorcycle

"HE innocent little section of stovepips that this man has attached to the muffler of his motorcycle is the terror of every dog in the surrounding countryside.

People complained that this man's motorcycle made too much noise. He is an enthusiast and they declared he rode about so much they well unable to sleep. They became so bitter about the matter that he pur on the paper which performs perfectly as a marker. He machane is now a county posseless. He travels down the road likely which a execute for the sound of the tree. on the road and the dicking of the engine-valves, there is nothing го свые авпоуалсе



Ammunition boxes brought back from France to England were used to build this grand stand



The place of stovepipe on the motorcycle is a muffer and not a patent traveling stove



Scissors Create Scenery for Subouette Movies

NOTHING less expensive for motionpicture production will be discovered than the new German silkenette film dramas. Double-exposure of the negative and the silping oft of small scenic frames of backgroundeard manual, produces the actions.

First, the bugue vs is allowed; the motion of the is bulletted busses figures, light being throws on them through a screen, their camera side being wholly dark. The number of feet of each "shot" is carefully broked, and the negative next run through for a second exposure to take the setting, which need be no larger than a few inches.

Earth-Borer Plants Dynamite



IT is tedious work to bore holes in hard soil by hand, yet this must-be done before dynamics can be used to shorte had soils and form holes in which is plant track and set poles.

A portable parth-boring unchine, invented by an illinois man, greatly simplifies the work. The device consists of a set of light tubular hinged trumes, the ends of which are fitted with gear-driven boringgears to operate the augers. The machine will drive four drills more quickly than one drill can be operated by hand. Since the hole spared fifteen feet apart in the found of a square, hard-pan can be drilled rapidly for subsoil blasting

The framework is designed to fold up and can be carried on the chassis of the automobile, the engine of which furnishes the power for the drilling.

Rain-Making Machine to Produce Natural Storm



The ministure ternedo produced by these high-speed blowers is guaranteed to being rain

FOUR blowers of one twentieth basepower each, which force at through a
spiral pipe at 1100 cubic foct a minute with
a verpe of of sixtic an est an hour are the
features of a rost-rate or markine with
which it is proposed to produce natural
storms by stringin means.

A ter considerable research it is the
processor's true of that by forcing warm are
from the curth's surface up into high

A ter considerable research t is the inventor's level that by forcing warm are from the curth's surface up into high altitudes, an ascending chimney, or minuture tornado center will be created which will eventually produce an area of low barometric pressure with its occompanying fall of raiz. By changing the position of

air gates in the base of the machine it is expected that a high-harometric storm may be produced whenever desired

The illustration is a model. The furthered machine will consist of high towers and motorrief five hundred by a constitution of the property while it is published to the that are usually and a space of time sufficiently about the hundreds of millions of the distribution in a space of time sufficiently about

Portable Typewriter for the Blind

THE German government is marching abreest of the Allied governments, in teaching many of the mon blinded in the war to earn their living so typists.


The illustration shows a special machine invented for use by the bind. The letters on the same are unfecial so that the machine mit, in operated by fell maw to the figure to

No sewmer ribuoga used, thin printing ink from a reservoir on the right is distributed over the type by roller.



Raised letters on keyboard allow the blind to operate this portable typewriter

Is your mind as keen as you think it is? Test it with the Sam Loyd Prize Brain-Twisters on page 74



Coal-Pusher Saves Labor of Locomotive Firemen


EW athletes have been known to train by taking a job as a firemen on a locomotive. Even if union rules did not forbid, they would probably find the work too hard and metal schoe comparatively lighter tool like placementing or luminering. Indeed, the task of tring a totalera length focomotively so an laure that the last "inights of the shovel are being overworked and the gigantic plovel shown in the sketch is being installed to lighten their labors. It is operated by compressed air, and pushes forward the coal in the locomotive tender on to the firing deck as it is needed.

New Process Extracts Oil from Apricot Kernels

A PRICOT kernels, formerly considered as waste, are now being pressed to remote the oil, which has been found useful to making salid-dressing and for

frying

liverance problem rich a pressure of five tons without the surary of he extract the mi without the use or refine to mi before it reaches the customer. About twenty-five thousand kernels are needed to make one gallon of the



This electrically operated darit can lower twelve boats in nineteen minutes, and is not made inoperative by the listing of the ship

Davit Lowers Lifeboats Quickly

IN order to save the minutes which are so preclous in time of dissater, lifeboat davits of a new type have been installed on the 83 Arundal Castle.

Davits have always had a bad habit of jamming or of lowering the lifeboat unevenly in an emergency. Another fault has been their inability to do the work when the roll of the ship was too great or the list too heavy. This new davit is said to overcome

both of these bandiones.

As the idiastration shows, it comests of two counterbalanced don't arms connected by a right frompure. When standing inscribe, the navit is swung interest out of the way but when the electron motor fractarter othe days, aways out and so life the boats at example of the ship's railing before it is finally the boats at example.

is each of the lifeboats holds sixty persons and twelve boats can be lowered from each davit in nineteen minutes, it is easy to figure how quickly the pamengers of the large ocean liner could be handled

The Diver Can Now Light His Gas Torch under Water

THE method whereby an oxyscetyles cutting flame is made to burn under water is simple. The tip of the terch is covered with a bell, to which compressed air is admitted at a pressure sufficient to keep out the water, this pressure being


regulated according, to the depth at which the work is being, dope.

The districtly -ver a forced to thin the giver a forced to light he och at the surface, and descend with the burning. the flame is accidentally extinguished, which happens often, the diver is forced to the surface again to rekindle it. This exteris a great waste of time and effort

However, the difficulty has now been obviated by an invention of a Frenchman, M Coroe, who has applied to this peacetime problem a method developed for war use. Corne starts the torch by a flame generated from the decomposing water Itself by the use of a secret alkaline metal, which, from the description, appears to be sodium, for when metallic audium is placed in

water, hydrogen is liberated and much best produced, in fact, the reaction is so rapid that an explosion sometimes occurs. But as no free oxygen is produced, M. Corne, to get his reaction, adde an oxidizing compound. With the alkaline metal this oxidizing agent is enclosed in a bram tube pierced with ventholes and provided with a kinged core to prevent accidental ignition of the materials.

The lighting device is placed near the tip of the torch on a jointed rad. When the diver has been lowered to the ship's side, to the lighter, he turns on the compressed air in the torch, admits the water, and in a second the oxymeetylene torch is aighted and he can begin to cut the steel plates.



Odd Trolley-Car to Give Local Service from Express Trains

STEPPING off an express train going at sixty miles an hour bounds more like swelds than practical radionding, yet this apparently wild scheme his been re-posed in order to berten the time street by the commuter in raveling between his offire and home

When the community steps of the train, he steps on to one pastform of a trolley funning on tracks paral et to those of the rull and at the same speed as the train. As soon as all the passengers are abound, the trolley puts on the brakes and draws up at the local station, while the express train goes on without stackening speed


The passengers would have to be standing in the sisles waiting for the trokey to pull up alongside, for a few moments lost in disembarking would require too long a stretch of trolley track. Even under the most favorable conditions, this track would have to be nearly three miles long about a mile to get up speed, a mile and a half, or ninety seconds, to take Acceptaing electric motors make the goney athe to get up headway sufficient to loop seen with the train in a very few second though the train might be gong a rolle a minute, it would be no more

difficult or dangerous to step on to the plat-

form of the trolley than it is to walk from one car of a train to another, since neither platform would have any motion relative to the passenger

Not only would a scheme of this nature provide better service for the commuter, but because the stops made by the express

> would be reduced, the cost of operation would be lowered.



These illustrations show how the transfer between experient trains and local stations would be effected

Good Lumber Cut from Dead Trees

WHEN sound dead trees are sawn into lumber, there is no method known to the United States Forest Products Laboratory by which the wood can be distinguished from that obtained from five treat. If the tree stands on the stump too long after it. m killed, the sapwood is liable to become badly damaged by wood-boring insects, and in time the heartwood will be similarly affected. The heartwood of all trees is entirely dead, and only a thin layer of cells just under the bark is actually living, so most of the lumber cut is sawn from dead wood, whether the tree itself is dead OF ROL





Other Readers' Questions that Will Interest You Too

Is pure radium really used in making the luminous figures on watch-faces? If so, how is it that they can be sold so cheaply? E. H.

No, the material on luminous dials consists of a minute quantity of a radium salt mixed with some phosphorescent aubstance as sulphide of sine or barium. Such a combination will glow more in the dark than would radium, which, in its pure state, is not luminous. The reason that watches with luminous figures can still be sold cheaply is due to the fact that only an infinitesimal quantity of radium salts is needed to import unusual luminosity to the last salts of barium and sine.

7777777777

What is pongue? Dose it come in any other color than lan?-J. K.

Pongee is a soft, unbleached, washable silk, made in China from the eccoons of wild silkworms. In its natural state pongee ranges from light pearl to tan in cour, depending on the foods eaten by the worms, but it is frequently dyed for commercial purposes.

7777777777

At what altitude would a human being die for want of exygen?-A. L. O.

This depends on the individual. Some persons would faint at eighteen thousand feet, while others could schieve twenty-five thousand feet before feeing any ill effects. At something over twenty-five thousand feet, however, the average person would die for want of oxygen.

727727277

Can you tell me the area of the Pacific Ocean?—M. G. G.

It is impossible to define exactly the limits of the Pacific, but if all the seas bordering on it are included in the computations, the area would be approximately fifty-five million square miles.

7777777777

What is ordinary gelatine made of? Where is it obtained?—F. K. I.

Gelatine is a substance made by describing in bot water certain parts of the bones and tissues of suimals. Its exact chemical make-up is unknown.

7747747777

Is there any difference between a hydroplane and a hydro-eirplane?—S. A. M.

The term "hydroplane" is usually applied to motor-boats having the flat or V hull or a modification of either. A hydro-sirplane is an airplane with a body

that allows it to rise from and alight on the water

777777777

What are the advantages to a ship of having a gyroscopic compass? P. S.

Once set to point north and south, the needle of a gyro-compass is not affected in any way by the motion of the boat nor by the near-by presence of metallic bodies.

What is the composition of brase; of bronze?-J. G.

Brass consists of about 30 per cent of zinc and the remainder of copper. Brunze consists of copper and the invarious proportions, according to the use to be made of it. For come or tokens the proportions are 36 per cent copper and 5 per cent tim. A slight addition of other substances, such as phosphorus, sinc, or aluminum, produces other alloys known as phosphor-bronze, bearing metal and aluminum bronze.

7777777777

In dying cloth at home it is necessary to buy and was one kind of dys for woolene and silks and snother for cottons. Why cannot the same dys be used for both fabrics?—I. S. E.

Wool and silk are of animal origin. Cotton is from a plant and consists

Learn here the answers to many interesting questions asked by readers of Popular Science Monthly.

And ask questions of your own.

Every reasonable specific query in the field of general science addressed to this department will receive a prompt reply.

Renders who understand this service will appreciate, of course, that we cannot accept questions involving extensive research, answers too lengthy for the space of a letter, and sets of questions that can best be handled by individual study of available reference books. Legal and medical quenes cannot be answered.

A stamped self-addressed envelope must accompany each question.

Address the Editor, Popular Science Monthly, 225 West 39th Street, New York. principally of celluloss. Being of animal origin, womens and silk are more active chemically than celluloss products, and will combine directly with many dyes. But cotton cloth demands a substance known as a mordant before dyes will affect it. Aluminum hydroxide is one of the mordants that make possible cotton dyeing with special basic dyestuffs,

7777777777

What is the average velocity of a "shooting star?"—W. A. B.

Shooting stars have a speed estimated to vary from twenty to forty miles a second

7777777777

Some time ago I read of an Eastern profeeor who was making plans to send a rocket to Mars. What has become of the project? C. I. P.

The moon, not Mare, was to be the rocket's objective. Professor Goddard, of Clark University, who was responsible for the original idea, is still carrying out preuminary experiments on smaller rockets. As soon as the most efficient type has been devised and tested, it is expected that a large rocket will be sent off on its long journey of 290 000 miles to the moon.

??????????

What is the commercial cost of liquid air? For what purpose is it mostly utilized?—E. S.

Liquid air conts about two dollars a gallon. It is used in the manufacture of nitrogenous fertilizer in experiments with low temperatures and in the separation of gases.

77?7777777

If a man held a light and a heavy article and let them fall from the same height at the same instant, would not the heavier article reach the floor first?—


O. M. S.

Yes, unless the experiment were conducted in a vacuum, in which case they would reach the floor simultaneously. The speed of a falling body is not inversely proportional to its mass? Is a fact that was discovered by Galileo in 1590.

What voltage would be needed to run a 20 or 25 horsepower motor?—J. E. H.

?737?????

The voltage required would depend upon the motor; it might be designed to run on 220, 550, 1200, or even higher voltages. The most desirable voltage would depend on the use to which the motor will be placed. Your question is vague.



An Open Fire without Smoke and Dirt

THIS looks like a coal-fire. The heat is the same, the same il cheeing light plays on the hearth and denses from the polished androns—but there is no smoke and no dirt. A grate filed with colored chunks of Belgian glass, two electric lights, a pair of fans with aluminum blades, a switch, and an electric heater have solved the problem of how to combine the convenience and clean-liness of electric heat with the remainer and beauty of the open hearth fire.

beauty of the open hearth fire.

The lamps shiping throughful lumps of glass give them the appearance of bearing coass, and the heat arising from the electric heaters moving the two aluminum fansers the just that shough to east the flickering light characteristic of the open fire over

the room.

Wooden Tone-Arm for Use on Phonographs



RADICAL changes in design mark the wooden tone-arm for phonographs that has been invented by B. C. Rapp, of Plainfield, New Jersey. The arm is made of solid wood and is attached by a linear thread to a counding-box fixed immovably in the center of the just ament.

in the center of the instrument.

The ordinary metal hearle is used, but the inventor claims the process or rest on the record at an investe to small angle. As a result, the result shall angle, and result, the result shall angle, and acratching and bursh, metalic sounds in repoduction are restricted to atminimum.

The taste arm is built of wood similar to

The threatm built of wood similar to that used in the construction of viotins, and the complete device is mud to said to the beauty of tone of the music, and to prolong the life of the records considerably

TRACING migratory birds by attaching metal bands to their legs has been practised since 1710. Hunters finding such birds should communicate with the Bureau of Biological Survey, Department of Agriculture, Washington, D. C.

Rapid Interest Indicator for Savings-Banks

A NEW system and device for quickly finding, displaying, and indicating interest on savings accounts of various amounts at various rates of interest, has been invented by Harry S. Moir

The function of the invention is to locate quickly the amount of interest on an even sum of money for an oven period of time without calculation or eye strain. This makes it possible to find the correct interest expeditiously, notwithstanding items of deposit and withdrawal. For example, if a savings account at the beginning of a year is \$10,000, the correct interest in anticipation of said amount being left in the bank at of per cent appropriate to \$200 / Suppose the next deposition \$2.45 The interest a found the hext deposits \$245. The interest a found by moving the cate-holder of upit the pointer sull conduct 245 there a ring the gate so in to open the point, slot on the January denumes, which shows the interest on the deposit to be \$4.90. Thus, in posting, it is necessary only to slide the gates from one of the columns to snother, according to the date of deposits, and adjust the indicator according to the amount.



The complicated interest computations of banker and broker are handled easily by this ettachment

The interest items are totated on an adding-machine and the interest on with-drawals subtracted, giving the balance to be credited the depositor.

A Country Estate Built on a Factory Roof

Cleveland the manager of a manufacturing or ner to arranged a suntry of the factor of hands or feet such a mostly of which is una deliberation of processors a street mostly of the construction of the constr

What appears like a back-yard gurden is in reality a ministure estate on a factory reef

atory with a powerful telescope, and an extensive greenhouse used in reasing vegetables for the firm's cafeteria and cut flowers for the offices and clubrooms.

Cypress and fir-trees planted on the roof give it the air of a genuine garden. All employees of the firm have free access to the garden. The beauty of the spot, with the view over Lake Eric, less than two hundred feet away, makes it a favorite gathering-place the year round. The garden has been taid out after a plan inspired by examples of the Spanish Renausance.

Rotary Photo-Print Trimmer



the trained will be rotary soller, which cutsmon clearly than the gu i) time type, and uches will handle a dozen prints at ond. This tracks rods support a cutting

disk mounted on a wooden drum. The disk is rotated by a rawhide belt so the handle is pushed back and forth, and automatically sharpens itself by contact with the steel bed plate.

Contractor's Truck Carries Double Hoppers

SO as to meet the demand for a truck that will handle building material expeditionally, and at the same time work in confined spaces and on soft ground, this new vehicle has been designed embodying the featured text and experience of the building contactor has shower to burnous.

The front theeldaws makes it easy to turn on an eighteen-foot subgrade. Freqmatic tires permit operation on soft ground and prevent the subgrades from being broken down. Smaller wheels on the front




A divided truck body helps the contractor who handles several kinds of material

reduce the turning radius, and as all the lead is carried on the rear wheels, the true ; is just as safe as if larger and more expensive tires were used on all four wheels

To unload, the driver raises a safety eatch with a trip-har and gravity does the rest. The shock is absorbed by the collaprings in front of the hopper, and the tilt is controlled by a chain. These features allow merely a part of the load to be dumped. All working parts are protected from dirt. A three-point suspension motor prevents the transmission from being injured by road distortion.

A Hand-Power Drill for Prospectors



FOR over eight years John M. Calderwood sought to invent a mining-drill that would give the prospectors of the West the benefits of power drilling by a machine light enough to carry over desert country on the back of a burro and easter

Every Pebble a Hemisphere of

me allo limes up ten

h de grant L. mer and the

THE LOCAL

mel, faster from where to

Ice and Life

N the beach in winter alternate thawing

and freezing may create surprising

and more efficient in operation than the laborrous hand-drilling incident to the use of single and double sack-hammers.

The illustration shows the successful outcome of his experiments. The Calderwood drill consists of an upright column with a standard screw-jack on the top and hottom for pulting the machine in position in eather on nel or that. St.d.ng on the column of a coll actionally a partier mounted in a titung segment, which has be fastened up, on the by septenews. It will be en that this construction permits two complete discular movements of the drilling-tool, one vertically and one horizontally; adjustments can be made to the fraction of an inch in from one to three

A hole can be drilled by one man in about half the time required by two men with the old double jack-hammers. The mechanical sledge weighs eighteen pounds, and because of the attached springs is not harder to swing thun the three and a half pound single jack



A Million Dollars Lost if This Lamp Goes Out

CAILORS rely absolutely on the fact that the ships and buoys tended by the U.S. tighthouse service will be in position with their lights burning under all conditions of weather and sea. It is zero indeed that their confidence is misplaced, and yet a buoy of the type Managed a or y mapied with fuel when keep fining the tanks with during while 1 which will give a ten second liast every minute for the part twelve months, and if their work is not well done it may mean the wreck of a ship worth a million dollars.

Acetylene is but one of the many fuels used for illuminating the beacons along the coast of the United States. " The principal source of light is the kerosens-oli-wick type of lamp. Then comes the oil vapor lamp using vaporised kerosone oll with a mantle, and in special instances even electric are lamps and incandescent bulbs have been adapted for use in lighthouses and light-

Primitive Canoe Built of Inflated Skins

RAFT of this type are in general use on the rivers of Peru and the interior of south America. They are built of inflated as protected by a covering of reed mats lasted into the like they new bassa rafts curred by par rotal addern



Bulges on Cruiser's Sides Protect against Torpedoes

Procen anow clinging to the pubbles gives a waird effect to this rock-strewn beach

turbed by waves, the water from the melting mow cuts away the depressions, leaving the packed snow on the pebbles in the form of hemispheres.

Curinusly enough, these ice worlds are swarming with all kinds of germ life. Snow collects milions of germs in its folds, and these are present in the deposits on the pebbles.

After the anows of winter have each left their quota of bacteria in these shadow depressions along the shore, the spring sunshine brings the germs to life. Spores of plants as well as germs are deposited from the air by falling snow and rain, thus making of any beach a swarming have of life

N the British navy, where they were invented as a protection for cruisers against torpedo attacks, these bulges are known by the picturesque term of "bling Serie."

This particular illustration she ASH MAS Language with one of the plater swill The white fin along the side of the "blister" reduces the akin resistance of the bulge and enables the ship to make better speed.


Ţ

In construction these bulges are formed of a series of crosswise girders, which provide a cushinning effect in the event of a direct bit from a torpedo or the sudden shock of an averaft bomb exploding alongand P

is evident from published plans that the powerful Japanese battleships, Kogo and Tosa, described at length in the November Popular Science Monthly, are to be equipped with these unique protective blisters.

Power House Starts when Light Is Turned On

speed the p start this a group to to broker tens



Fast Grinding Compound now Used for Bearings

Other K action in fitting bearings in mecompound in which a 90 per cent bearing surface can be attained in brain and, notifriction metal after from telesto thenty minutes of grinding construct bearings averaging 15 per part survivors be ground up to a 61 per commence; area in twentyfive minutes. After prelonged testing the shall used throughout the trinis showed no appreciable was:

Although the compound in very fastcutting, since the time saved runs from 75 to 100 per cent, it is not a grit or carborundum compound. The active principle seems to be a mixture of pulverised natural feldapar, sodium carbonate, cal-



enough to comprehend when it is learned that turning on the light causes the storage battery to discharge through the small motor, mounted on the side of the unit. This motor starts the gasoline engine, like any automobile self-starter. As soon as

motor (which ser

entirely encar

then begins functioning and be every the power necessary for lighting your light up to the limit of the power of the unit, which

As soon as the current begins flowing into the line, it also flows into the starting battery, so that it will always have suff-

ment power to start the unit when you

impossible to notice even a momentary

Great changes in the load are followed so rapidly by the governor, that it is almost

the gast one mot w has reached a

generator

turn the switch

flickering of the lights

drunt shown in the right of

House-Moving in the Philippines

HEN a Pilipino moves to the next town he calls half dozen of his friends to help him. They lock tup has house on free shoulders and carry it hoddly to an new sociation.



Ventilated Apartments Are the Style for Song-Birds

MANY songbirds of reigratory habits will not go South in the winter if they are provided with a warm, comfortable nost and plenty of food. The Department of Agriculture has repeatedly demonstrated the advantage of using birds to protect the garden, but bird-houses maspended in the hot sun in number and with an providing against the cold of winter are nothing more than sampled or against the cold of winter are nothing more than sampled.

The construction of the pre-house best by Loren II where of Water, New York, is almost them). It is a "ventilated spartment" An air space around the nest chamber and under the roof prevents the accumulation of beat in summer and retains enough animal warmth to keep the nest comfortable in winter. The inner chamber is formed of thin, spongy wood so that the moisture it absorbe will help keep the house cool in summer. Scientific calculation shows just how deep to make the nest cavity and how large to make the entrance to attract the species desired



A cor true as bearing in went a fine minutes of grinding to the accomplishment of this rapid exting abrasive

ciam oxide, lampblack, and oil. Whatever the formula, it produces a better bearing than is possible by scraping methods, for these leave numerous high spots which make it necessary to take up the bearing as they wear down, whereas a ground bearing has a continuous surface to start with.

(INE of the very simplest and safest methods of fireproofing dress materials of lines or cotton consists in sixing them with a starch compound composed of 30 parts of sodium tangetate and 20 parts of borax disrolved in water and mixed with 50 or 60 parts of starch. The compound will not injure the fabric.

Dirigible Directs Land Traffic by Radiophone



that traffic was died to traffic of ere far we

were able to eee the pr and by re my mg their orders to the truck start n are illustrated, everything

er the group. . re il ustrate



Baby's Bath with All the Latest Improvements

A COMBINED bath and dressing-table for the baby, which gives mother the opportunity to bathe him in the bathroom without carrying water or stooping, is recommended by physicians and nurses expert in the care of babies. It is made to fit over the regular tub, and when not in use folds out of the way against the wall.

This inderevement is one of many inventional that also beginnings to take the back-ache out of worth waste. The earth and the table are want biggs on this there is no need to be all over while washing of dressing the child. If he bath itself can be filled by a hose from the usual faucet. The apparatus takes the drudgery out of haby's daily bath and makes cleanliness a happy achievement.

Animal Life in the Sky


EXAMINATION of many specimens of meteorites has revealed the presence in them of living organisms. On being placed in the laboratory under suitable breeding conditions, the samples came to life and multipiled.

Further study of these micro-organisms will go a long way in verifying the claims of certain scientists so to the animal life existing in other worlds.

Wind Creates Natural Draft for Sawdust Incinerator

IN this improved nawdust incinerator, wind blowing from any direction is used to create a forced draft by its passage between the baffled openings and outlet holes in the coursal section of the stack. The air also cook the exterior shell so that bardly and warmth can be felt on the outside, even, when the statilust is burning tall block.

There is an inner stact of course, with upper and lower inletation for sides that register with shore at the inter concrete



Openings pointing every way insure sufficient draft whatever the direction of wind

shell. All these inlets have buffled openings so that the sir admitted to the stack is under control by the fireman. Bawdust is supplied to the incinerator automatically through the blower shown at the left.

Street Stations for First Aid

SMALL first-end stations completely equipped with medicines and materials inkely to be needed after a street accident, have made their appearance in some of the cities of Emappe.


The absent respected the an American fire along. We be a accident occurs for policerian brooks the glass over the I tile door to the ponter of the panel and the cab net opens automatically. Inside are a stretcher for serious cases, drinking water, tourniquets, antiseptics, and bandages needed for taking care of an injured person while awaiting the arrival of the ambulance

Separates Liquids from Soil

BY the use of a centrifugal separator of unusual power, M S. Anderson, of the Bureau of Soils, has already demonstrated that the saits of pearings in soils are more complete than had been botherto believed.

complet than has been hitherto believed.


Thereparater wante highed to expected
the analysis of the proof (annually the



The Bi road of Son a a using a creamseparator to separate liquids from soil during tests

earth that is to be used for huilding roads. With a maximum speed of 17,500 revolutions a minute, the machine separates the liquids from the solid particles of the soil with unprecedented rapidity, parmitting analysis in wholesale quantities.

Movies Now Carry Their Own Power Plant



A powerful water-cooled gas-engine on this truck drives a generator that produces power for the searchlights used in making motion-pictures

THE majority of motion picture films are produced "on local and I had may mean a beautiful spat, and particle the studio door on it appropriate thousand-mile trip to a mountain top or a desert waste. Some of the large on views must be taken at night, acceptating some source of current for the numerous flood-and spot-lamps used. Self-contained power plants on trucks are used for this purpose.

The illustration shows a portable power place from the Ince studio. All control sches with indicating meters are placed directly back of the driver's seat. Behind a switchboard is the powerful gasoline rigine that drives the generator. The adiator used to cool the circulating water is on the rear with a fan back of it to create a cooling breeze over the engine cylinders.

Centrifugal Force—the Energy that Snaps the Whip and Dries the Clothes

How terrific destructive power is usefully applied in industry

(O Slow Dangerous Curve Ahead * warns the sign by the readside, but if it were made to say what it really means, it would read, "Look out for centrifugal force," for that is the mechanical principle which causes most of the necidents along the highways.

Centrifugal means 'the tendency to fly nway from the center " You will remember that Newton's second aw of motion is to the effect that matter always seeks to move in straight lines. When anything moves in a curved or a circular path, it does so under protest. It is always trying to break away and follow its inclination to travel in a straight line. The simplest illustration of this is the boy's toy sling

You remember how you used to whirl a stone around your head on the end of a string and how far it would travel when the string was released. The cord compelled the stone to move in a circle, but it was always trying to fly at a tangent to the circum-

ference and did so when released. But centrifugal force, like fire, in an helpful as it in dangerous. Once it is allowed to become unmanageable, it will wreak disauter, but if properly applied, it is found to be one of the most useful forces in nature. With the sid of friction it moves the automobile along the road. As used in the steam-engine, it even keeps a check on itself, for the engine governor operated by centrifugal force is the only thing that keeps the engine flywheel from speeding up and whirling Itself to please by centrifugal force

It Made White Sugar Possible

Before the application of centrifugal force pure white augus was unknown, Batteries of centrifugal separators now form a vitally important part of the mechanical equipment of every dairy and chemical plant. Without its use it would take days instead of hours to final our laundry. The phonograph and the passenger elevator would be impossible, and it would be se dangerous to run a steam-engine on to manufacture

By recalling again the toy aling, it is easy to see that the amount of centrifugal force will vary directly with the weight of the wheel or other body being revolved and with the speed at which the body is being rotated. These unchanging properties of centrifugal force are what makes it so valuable. Suppose, for instance, you want an engine to turn over at a constant rate of speed, not necessarily a buge engine but a small one like the spring engine that drives your phonograph. Or suppose yo merely want to make sure that the engine will not speed up above a certain point such as the motors operating elevator hoists. How can a governor be deagned to do this? A governor that will be simple and absolutely positive in its action? Only by taking advantage of centrifugal force.

In an engine governor, two binged arms

attached to a revolving spendle are directly grared to the flywheel. When the engine is at rest, the force of gravity makes the arms hang down, but as soon as it begins to turn, centralugal force impels the arms to By away from the axis of the spindle. They mee up against the force of gravity, and the faster the spindle turns the nearer the arms will approach the horizontal. The arms are connected with a lever controlling the throttle-valve, which is slowly abut as the flying arms of the governor lift. The faster the engine turns, the loss eteam is admitted to the cylinders, and if the speed approaches the danger point, the governor will shut the steam off altogether. When the engine slows down, the arms fall, and more steam is admitted. In this way the speed can be kept constant

Governors are so designed that the steam will be shut off if they break, since without some device to prevent the speed from increasing, a steam-engine would revolve

so rapidly that the contribugal force developed by the flywheel would break the engine to pieces. In this way the engineer prevents such an accident by a clever use of the very force that causes the possibility

Contrifugal force really killed Goltath. When

David ewarm the prince-

tive aling around his

head it was contrillugal

force that gave mo-

Another general type of centrifugal machine takes advantage of the fact that at constant speeds the amount of centrifugal force depends on the weight of the substances revolving. You remember that you can awing a pail of milk round and round over your head without spilling a drop, because centrifugal force holds the milk against the bottom of the pail. Now, if you could swing that pail fast enough, the

> skim milk would collect in the bottom because it is bravior than to cream. He areas of aner concern by the property of centrifugal separation.

For Separating Liquids

Malk, or st., or hunt, it makes no differ nee what the substances m where or two liquids differ slightly in weight we can separate them by revolving the mexture rapidly in a bowl and erawing off the heavier mixture from a spout near the circumbetween and the lighter one from an opening closer to the center By changing the position of the enouts, we can get just the percentage of mixture we please. By slight variations in speed and adpustment, for example, a cream



There is an interesting parados in steem-engine deforce to used an the governor to pervent the exigine rem rudning away and destroy ing itself through centrefugal force exerted on the The Unitation above pictures the chaos in an engine room when he guvernor falls. to act and a lows the end ne to tear neel apart



Illustrated above is an actual scene of what happened to a plant when an engine got out of control



In every modern laundry contribigal force dries the clothes. In a letal bases in whirled at a high yelderly, throwing the globules of vater archaoutside through perforated holes

separator will turn out a cream so thick that it can scarcely be poured, or the thinnest of skirs milk. In the same way water and dirt can be cleaned from oil more efficiently than it can be removed by the most elaborate straining.

Many modern dryers are also centrifugal machines. In sugar-drying machines the bowl has an inner lining perforated like a sieve. The moisture is forced through the material and driven out through the holes, while the solid substances are held against the side of the walls. As the machine starts to alow down, the moisture trickles off, and a few moments later the dry augur is allowed to fall through the buttom of the bowl into a conveyor waiting to receive it.

Before the introduction of centrifugal machines, in 1860, sugar was light brown instead of white in color, as it was imposzible to strain off all the molasses. The separation is essentially an accelerated screening process, which is the same in principle as filtering by gravity, but centrifugal force in the usual machine is from four hundred to six hundred times as powerful and the drying process is almost unbelievably thorough and rapid. In one sugar refinery four centrifugule operated by two men purged, washed, and dried thirty-five thousand pounds of sugar in one hour and three quarters. One dryer will handle three hundred pounds at a load and since it requires only thirty-five seconds to stop or start the best machines, from twelve to fifteen charges can be treated in at hour

Virtually all drying of chemicals is done centrifugals, since the machines can and fibrous matter warperson what the the reason by laundries use centrifflothes. It is a scientific dey no e method used by a dog object than of hen he shake the water out of his coat, and you can imagine that after being shaken" acrover three hundred revoluhous a minute the clother are as dry as if they had been hanging in the sun for hours, The clothes are held firmly against the sides of the basket, and there is no tendency to break or weaken the fabric

Freeing Compressed Air from Moisture

In some industries centrifugal separation is accomplished without the use of whirling machinery. In freeing compressed air from mosture, for example, it has been found that cending the air through a specially designed pipe elbow, which forces it to whirl in a beliest path around a central core, will strain out the water perfectly. The mosture is so much heavier than the air that it will not take the turn as readily. Centrifugal force throws it out of the path of the air against the well of the pipe, from



Cream-asparators would be impossible without centrifugal force. It is this force that draws the cream from the milk and carries it to the top of the bowl, where it drops by gravity into the cream-can

which it trickles down slowly into a re-

An elaboration of this principle is used in Norway to separate the nitrogen and oxygen of the air. These gases are almost the same weight, but although the relation between their densities is as 14 : 15, when they are forced to turn an elbow at high speed, the heavier oxygen will be thrown against the outer wall. This demonstrates the great delicacy of centrifugal methods of separation,

There is again the danger from centrifugal force that less in wait at the curves along the highways, for a speeding automobile tends to keep moving in a straight line, and if it be turned too charply, rentrifugal force will lift the inner wheels from the road, or even turn the car into the ditch. The 'Go Slow' sign at the turn is really a warn-

ing against contribugas force.



A GAGE for measuring artificial teeth has been devised by Dr. William C Darbey, of Shanghai, China. It consists of a horizontal bar that is rested on the

head of the patient, and two depending bars, each of which carry measurement markings on their lower portions.

These bars are provided to the horizontal bar, and one of them may be shipped along this member to adapt the instrument to persons having faces of different degrees of fullness. When these bars are brought into all nement with the jawbones of the person desiring artificial teeth, a pointer indicates the proper size on a scale. The scale is marked with the proper size and form of teeth required for every conformation of skull and jaw, so the dentist is relieved from all uncertainties in the prescription.

Tropical Lineman Has Hard Job

CERTAIN parts of South America are
the habitat of T large upider that
weaves in well around the telephone wires
string on the cross arms of potes. The
apider is normous and its web is heavy
and of a tigck teather.

The telephone companies were much petpixed what it he late evenings and nights fraction! Fort circuits fied up their lines. After prime the discovered that the trouble arone from the leavy spider webs. When the sun was out, the webs core dry and there was no trouble, but at night, when the webs were covered with dev, short circuits occurred. The only remedy is constant brushing away of the webs from the telephone wires.

Submarine Mine-Sweeper Enters the Movies

BUILT to out wire entanglements and spring man the option was which is the apparatus of the ways to on the



Used by the Germana during the war, this issue-awaeper has become the property of a film ecompany

runners, this German submattee sled is now the property of a moving picture concern It is as large as an airplane, and moves along the bottom of the sea under its own power

The driver is encased in a diver's suit, and the invention affords an unequalled opportunity for taking pictures of the aquatic life beneath the surface of the san,

Identifying Criminals by Their Pores

A pore-print taken of the scene of crime



A pore-print taken from the suspect



Pore-prints are as infallthic as finger-prints. The arrows point to a characteristic in each print that positively identifies the suspect. The ridges at the arrow-heads are similar in almement and each centains the same number of pores

criminals may be identified by finger-prints is well known. But sometimes the finger-prints are blurred, built wiped out by the thief, or only a very small part of the finger-tip is shown. In these cases which are becoming more frequent as the undersworld recognizes, the danger of tearing finger-prints on the scene of course, was method only initiation is improving in the triallest and most augmentary imprint a French schotist has perfected a positive method of identification through the individuality of the innumerable sweat-glands on the fingers.

In an enlarged photograph of a fingerprint the orifices of the sweat-glands appear as small black duts upon the convoluted ridges that make up the imprint Scientists have discovered that the number of these glands, their arrangement, and position, is different for every individual, and like the pattern of the finger-print itself, never changes during life. It is clear then, that here is a scheme of identification that may be employed when the usual finger-printing methods [a.].

Even the shape of the months of these glands varies. Usually it is a perfect circle, but often the prints will show an aval, a triangle, or an ellipse.

The usual method of taking fingerprints, which amploys printer's ink, is not suitable for showing these pores, as the ink is somewhat gressy and fills them completely. Graphite and isomblack have the same effect. Pore-prints should be taken with a light powder such as copper unde or white lead

A little of this powder is blown on the finger-prints discovered at the scene of the crime, and then they are photographed by a camera, which enlarges the print several hundred dismeters, so that the sweat-pores appear from oix to eight millimeters in diameter in the print. The same method is taken to get a finger-print from the man suspected of the crime, and from this point on the identification is simple. It is only necessary to compare the number, the position, and the form of the visible poses. If

these correspond exactly, the man is guilty, without a doubt.

The method is not confined to the pares of the finites, since the arrangement of the glipds on the other portion of the hody is equal, circumstantic. In a recent police case in Lyundan thief took the precaution of wearing gloria, and left no finger-prints at all. The police discovered, bowever, but he had rented his forearm on the marble top of a table. A print was taken, and a positive identification effected by an examination of the pores.


The criminal of today has indeed to "watch his step" to slude the fast-closing circle of identification tests that the modern criminologist has at his command.

This Machine Measures Wire of Any Size

In measuring wires and cables correctly it is essential that they pass through the machine in a straight line, and that the measuring wheel be of ample size and offer no resistance when it is set in motion. These features have been embodied in the invention depicted, which will measure any wire up to cables two lackes in diameter

Grade retiers front and rear of the press when keep the wire from saggreg, and the measurement wheel as four feat in circumference

Figh the speels run in order hearings, and may be spull were one fingen while a




Cables up to two inches in diameter can be measured with this mechine. A dial automatically indicates the cable a length

pressure of one hundred and ten pounds is exerted on the wire,

The pressure is adjusted by means of a sliding weight and rod placed on either side of the swinging cradle. The resetting of the diel is accomplished by means of a disengaging mechanism, and the height of the wire from the floor may be varied from thirty-four inches to four feet.

Fossil Shark Could Swallow Small Whale



England Designs Battleplane to Carry 12-Inch Gun

Weapon with no recoil is to be built into fuselage

By P. J. Risdon, English correspondent of Popular Science Monthly



Huge buttleship of the air equipped with one twelve-inch gun extending from front to rear and built into the plane as part of the fuscings, are being developed in England

READNAUGHTS of the ar carryong guns as large as those of a mough battle cruser comprise d'inte derial. development that follows close to the house of the recent battleship-borning term England and America. The gun used is the no recoil Davis gun on which experiments were being conducted during the later days of the war. It is the uni principle of the gun and not the construct on of the piane that makes the combination possible.

When an ordinary gun is fired, the enormous explosion that expels the projectile reacts on the gun Itself with a resultant force known as the "recoil" or "kick." The heavier the shell and the more rigid the mountang.

the greater the recoil.

Knowing this, it is obviously impossible to fire a rigidly mounted twelve-inch gun from an airpiace in flight without totally destroying the plane. But by constructing the gun with the breach in the center and open at both ends, and filing the rear end of the barrel with finely divided material such as birdshot, the gun may be fired with no apparent recoil. The recoil is present, but it is expended in driving the fine shot from the rear end. This is the idea of the Davis gun. The range of the projectile is considerably reduced with a rifle of this design, but that matters less with a plane than with battleships and land forts.

Exmination of the recoil allowed the inventors to cut down the thickness of the gun walls and especially the rugged construction of the breech mechanism. The weight of the twelve-inch gun thus reduced makes possible its use on explanes.

As at present designed, the airplane to carry the-Davis gun will be of the monoplane type with cantilever wings stayed only from below to avoid all outside wiring. The gun itself will be mounted inside the fuselage and will extend from end to end of the streamline body. Any backwash of flame and gases after the ganhas been fired will be overcome by fitting a metal nose to the machine and protecting the gun layer in the cockpit by a flashstreet similar to those used on British

Strange to say, the big twelve-inch gun will be simed by means of a machine gun-

mounted in front of the gun layer in the cockint and firing tracer bullets.

Although under noticed conditions the ot has complete command over the ane it will be necessary to transfer this arrived to the gue lever during action be author of each me dier of the frew will corresated by a complete system of telephonic communication,

Just him many twelve not at larger beearried and a peace has not yet too posts of our more strite in the arrange was green.

It may be that the weight of the gun will be such that the supply of heavy shells will be limited, in the same way that bombingplanes are restricted in the number of bombs that can be carried. But further development along these area may lead to an aeral fighting unit that will demand a complete reversal of tactics when "the next war" is upon us.

The a consequent in the new most




The aim of the gun will be cetermined by the direction of the airplane, but the accuracy will be checked up by a machine gun firing tracer bullets. The insert shows the gunner placing a shell

Tools and Machines that Are Money-Savers in the Shop



Portuble drill and protection and pr






Enided this device is an ordinary S where he had been and the part of the section of the section of the matter with



By generally in crim for an action of the communic of an action to a the contract three contract to a contract the contract to a contract the contract to a contract the contract to a contract to a contract the contract to a contract the contract to a con









Fitting either flat or result for a nable the new play we attimize the elegationally heater goes with wellnny current without in the about





Machine and have exhibited at teach to the site of a site of any of a yeared or to be



This post side is the side in the side of


T a					
Т		- 34	F		E 1
		4	E.	ul'	north a
P.51-1;	- 1				L)

Remote Control of Clay-Pigeon Traps

AN automatic clay-bird trap that is antirely different from anything made in this country is revealed in photographs of the first trap-shoot held at the Halen See shooting grounds, near Berlin. In American parlance, an automatic trap means one that is set and pulled from the firing-line, the person in the pit merely

and also changing the direction of the trap from bird to bird.

A study of the battery of traps used at this big shoot develops the fact that the traps are made double with throwing arms both above and below. When one arm is forward or anset the other arm is set ready to be released.

In the tournament at Halen See, the traps were operated from the firing-point by a set of ten wires terminating at a control board similar in many respects to the signal-control system on a railroad

It would seem that the spring tension on the arm throwing the "bird," helps to overcome the resistance of the spring of the unset arm and a slight additional pull would then drag the unset arm around to its set position, with

the spring extended and ready to throw. The two throwing arms, upper and lower, each with its spring, are thus apparently in a state of approximate balance of spring tension. Both operating on the same vertical pivot, when the upper arm, for instance, is released and is thrown violently around by the tension of its extended spring, the tension of the spring is sufficient

By Capt. Edward C. Crossman

to partly overcome the resistance of the lower arm apring, and a much lessened resistance resetting would be abountered. The reverse would be the way the lower arm wasterner.

naing to the firing-point are

The sheeter does not know which of the fire traps will be released from this control board

both trigger and setting wires, the trapper having only to load the trup as is done with the American automatic device.

The game as played by the American sportages calls for only one trap at a known point, but with the pigeon rising at unknown angles. The foreign trap-shooter, with his more practical idea of how to shoot clay birds, wants has targets to

rise from unknown spots as well as to fly at unknown angles. He also keeps his gun below his elbow until the moment the bird appears.

At the Halen See shoot the German sportsmen used a battery of five or more traps, set a yard or more apart, thus covering a space of at least twenty feet,

> from any point of which the bird may appear. The trap to be aprung is optional with the puller, but the shooter does not know which of the five it is to be.

> The man controlling the trape is piaced close enough to the shooter to hear and act instantly upon the command of "Pull."

In the United States the traps commonly used fall into two classes, one of which is assular to those shown in the illustration, with the exception that the double-deck feature is absent. Up to the present time, the idea of controlling the traps from remote points has not been adopted here.



Loading the automatic traps at the firing-pit before the match begins

Paper Pulp, Dyes, and Alcohol from Waste Corncobs

IOWA chemists believe they have found valuable products locked up in the lowly cornect. Bran, case a weste product of the milling industry, choking the streams that ran by the mills, is now one of America's most valuable breakfast foods. Cornects may equal it and prove to be one of the Midale West's worth while products.

Militons of dollars' worth of cobs that have decayed in feed lots during the last few centuries may some day be transformed into paper pulp suitable for a strawboard substitute. Some of the products that may be secured from cobs are acid tar, wood alcohol, pitch, charcoal, acetic acid, formic acid, and, lastly, furfural.

The Bureau of Chemistry of the Department of Agriculture has already surreeded in recovering furfural from corneobs, and experiments have demonstrated that it can be obtained in large quantities by certain. chemica. treatments. Furfural has been a comparatively rare chemical, and has been sold chiefly in small quantities for

scientific purposes. The price is about ten dollars a pound, but specialists of the United States Federal Bureau advise that it can be manufactured from coracobs at a bust of from fifteen to twenty cents a

Formula to the transcript present-known as a chemical and interesting of the latter, as an intermediate of the latter, as an intermediate of the latter of t

The United States produces from two and a half to three billion bushels of corn annually. That means about twenty million tons of cobs. It is evident, therefore,

that if all this waste product can be utilized, it will produce an enormous quantity of furfural, to say nothing of various other products.

Another Scale Pest Makes Its Appearance

THIS time it is New Orleans and the surrounding territory that is the campingground for a new pest. It is called the "camphor scale," but it has no compunctions against other trees such as the citrus, onk, and fig trees.

Just how or when the pest got into the

United States is not known, but observations of its speed in spreading has led entomologists to behere that it arrived during the past year Camphor scale is well known in India, China, Japan, Porto Rico, and the Philippines.

All the Government agricultura, forces are active in an attempt to stadicate the pest before it spreads.



Piles of corncobs on an lowe farm, once wested, but now awaiting conversion into furfural and other reluable chemical by-products

Motion-Pictures Can Be Shown without Darkening Theater

DAYLIGHT projectorscope has just A been demonstrated before the French Academy of Sciences by the French inventor, M. Dussaud. The apparatus projects moving picture films, stereopticon views, or even illustrations from a book into a well-nighted room. An improved condenung-lens and the use of



O A N Miranoli Pictures on the well calling, or floor in daylight are possible with this pre-jectorscope

concentrating mirrors applied evalues the image without the loss of light, permit projection without the necessity of diskening the audit roum.

The Chick of Air Service is informed that M Gerger's Swiss, has invented a muffer for airplant engines which does not heat up nor reduce the power of the motor, while it will allow conversation in an ordinary tone of voice between pilot and passenger. The invention is similar to an automobile muffler with the addition of a small revolving fan at the rear which aids in cooling the exhaust guess.




Cow-Punchers Use Modern Mess-Wagon

ALMOST daily there crops I some new evidence of the very duty of motortzueka.

During the found-up season the Pitchfork Ranch of Wyoming uses a truck to take the place of the hid-time men wagen and, like that stordy vehicle, it often

travels for miles straight across country where there is not a mapteion of a road, tour the cow-punchers

the thick carries a complete camping out it and delivers "all the comforts of home" wherever the boys of the outfit happen to be



Safety-Pin for Milk-Cans

HERE is Guy S. Browster, of Scattle.

"safeth pin" be has recently invented.

Thousands of trans of mile, are spilled daily, to Bladdy devided a simple but positive he-clamps there pieces of saring steel, reveted together. The clamp hips over the top of the can, with the longer strip passing across the top. The shurter side strips origin the neck of the can. side strips grip the neck of the can.

New Flashlight Has Three-Hundred-Foot Range

SCIENTIFIC design of the reflecting form of electric-light class of a new policy of the control of the

a flashlight to be out up the market which wall throw a bloor beats of light for three hundred feet about six times sa far as a good flushlight generally carries. The reflecting mirror la made in the shape of a perfect parabola, so that all the rays leave the lamp perallel, and the bulb throws no shadow, so that every bit of the illumination to uli ited.

By turning a screw at the base of the flashlight, the bulb can be moved back and forth inside the mirror. This movement, which takes the filament of the light away from the form point of the parabolic mirror,



An adjustable redecter mukes possible a 300-foot range

makes it possible to throw a broad shalt of light for a short distance, lighting up a large area, or to produce a narrow beam which will render small objects clearly visible at three hundred feet. The lamp is already being adopted by many of the police departments throughout the rountry. The case is made watertight, and the light has been used in a pouring rain without short-circuiting.

As a special service to readers, the Editor will be glad to supply the names and addresses of manufacturers of devices mentioned in Popular Science Monthly.

Railway-Cars that Unload Automatically




HE Restration should a car used by a Germanian. The swinging bottom if the car as bleased by a lever, which unlocks easily in the load pressure of the car acts horizontally, and the several gates of the swinging bottom have hook locks that open vertically. The

also returns the gates to the change position and locks them.

Another type of the car is made in which the gates close themselves after dumping. and in still another type for crate or baggage carrying, the gates have extensions to permit the boxes to slide to the track level.

Can You Get These Eye-Testers Right in Less than a Minute?



1. Copy this diagram quickly in freehand then make a figure I in the space that in in the circle, but not in the triangle or aguare. Also make a figure 2 in the space that is in the triangle and circle, but not in the aguare.

THE XR TY R

Find each one of these designs in the set below, and write down its location, as specified in caption No. 4. This test and the one at the left are reproduced through the courtesy of Prof. Edward L. Thorndike


HOW quick are your eyes? How alert are your brain cells? Do illusions fool you?

Find out by trying these famous intelligence tests. They will make instructive recreation for a winter evening's gathering. Pass around alips of paper with spaces numbered 1, 2, 3, and 4. Let each person jot down in these spaces the answers to the questions contained in the numbered captions. Keep a stop watch on each contestant. Correctness of answer, as well as speed, counts in picking the winner.



 Which of the two inner squares in the above drawing is larger the white or the black?

Explanation Although of the same
size, the whitesquare
appears larger than
the black one, due
to irraduction, that
makes the borders
of clear surfaces indistinct so that they
seem to extend beyoud their limits on
to any darker surface that may surround them



Of the transverse lines that are shown running from margin to margin in the above drawing, how many curve upward?



4. Chance at each of the five figures lettered a, b, c, d, and e at the top of the page. Then find its counterpart in these columns. When found, indicate its location by setting down the letter it bears at the top of the page and the number it bears in these columns, in this style—f-26.

The Engineer Geta His Orders



This ingenious mechanical contrivance is used to deliver orders between the locomotive engineers and the switchmen as the trains of the Midland & Great Northern Rallway in England enter a section of single track running between Spaiding and Lynn. Orders are issued at every siding telling the engineer to proceed or to draw out and allow another train already on the section to pass. Formerly this was done by hand, which forced the trains to slow down and occanionally resulted in messages being mused.

The mechanical despatcher is com-


structed along the lines of the automatic device by which American trains pick up bags of mail at way stations without reducing speed. The messages are placed in the small bag, and an Iron arm projecting from the engine cab trips the catch and picks up the bag by booking into the iron ring. The picture shows a switchman recovering a message dropped by a passing locomotive.

Making Heat Instantly with Chemicals

A METAL hot-water has that contains an hot water but that is bested by admitting air to a chemical compound contained inside the case is now on the market. Its action is extremely simple. When the stopper is unscrewed for a fraction of a second, the bettle becomes warm, and will remain so for from eight to twelve hours.

Many chemical compounds liberate much heat. Every one has seen the water holl when planterers mix it with quicklime, but no water at all is used in this device. The chemicals are harmless, may be handled rafely, and the bottle will not explode. The instant heat produced without the trouble lavolved in lighting a fire will be appreciated on camping-trips and in household emergencies.


Seed Potatoes Cut by Machine



IT is no small job cutting up seed potatoes for planting on a big truck-farm, but a great deal of labor is climinated by a machine recently devised by John O. Jacobson, of Nielsville, Minnesota.

A plunger pushes one potato at a time against a cross-shaped stationary cutter. A movable cutter cuts the same potato across the cuts of the stationary slicer

When an extra large potato rolls into the slicer, it acts on a limite-spreader that causes the blades to make two cuts instead of one. The device is operated by a motor.



Measuring and Recording Rain- and Snow-Fall

HOW many inches of snow fell by ten o'clock last night, in a question that need no longer be answered by a guess. A recording rain-gage, designed by S. P. Fergason meteorologist of the United States Weather Bureau, weighs the total fail of rain, snow, hail, and other soud forms of precipitation at any instant during the progress of the storm, no matter what its nature


The operating mechanism is essentially a spring balance. Rain or mow falling into the self-contained compartment at the top of the device debugses the it dag, and the pen attached to the record a lever makes an mayorit trace on a counder around which is would a shiet of paper ruled horizontally bunches and tenths of inches and letterally its hours and fractions thereof.

This acrile of measurement permits the predictation during any hour of the day to be determined without any necessity for an observer to read the scale. The cylinder just referred to is rotated once in twenty-four hours by a clock with which it is connected by means of a carefully adjusted shaft and gearing.

Blasting-Fuses Cut to Safe Measure by Machine

M ANY mine accidents are caused by carelessly out fuses. It is the common practice to cut them by hand one length at a time, and as a result a fuse, intended to allow the miners a certain length of time to seek cover, would explode cartle. These premature expressions never facility to take their toll in lives.

A practical mater, her how designed and bust the list atting exacting about in the electronaum, which consists of a removable spoot parted to one length of a board about five feet in length and one foot is width. The spool has a espacity of five hundred seet of fuse. At the other end of the bench is mounted a knife, one end stationary, the other operated up and down by a foot lever, which is counterweighted to return it to cutting position. Measur-



ing marks are placed two and three feet from the knife.

The machine is used at all the mines of the New Jersey Zinc Company. In one mine using six thomsand feet of fuse a day this machine saves the work of four man

Sword-Swallowing Made Possible

BEHIND all sleight-of-hand tricks there is usually a scientific manipulation that makes the trick possible. The sword-swallower of China, represented in the tilustration as about to devour the sword, is no exception. The sword help swallowing in keen and shighly tells are allow the blade to slide the east the high places into the conjurer's smoot. The point is held against the toeth as the lipe draw the handle inward.

The snake-charmers of Inda likewise have their tricks of science, unnoticed to the spellbound audience, but absolutely necessary as part of their stunt.

Combined Handle-Bar and Package-Carrier

SEVENTY-ElouT pounds of stone is a big to and arkward of its carry on a big to and the possible bury through the logical possible possible basket no heads. This cashies the load to be purectly balanced over the axie of the



front wheel. Hundle-grips are fitted in the side of the twenty-two-inch basket.

Ample knee room is provided, and the whole carrier is made so that it can be installed in any standard seven-eighth-inch handle-bar socket

The advantages claimed are that the load cannot joggle nor sag. The basket is of heavy gage woven wire of one-and-one-half-inch mesh over a three-nighth-inch frame, and rannot be pulled out of shape by any load which a boy can lift on to a breycle. The handle-grips are of coiled wire, and are boxed to give plenty of room for the fingers.

Huge Battery of Flood Lights Illuminates Skyscrape



HE illustration shows the Wrigley Building in Chicago, as it is displayed by the light of 214 prejectors, producing nearly free milions candid nearly free milions candid nearly free milions candid nearly free milions can be a see to make over the roofs of nearly start of the candidate of the part of this food are ng was about \$30,000, and the total expenditure for maintenance is about eighty dollars a night

The Saidy Date Must Go to Quarantine

EARLY in 1920, Professor S. C. Mason, of the Bureau of Plant Industry, went to Egypt to get offshoots of the Saidy date, for the purpose of experimenting with its growth in the United States.

The Professor brought back about eightern hundred offshoots—from the Libyan Desert, the neighborhood of Cairo, and the

Although many of the date shoots have struck root and are ready to be set out in crehards, the Bureau will not distribute them to growers because the trees have developed infection with two dangerous scale insects—the Portatoric and the Phornicoccus. In consequence, the trees must be kept in quarantina for many years to insure the utter destruction of the peats.

Electricity Heats Water as It Passes through Faucet

BY means of an electric resistance coil nearly a foot long placed in the center of the water-pape, this faucet will supply hot water at the rate of thirty gallons an hour its action is instantaneous, and there are no switches to turn since moving the fauret handle to the left starts the electric cur-


A separate district of No. I were now be used, attacks at rectric water heaves, the amperage consulted water heaves, the amtehos of a lamp societ, but the invention should be about to mercantile satablishments banding unwrapped food. Although these use little hot water, the law requires that it shall be available at all times, and this electric precludes all danger of explosions and does not waste money by heating water which will never be used.

Machine Makes Five Operations on One Piece of Work

THIS is another time-saving machine that will do as many as five operations on one place of work.

on one piece of work.

Five revolving tables are provided with vises. Each of the five vises holds a tool for a certain operation; such as reaming, deliber accordance of the continuous such as reaming.



After performing five different operations, this machine note of carry ejects the piece of work

small gives on the rewis tag to ble hold the


When an opening the completed on one piece the table was ve and the work is advanted to the next tool, and so on, until the complete circuit is made.

Bamboo Clock Tells the Day, Week, Month, and Year

EVEN the springs and the wheels of this eight-day pendulum clock were carved from bumboo with a penkuife. With the exception of at ten-pound haden weight which operates it and two small glasses which serve as gongs, the entire mechanism is constructed of cane such as is found in the ordinary hamboo fishing-pole. Its inventor and maker, Constance Renzi, a sixty-year-old clockmaker of Rome, spent the last two years whitting out the complicated works to show what Italian work-masship could accomplish with the crudest materials. He declares be could make a second clock in two months.

The clock tells the hour, minute, and second the day of the week, the monand the year. It shows the phases of an emonated strikes the course of quarter hours white accurate act atcd by the morning. At soon, it desired, the worse can be set so that a small flag is run up to the masthead; he raising being precesses by a whistle from a bamboo tube, and one minute after the noon hour the cannon at the top of the clock is discharged.

An exceedingly clever method is used to prevent the escapement from wearing out. The escapement Jawa engage spokes on a large wheel, and these spokes revolve loosely on hamboo pins, constantly presenting a new surface to the weat. As hamboo is covered by an extremely hard aliceous coating, the clock will run for years, and comparison with ordinary clocks shows that it keeps excellent time. Mr. Rensi has already refused an offer of eight thousand dollars for his clock, which he hopes to sell to a museum.



Me Rone used nothing but houseso



Pockets for Woman-in Her Hat!

OLD-PASHIONED lawyers used to carry their write and pleadings in the crown of a battered hat, also a plug of tobacco, perhaps, and a bandana handbroading.

Note how the woman of 1921 revives this success to the statement pocket things. Two cases there of larger libert, well cooked the product them were found on the reclusive Shinnecock goil-course at Southain stone Long Island, with amethysteomed sports buts that had folds specially desired to carry a cigarette-case, vanity mirror, and powder-pull—and the photograph shows them about to be demonstrated.

In one hat the necessaries are merely supped in and out of the folds, while in the other there is a flap with a snap-fastener

As a special service to readers, the Editor will be glad to supply the names and addresses of manufacturers of devices mentioned in Popular Science Monthly

Combination Chair and Umbrella Makes Artists More Comfortable

COMPRISING everything an artist requires for an afternoon's sketching, with the exception of the proper light and inspiration, the entire outfit weight only at pounds. Folded, this camp-chair can



A combination chair, sunshade, and partfolio of sketching tools for the rambing art #

he carried amily to the hald or swring on to the back open, and the artist has a jointed trabrelly to keep off the sun, a mirror of a bich he may watch the country behind him and guard against the trate farmer who has sworn vergeance on the trespasser, a graduated rule for laying off his drawings, an eraser, which also serves as a plumb-bob, a bottle holding water for water-colors, and a water-proof bag to contain all these accessories while on the march.


Simple, Homemade Sterlizer or the Darryman

ROASTING-PAN, a galvantsed from cover with a spout sordered in the center, a metal box, and an pilatove-all articles which can be bought at any hardware store or easily constructed at home -comprise a complete putfit for sterilizing dairy utonsile by steam.

This simple method of ster(Lization has been worked out by the United States Department of Agriculture, which doscribes the manner of operation as follows.

The cans should be thoroughly cleaned and ranged with weating powder, but water, and a scrubbing - brush before they are ready for steril-

mang. When they no longer feel oily or greeny, arrange the apparatus as the litustration indicates, and test the heat of the steam escaping through the spout with a thermometer. When this registers at least 205° F., put the can over the spout, and leave it there for five minutes. Use gloves



A militean placed over this spout of live steam to made absolutely sterije in five minutes

A galvanised but supplies the sterilizing chamber for creamseparator parts

to remove the can, as it will be too bot to touch, let it drain five seconds, and then set it on the floor, mouth up. Within two or three minutes it will be perfectly dry, owing to the intense heat to which it has been subjected, and all bacteria will have been killed. The smaller implements are storli-

med the same way, using the galvanused box.

This outfit can be provided at a cost of from ten to fifteen dollars, including the kerosene stove. The equipment of the usual small dairy can be thoroughly sterilized in forty minutes, and in addition to a more sanitary product, the use of sterilged utensis will keep milk fresh for a longer ne

Dahes or implements that are clean are not necessarily free from bacterts. Even milk that bas been produced under the closest regutany and with perfect cleanliness contains a few bacteria. time that malk or mak-

containers are handled, a certain number of bacteria are added and it is only by stershzation at 212 degrees that these bacteria and germs can be killed.

Realizing that the usual equipment was too bulky and complicated, the Department of Agriculture perfected this simple sterilizer.



Miles away the words written by this team will be reproduced automatic-elly on sensitized paper

Write a Personal Message by Telephone

RITING with a lead-pence at one station and reproducing the hand-writing at another place in its especialist new but when the reproduction is uccompashed by a markle being of light acting on photographic paper, his worth mentioning. The illustration hows the send-

ing trationary an apparatus of this nature.

The sender simply writed down whatever he wisels to send on the roll of paper passion through his machine. Ten seconds later the melalige has been imprinted on a strip of singlitive paper and developed automatically in the receiving device. The apparatus may be used over any telephone or telegraph has already existing.

Most "Prench" briar pipes actually come from Corsics. The Sicilian briar-root is considered the best.

Spectroscope Detects Minute Bloodstains

BY the newest spectroscopic methods of analysis, one five hundred thousandth part of a drop of blood on a criminal's clothing is enough to convict him of murder

With the new system perfected by Professor Florence, of Lyone, France, the smaller the amount of blood, the more nertaln and easy is its recognition. This is of immence advantage to criminologists, since when sharp weapons are withdrawn from a wound they are usually wiped clean one. but an infinitesimal amount of bless by victim's clothing, and the detect presence of human blood on knole in often in possible met hode.

Protessor Florence makes photographs of the spectrum of blood, or of the blood corpuscion themselves while they remain on the object examined, so that if


need be, the jury need not credit the testimony of the arpert, but can repeat the tests for them-His appaorives. ruhan consists of a microspectroscope in which a powerful beam of light is directed through the horizontal tube at the left on to the knife-blade beneath.


When the accentist discovers a bloodstain, it is readily photographed by swinging the camera at the left into position over the microscope Emmination of the size and shape of the blood corpuscles determines whether or not the stain is that of a human of of an animal.

The camera is so constructed that the degree of enlargement of the blood corpuscles may be varied at will without changing the focus of the migroscope. Sometimes, however, the form of the cornuscles has been destroyed, and in these cases a specimesope is used to afford posi-

tive identification.

With this method bloodstains scarcely to be seen on colored fabrics can be recogniged. In one test, a single bloody thread or 0.04 of an inch long, was placed under the microscope and treated with Virchow's fluid mixed with a little honey to remove the dye and brighten the color of the bloodstain. Instantly the spectrum of hematic, characteristic of blood, appeared under the microscope - a complete proof of a crime, although only one five bundred thousandth part of a drop of blood was present.





Indian Folk-Songs Are Preserved

SONGS for hurial, for murriage, and for birth, in fact, for carry important occasion that arises in his ice, are the kind of surge sungery the American Irdian.

Some of time congents of the American configuration

by the Government

the red man will be of the past, and so the United States Government is now having phonograph records made of the old Indian songs. That is what the splendid-looking Indian in the picture is doing—canning his tribal songs.

Dark Stranger Appears in Space

AN astounding discovery by a Dutch scientist of a beavenly body twenty m thon times larger than the sun has introduced a new factor into astronomical circles.

It is thought that the body is a huge cloud of dust that will eventually become a star. Measurements made of the dark mans show it to be 140,000,000,000,000 miles long and twice that far away from the earth.

Odd Items of Interest from Around the World



Man-Propelled Trolley in East Africa

OMBASA, in British East Africa can somethin foreign Austor a minque system of rem-papeting thileys but are deficient thenseed but will compensations such a content travel and a unubstructed view. A covering such as seen on a baby's perambulator, stades the rider



No Contest to Occupy This White House

VERY year the biggest turkey is shipped to the White House for the President's Christmas dinner by the town or county that has raised the heaviest and finest hird, and this is the crute, in the form of a White Rouse in which the bird in shipped.

There is no higher Runor to which a ricky can aspire than to become the national his crite. It marks him as the next specimen in the land; but in spite of the distinction conferred, no turkey has as yet appeared eager for the nomination.

Moving Roadway for Japan

JIROZAKA Hill in Yokohama, Japan, separates the exclusive foreign colony from the shopping district and presents a serious obstacle to motor-cars and ricksha-

The city authoration have been asked for permission to construct a moving roadway leading over the bill. A Japanese engineer thought of the idea, and purposes to operate the road by electricity, charging toll of all vehicles that use it.

Delivering Beer with a Hose

INFORTUNATELY, this chap is not delivering gasoline through the hose, but beer still more unfortunatery, he is delivering it in the British Isles. A genreity of wooden keep compelied the brewer to distubute Dudweiser in tensours and motor-larries

There was considerable complaint from the who ared the flavor of the been would be applied by the with grantized from and rubber but these fears proved unform.


The second hose on the rear of the wagon is used to deliver

light beer. The tank is a vided into two sections, and the other hose will be used as soon as this "public house" has been supplied. with al, the dark beer its patrons are likely to require


Shallow Draft Towboat for the Mississippi

THE Natches is the most powerful river towboat ever constructed in this country or abroad. She will tow six steel barges, each 230 feet long by 45 feet beam with a maximum

carrying capacity of 2000 tons. She is built of steel and equipped with oil-fuel boilers and two triple expansion capacity are not two triple expansion. He wish acress are not in tunnels built in the bottom of the loss of that they cannot foul if the ship grounds by a sanchank. The flow of water to the propellers is unlandered, and four sudders, one placed both forward and aft of each propeller, make the maneuvering qualities of the Natchez excellent, and she can run full steam shead in water as low as seven feet



Special compartmented metal tunks mounted on trucks are used to deliver beer in Great Britain



The largest river towboat in the world has twin propellers revolving in tunnels to prevent feuling an shallow waters

From Ore to Capsule—

Striking picture of the little known process of

Photographs 🖸 U. S. Radium Corporation




Cametite are, from which radium is obtained, is maded principally in Paradox Valley, New Mexico. The are is placed in suchs and carried in teams over the rough country to the railroad. It requires about six hundred tops of cametite are to produce one gram of radium



During the refining process other valuable productasuch as uranium and vanadium, are extracted from the ore by chemical treatment. Vanadium is an important element in steel manufacture



At the refinery the first operation in the cleapsing of the rune of the bugs block wats. It is a mount is given that first attention the please of the radius, ready for use



The solution containing barium and radium salts in the ratio of ten parts of radium to a billion is treated with sulphates to precipitate an insoluble "raw sulphate of barium"

Film-Projector and Screen in the Same Cabinet

PICTURED here is a motion-picture projector that includes within one calling the necessary flux-storage space and the



The film is projected on to a screen ast into the cover of the cabinet

arrangement of prisms makes it possible for the dicture to be projected outside the above and on to a larger screen set at a distance for home use.

Perhaps the most interesting feature about this cabinet is the method by which the film is stored so that by connecting the two ends correctly the film may be run continuously as long as desired. A special safety device stops the motor driving the machine when the film breaks.

The projector consists of the usual incandescent lamp, intermettent movement revolving shutter and projecting lens. A steel fireproof cabinet is furnished for the safe storage of the film

Rolling Deak for the Use of Crippled Children

THERE are so many crippled children in our eleganous in New York city alone seventeen blodged not be taken to school easily be supernoone—that a special moveble desk phorm in the picture at the right, his been designed to permit children unable to walk to participate to some ex-

tent in the regular school activities of their classmates.

The deak, or chair, has a special support for the legs, and can be adjusted in every direction so that the child can rest in the most comfortable position




With this rolling deak orippied children can attend schools without discomfort

The History of Radium

refining six hundred tons of ore to a gram of radium





The fluid from the chemical varials can but filter present and compressed between sheets of chamous skin. As the liquid runs out it is tested for its percentage of radio is

From the filter presses
the liquid containing
radium in placed occumbles over biseners
and carefully evaporated. In the coor
whown above the chemare have more than
5.00,000 worth of



The firehed gar of rades , worth \$120,000 } its pare store of a rank was read a sure giving off the rank areas for approximately 1740 years

The four tiny crucibles contain the radium extracted from the original six hundred tons of ore. It has required the labor of five hundred men for six months

Purdue Has World's Largest Bass Drum



IT is seven feet high and four feet from drumbest to drumbest. It is whered allow in a little tearrier during parade. When nour is on this the top is nine feet from the ground. The some is deep and rather subdued, but it has a wonderful volume and resonant power that make this drum able to basance the most stremuous efforts of a 125-piece brum band.

The world's largest drum was not constructed without difficulty. It took several months to find two bull hides large enough for the heads, which are one hundred inches a diameter. Such heads put a great strain on the shell, which required special reenforcing and a novel type of screw-rod manipulators for varying the tension of the heads. After the instrument was completed, it was found that the doors of the ordinary baggage-car are not large enough to admit it, and a special car will be necessary when the band goes on tour


Pontoons to Replace Ferries

PONTOON bridges across Later Washington have been proposed to relieve
rougestion on the ferries of Seattle. Fifteen
wooden vessels constructed for the United
States Shipping Board would be used as
floats, and upon them an eighteen-foot
roudway and two four-foot sidewalks would
be constructed. Drawbridges would be
provided to permit navigation.

As a special service to readers, the Editor will be glad to supply the names and the addresses of manufacturers of devices mentioned in Popular Science Monthly

Renews Blotting Surface after Each Operation

A BLOTTING-STAMP has been invented in Germany that constantly renews been. Thin birthing-paper on a speed corrective bottom of the stamp and rewinds around arritler. Each take the stamp as pressed down, it pushes a little pawl that trips a ratchet gear, winding up the idler.



A ratchet mechanism renews the blotting surface each time the blotter is used



Shoes for Equine Bog-Trotters

ROUNDED woode plank about on Duck, fitted with staone or may that fasten e , to a horse's hoof the product of the second English e and the terms of politicates of the state of The grate his fool the center of the plank and when the clamps arfuntened at indicated in the flustration is walk where er without making into the poft sul

Does a coral islan grow from the top down or from the bottom up? An American professor in learling are a second or to one South Scan to settle the question Durwin stated that the coral grew naturally from the bottom but recent prientiate contend differently, hence the expedition Coral is a aubstance secreted by the marine polypu.



Curtain of Water Safeguards Books

EXTERNAL sprinkler systems have been metalled along the caves of the Chicago Public Library to protect the priceless volumes in the bunding from the danger of fire. In case a b age starts in any of the structures near by a wall of water falls from the roof of the library, extinguishing flying sparks and protecting the building against heat and smoke

Disk Improves Phonograph Tone

LEARLER tone, a pun musical quarty as he total e-minat all sevateb og and serup

> nhonograph attach and ball into which the in fire with only

an inch of the tip protrustand. The ball rests on the urface of the record The disk is arranged the airel with the record

In this way the incidental vibrations emparted to the needle by dust in the stooye or a worn bath are sampled had on they rea hithe reproduces while the vibrations are passed · dampered. The music produced is not loud, but sweet and clear

Frwan people are dying this year according to the Metropolitan Lafe Insurance Company the death rate being 28 per cent below that for 1920.

Hand Fire-Extinguisher Uses No Liquid

DOWDERED carbonate of anda and carbon dioxide gas are blown over a fire by this extends short between in Germany. The chemicals are free and no watershor as phinic and is used. The result is algrested duction is weight without out of efficiency. The gas is comprehed in a attong container. When the valve is opened, the bas is thown through the powdered sode, and the mixture blankers a fire without the danger of short circuiting electric wiring, which is the drawback of the liquid sods apparatus. In the text illustrated a greatest structure greatered with become In the test illustrated, a wooden structure, amenced with bensine and far and burning furiously, was extinguished in ten seconds.

Building-Blocks Made on Continuous Molder

INVENTED by George C Debuy of Springdale, Pennsylvama, this machine forms blocks accurately and rapidly at greatly reduced cost. The molding parts at on an endless reduced cost. The molding parts conveyor Each member for many ma aide of the mold

The upper portion ther is made is movable section. A not opening formed in the side MARKET BELLEVILLE sections may be swung into pusition over core-bar to enciose same.

Plastic materia, is fed to the rapids through a spiral conveyor.




Dry chemicals instead of liquids compose this fire-extinguisher. The gas cerries the powder to all parts of the blaze and smothers it



By placing the parts of the mold on a traveling conveyor, the manufacture of building blocks is carried on continuously

How to Get the Most from Your Bit

No. 2 in a series showing How to Use and Care for Tools



Bicycle Steers from the Rear

The cutter beed must be

kept in good condition to make the bit cut

cleanly and evenly

AN English inventor, Mr. Fenner, very easy to ride up hill and inusticity light on three, since the weight or borne equals. by both theels. The me hat we usual bic cle is exact, y reversed. drive is from the front wheel and the steering from the tear. The rear wheel is conperted with the handle-bare by a rod attached to the grown at the head of the machine.



This bicycle steers from the rear wheel and is driven from the front

Why Do We Do It?

and on the inside only

Why do we run the engine with the ge door tightly closed?

EXHAUST games from an autoage of poisonous carbon monoxide the fatal "fire damp" so dreaded by miners. When a cold engine is warmed up inside the garage, with the doors and windows lightly closed, enough of this gas is pro-duced to constitute a serious fire

risk and danger of explosion.

Breathing it for only a few minutes may cause a prolonged headarhe

Carbon monoxide combines instantly with the hemographs of the red corpuscies of the blood to form. s stable chemical compound that persists for hours, even in the open During that time the cora ch puscles are quable to absorb oxygen from the air. The effects of breathing carbon monagade for a few minutes are the same as those that would follow the temporary loss of s pint of brood. Open the garage door when the engine is started.

WHAT DO YOU DO

that you know you shouldn't? What are some of the familiar practions of every-day life that we all know are stoped and yet that we rarely try to conquer?

Sand your suggestions to the Editor

Plowing with a Street-Car

Screw pitch varies with

the size of bit and work.

A quick thread is for rough work a slow thread

for fine work

RECENTLY, when the Stour Falls traction system had found it necessary to plow up the readway in order to install a switch, they decided to use their own power for this work. To come of their works and side outrigger

a temby ten such typograffment at towhich was an extra beneviating in a pw.
The heavy chart which pulies are plow could be sid back and forth on the out-rigger timbers, in order to adjust the posttion of the furrow. The improvised workcar plow accomplished more in three hours than could have been done in a day's time with tearns.



Outrigger and plow used by a Sioux Falls company to tear up the roadhed

Try These Speed Indicators on Your Mental Gears,

A Course in Quick Thinking, conducted by



\$25 in Prizes

EDUCATORS say this puzzle provent in the best kind of motraining abest, because it comes as spent instead of drudgery. As proof of this consider the fact that Sam Loyd's most faithful puzzle fant have been inventors, engineers, and business men.


A first prize of \$10 will be awarded the reader who sends in the best set of correct answers and analyses covering the four problems on this page, a second prize of \$5 for the next best set, and ten other prizes of \$1 for the ten next best sets.

Answers must be received not later than January 9, addressed to the Puzzle Editor Popular Science Monthly, 225 West 39th St. New York, N. Y.

By "best" is meant absolute correctness of solution—then, if other points must be considered, clearness of analysis. Mr Loyd's decision must be considered as

final. In case of a tie, each competitor will be awarded the full amount of the perse tied for

Answe wand names of the pelse-winners will be published as the April same



How Much Was Offered?

A REAL-ESTATE demer was endeavoring to sell an old condemned building to a house-wrecker, of course, for the best price that he could get. The wrecker didn't think much of the condemned structure, but was willing to do business on a basis of \$1500 less than the owner's asking price.

After going over his figures several times more, the owner finally came down 25 per cent in his demand, but there still remained a difference of \$1250 between the owner's and the wrocker's figures, and the deal was declared off

What was the wrecker's offer?



A FTER the trustees of a small township had voted as appropriation to provide for a fixed number of sectric-light poles to skirt the main highway through their bnilowick, the Ways and Mesna Committee made a report to the effect that if the poles were set 440 yards apart, as had been suggested, they would need three more poles, whereas if they were erected three quarters of a mile apart, there would be three poles left over

There were the usual divergences of opinion that are so familier to all small-town meetings, and after listening to the individual view of each trustee, the chairman decided to settle the matter himself

"Go shead and use the point provided for," he ordered; "have them equidistant apart and see that you use all of them."

If the chairman's orders were carried out, and the extreme poles stood on the town boundary lines, what was the distance between poles?



A Practical Referee Settles the Question

ElGHT wranging heirs, who were equally interested in a certain piece of land, took a map of the property to an attorney and begged him to make an adjustment so that there should be no more wranging.

After giving the matter due consideration, in Solomon-like manner the attorney picked up his shears, and cutting the blue-

print into eight sections, gave one to each.
'There, you each have a piece of the same shape and east. Divide your property

likewase."

The miter-shaped diagram in the illustration is of the property in question. Who can duplicate the attorney's feat and mark off the figure into eight sections of similar shape and size?


When Were the Cars Nearest Together?

TWO friends who had been automobiling through the same section of the country, without being aware of each other's whereabouts, subsequently found it interesting to figure out how close they had come to meeting

It appears that A came from the nurth on a highway that crossed at right angles another road, running due oast and west, on which B at the same time was moving eastward. Thus their data resolved into a problem that may be presented as follows.

A and B started from north and west simultaneously, A going from north to south at the rate of 32 miles an hour; B going west to east at the rate of 24 miles an hour From A's northern starting-point to the crossroads is 60 miles; from B's western starting-point it is 70 miles.

If they started their journeys at .2 o'c.ock, noon and traveled steadily for three hours at their respective speeds, at what time were the two cars closest together?



For the Comfort and Convenience of the Family




An adjustable light combined with dive-one final total of comfort to a winter evening at home by your own freside





He sure of the quality of rubber rings before food to pinded in the a spod ribits the chicalent of a part the equivalent of a rullon and a half of water



A portable furnigating outfit for the dekroope culcuting of a principal while the distribution in bord about flashre take leading it keyhole in the floor of the room to be furnigated.




The electric strip waven into the filters of this

The light from gap-mantles can be increased by prepire their incringgar II in the chief that the makes the mantes the mantes themselves



A dasher binde in the base of this distributed through a clean ing strangeof waltr over every dish and throws a tray with less than and throws a tray with less than amount is operated by a motor

When not used for dish washing this misting link can be turned but so batche water will rue from the ankside without splashing decycling in eight



A decderiver and might has a can be practed by place of a can be can be can substitute and can substitute and a can substitute and a can substitute can subs



This attachment is for sewing heavy materies are the needle is partial into the dibrie. I will arrangement bulls it through



By cutting the cake subboun, it may be consumed down to the less crutab war but becoming deled due to exposure



Teeth of different engths bimilar to those found in the woodsman crossult sawsmake it possible to cut new cake into very thin sinces

He Gave the World an Improved Battery

Newly invented process reduces weeks to seconds in forming battery plates

FUNDAMENTAL improvement in battery manufacture that reduces the time required to form a lend plate from weeks to seconds has been made by Fed o G. Salom, of Philadelphia, for thingy-five years a prominent figure in the manufacture of storage batteries.

The new battery is not only chapper

in cost, but it will increase the voltage 5 per cent over that possible with "pasted" battery plates, and will colarge the expecity more than 25 per cent. It is said to be the first basic improvement to be made for more than forty yearspince 1881

Salom forms negative plates by applying the spongy lead directly to the grid by hydrauhe pressure. It is one operation, finished in a few mounds. Other processes inhoriously build up a spongy lead plate by pasting litherge on the grid by hand, later converting this exide to spongy lead by slow, Inbarious electrolytic processes that take weeks. The oxides must be pasted, dried, formed, cured, and developed. Under

the Balom method, the material is simply applied at a pressure of fifteen hundred pounds to the square inch, and the battery is ready for use. Manufacture becomes a direct process instead of an indirect one. The improvement in operation is due to the fact that the enormous pressure exerted in squeezing the active material into the grid establishes a mass conductivity not possible to obtain by hand work

The improved storage bettery is the out-


come of an earlier discovery of Mr Salom's, by which he unproved the process of reddings that the one or by electrolytic methods. Inder us method the lead is recovered in the mongy form, precisely as it is found on a fully charged negative storage-battery plate, and, familiar as Mr. Salom was with storage batteries, it seemed



A rew of electrolytic calls in which the spongy load for the Salom gride is produced

to him wanteful to convert this spongy lead into lithargo, send it to the battery manufacturer, only to have him paste it on the grid and reconvert it into spongy lead again. His training as an electro-chemical engineer made him able to produce the artive constituents of storage batteries, namely spongy lead and lead peroxide, in bulk. The difficulty was to hit on a process of applying them to the grid

He found that if a mass of spongy lead



method to reduce the process of lead-plate formation from weeks to seconds

is washed in water and then dried to the exact degree, which arresta a superficial oxidation of the lead at just the proper stage, it might be compressed on to the grid without destroying its spongy neture. If the mass is too dry, or too moist, it is pressed into a solid sheet. useless for storage-battery work. The lead peroxide is moistened and pressed on the positive plate in a similar way, a special binder being used. As a result the plates hold

more active material, and the voltage and life of the battery are increased. To demonstrate the superiority of his invention, Mr Salom constructed a miniature plant, which he set up in the factories of the leading manufacturers of automobiles throughout the country. He made his battery plates before their eyes, put them in a standard container, and allowed the automobile engineers to run comparative tests with the best "paste plate" batteries.



Vacuum Cleaner for Automobile

THIS compact vacuum clemer has been made unusually light, and portable with a long electric cord at Grant it n be curried toto every for and c of the car A ners to clean and the ופעוט פרוב amount of contributes its through the win-dows in a day's travel is surprising.

In apin of its small size the vacuum

cleaner will do the indoor housecleaning as well as the larger machine. It operates on either alternating or direct current


A Jeweler's Idea of Car-Building

WHEN a Fifth Avenue jeweler adopts automobile-body building as an avocation, the result is likely to show the effect of his professional love of fine finish and heavity of line. As the illustration shows,

he took a special sport charge 1915, with a wheelbase of 143 an engine of seventy-five horse stripped off the old-fashioned body and built on the rugged frame a cur that in ultra modern in every respect. For instance, the mudguards are double, in order to hide the supporting bolts, and

are heavily outlined in brass to prevent rattles and squeaks. A brass strip, so attached that no screws or bails show, runs along the entire upper edge of the budy behind the cowl. A dashboard of alumithe leweler has left the besten paths of rum was installed containing speedometer, motor-car design.

Le took a special spert charge, built in mater, eight runtometer, mutometer, clock, oil indicator, lighting buttons and switch. The cutout was ingeniously placed on the steering column, while the air-pump, choker, and other instruments were placed on the side of the car within easy reach of the driver's right hand. A special spotaght, with a long headle was another novelty



When a jeweler set his hand to automobile design, this was the result. Virtually every part is a radical departure from conventional plans

New Steam-Car Has Engines on Rear Wheels

THE thousand-dollar steam-car is now in process of production. It is an attractive, five-passenger machine of conservatave design. The hotler is placed under the hood, with the engine located in the rear axie, where it takes the place of the usual differential mechanism. Three cylinders drive each rear wheal direct without intermediate geam. Each three cylinders are disposed at 120 degrees and their pistons are connected with a common erankthrow, which is merely an extension of the axie-shaft that runs to the wheel Inasmuch as each wheel has its own engine, no differential mechanism is required fact, there are no gears at all in the rear


Exhaust steam is delivered to the rada ator which acts as a condenser mussion of steam to and from the tear axle is through two pipes, the top one

connecting boiler and engine and the boltum one the engine and radiator. The lower pipe also acts as a torque tube, relieving the caraprings of draving and torque strains. The forward end of this pipe ternurates a a ball joint.

The exhaust steam from the engine in condensed in the radiator and flows to a small water-tank from whence a pump forces it into the botler. The bouse is a water-tube operating at siz hundred pounds pressure and the fuer used in kerosene.

This new steam-car, in common with all recent designs, employs the principle of intermittent bin er opera-

A broken-away esew of the steam-car draving mechanism. The sleam generated under the hood in carried by long pipes to the engines on the reer asles



tion. In years give by stram-cars, like locomot yes and stat mark lower mants operated on a co stant hours pressure and the freshing of the aut and water was varied to keep constant preside. In order to make this work automat the machine was souded with complicate a let cer that had much to do with the decadence of the ateam principle in past years

es, 1 days

The chassie of the law-priced eteam-car. Its stearning action is automatic and is regulated by on electric motor (ed from the lighting system. There are no guers in the car the position of the engings eliminating all need for differentials

The movern idea is to operate the boiler. rtermittently. For example, when the ressure reaches six hundred pounds, fuel, ar and water pumps stop working, and the fire under the boiler goes out. When the pressure drops to, say, five hundred and titly pounds, perhaps a minute later al. tiree pumps start again, a spark-plug lights the fire and the boiler runs (u. L. ast.

until the pressure rises again to rix hundren pounds

It is easy to see that the operation of the system is samp only stack. Fuel, water and air pumps are driven by a aingle electric motor. When the preasure drops to five hundred and fifty pounds, the circuit is closed, and when it reaches his hundred pounds it is automatically opened

Current for the electric motor that keeps everything goldg is supplied from the regular lighting elecuit The generator that suppure the storage battery is located under the floor boards and in driven by a long

shaft from the rear sale

Fan-Belt Drives Tire-Pump

SOMETHING new in automobile accessories is a rotary power-driven tire-pump that occupies less room in the toolbox then the ordinary hand pump

The pump consists of a wheel that is rotated against the fan-belt and which is the cylinder of the pump. The rotation of the cylinder actuates an eccentric that operates through a hole in the cylinder and delivers the power to the piston of large diameter and short stroke. This takes in the air through a shaft containing a port, which opens and classe for the admission billin. The sir is comprehed and forced through a meha convered tube attached to be tire-value. The many covides means for attachment to the set through a blacket that is boiled behind the far sect. The spring from the bracket to the

handle of the tump muntains the necessary metion to insure rotation of the cylinder by the power from the fen-belt.

The entire device weight loss than four pounds

Keep Axle Grease off the Brakes

THE grease in the axise of Ford and Chevrolet cars will often work out through the axle housing on to the braken. If this should happen through wear of the axle parts, the trouble may be eliminated by a new device mode especially for the two makes of cars mentoned. The device consists of a single steel spiral spring that fits closely to the arle-shaft,


It revolves with the live axle-shaft and works the escaping grease back toward the differential housing.

The pulley of this rotary pump driven from the fan-belt is also

the pump cylinder

To install them it is necessary only to slip the springs over the axle-shaft and replace the bearings and wheels

Odd Safety Signal on Fender



An automobile safety signal that operates on the principle of visible indications by means of illuminated erom-arms has been tested and approved by boards of safety of at least one large city

The signal takes the shape of a Maltese cross with a light-bulb in each arm and in the center. In the daytima the transparencies show black when not illuminated, but when a signal is to be displayed the black is changed to the color of ald-gold, which can be read one hundred feet away, even in bright

runlight. At night, when the contrast is greater, the same eignals can be read for five or six hundred feet

amail itemupherical switch with two levers forms the amailties mechanism a, de red may be stown by a single movement.

Placed on the laft lender, the signal is visible to the care ahead and to those behind

A special code that in its various combinations informs other drivers of the next movement of the car, has been devised

Wigner the Underwriters' Laboratories receive an automobile bumper for testing, it is mounted on a stripped chassis frame bolted to a concrete floor A short length of 24-inch pipe filled with concrete and weighing about six hundred and fifty pounds is suspended by a 62-foot cable immediately in front of the bumper, pulled back twenty four feet, and released The impact of the weight equals that of an automobile

weighing two tons traveling four miles an hour, and the shape of the pipe simulates collision with a telegraph-pole. The effectiveness of a bumper depends on the security of its fasterupg The tests seldom break the bumper itself.



and the center light-ed, this signal warns

other drivers that the

car is to be turned around. There are

nine combination

in dicate tions of




Waether the tempera ture be answered to be a series of the
As a Special Service to Readers the Editor will be glad to furnish the names of firms manufacturing the interesting devices and accessories for motor-cars illustrated on these pages.











recewition it is shown by theret it oil that been to are and passes the mercury in the thermaneter





The time move arrows the in spectron election on purch, while a pressure of the foot lever presduthe brack of the tire wide open and expedites inspection



This ture spreader is different from many others to the fact that ten metal fingers open the tire at points entirely around its rireumforence

When You Want Expert Advice About Your Car

'N these six pages of ideas about automobiles and motor-trucks Popular Science Monthly endeavors to help its renders solve problems of maintenance and repair. But there must be special cases that are not covered, and we invite you to write to the Automobile Editor and let him advise you.

If you wish to know more about the devices pictured here, or if you want to ask questions, write. See a few typical answers on page 81.




frustrated if to Tue


PARTITION

ELECTRIC



By virtue of its binged, split frame construction, the front and real cate be ophosits as





C Kadel h Herbert




This wrench with its four every slas विका विद्या



Steering column headlights of the above type can be tilted des por 10 protect the 12 year of the 10 protect the 12 year the blumant rays




The new English anti-glare attachment pictured above in cut nway view can be any, bradle, of of splitt



equisment, built on vacuum-feed principle, keeps the automobile reflights allful by condensing and reflicting excaping steam. When lanks develop, a draing whistle blows







With this compressed air apparatus the garagemen can dispense mean-ured quantum to beam fourieant direct to the string container ittiher.

Why I Believe You Should Buy a New Car

It looks better, gives greater riding comfort, and has more labor-saving accessories than the used car

IF I were to buy another car now, I should buy a new one, just as I bought a new one the last time, and the time helore. I get far more satisfaction out of a new car than I could possibly get out of the amount of money I might save by buying an older one.

But my real reason for purchasing a new car would be a utilitarian one. I use my car in my husiness quite as much as I drive it for pleasure. Hence, I cannot be annoyed with the petty troubes that invariably complicate life for the average used-car driver. From a business point of view these annoyearces represent time lost; and when I drive for recreation, delays to fix one thing and adjust another are a nuisance, and often an

expense as well.

But my new car runs like the proverbial top from the time I step on the starter until I shut her off in the garage. I'm not worried with ignition wiring dropping off, with a gripping or slipping clutch, with faulty brakes or a grind in the rear endall the results of some one else's careless or gnorant driving. I don't have to be eternally tightening nuts and bolts, or, semore generally is the case, chapping themoff with a gold chisel and a haramer because the former owner never touched them and they have rusted solid. Of course some few minor adjustments are likely to be necessary after the first few hundred miles of driving. That's to be expected. But they are adjustments that are easily made by any one. And if the owner cannot make them or dose not care to, he has always the manufacturer's service station to fall back on.

For remember, the new car is guaranteed by the maker for ninety days under a guarantee that the deaser causes to include anything that may provent that car from giving perfect service. This takes in all those minor but necessary adjustments. The dealer is not only willing to give the service, but is anxious to do so, for his best adver-



Easy riding depends on spring design and suspension. The comparative resiliency of aprings in new and used cars can be easily demonstrated as shown above

NEVER before to our knowledge have the respective ments of the New and Used Car been exhaustively argued in print. Last month Popular Science Monthly published a motor expert's plea for the Used Car. On this page the other side of the argument is now presented. Winter is the time to buy used cars. The spring automobile shows will soon be here with their galaxies of new cars. These articles will help you form an intelligent opinion as to which type of car to buy.



Tests show that in a used car imperfect combustion permits condensed gas to lask into the crankcase, diluting the oil

tuing is word-of-mouth advertising—satufied-customer advertising.

Thus, I place Preedom from Trouble high on the list of reasons why I will buy a new car next time. Preedom from trouble also means eafety. I do not know, and have no means of knowing, in buying a med car, what parts may have been strained to the point where they are likely to let go and put my life and the lives of my passengers in danger. Platenarium

And tires. Tires are among a denter see the most deceptive things about a car, particularly to the average person, who knows little or nothing about them. Often enough they fool the expert. They look alright, good for thousands of miles—generally, because the person who is selling the car has "delled" them up to look tha way. But it is the inside of the tire that tells the story, and you can't see the inside Even if you could, you would have to take

So you'd buy new tires—not right away perhaps, but before you had driven it ver far. Even if it is a very small ear, four tires, not counting the spare, will cont in the neighborhood of \$50. If you buy good cord tires, which, by the way, are a real investment, then they will set

the car or leave it-with the tires it had or

you back about \$120. Now add that to the original cost of your used car


But with my new car I have no tire trouble for thousands of miles. Punctures don't annoy me because the tires are so new that ordinary tacks and nails don't penetrate them. Blow-outs are unknown. I roll along for 8000, 10,000 miles—I gut better than 11,000 out of the tires on my present car—and literally don't know there is rubber under me

Another important reason why I shall buy a new car is because it is modern. Improvements are constantly being made in automobiles. They are not made for the more pleasure of making them. They are necessary

tmprovements. They are improvements that have to do with economy, flexibility, smooth-running and safety

On the score of economy alone a modern car is miles ahead of a car that is even so little as a year old. Our gasoline is getting wome every day. It's about all an old car can do to run on it at all. But my new cat is designed from the ground up to use just exactly the grade of fuel I get everywhere all over the countryside. It is designed to use some of the heat of the burning fuel in order to make the rest of it burn economically—that is with the utmost efficiency

Then, too, unless the fuel is completely burned, it condenses and gets down past the piston-rings into the crankesse, where it dilutes the oil. The result is that this oil is used up far more rapidly than it should be, which means a big oil-bill. An even worse result is that the bearings and pistons are improperly lubricated. This is turn means aloppy pistons, worn rings, and perhaps secred cylinders. It may also mean burned-out connecting-rod or main bearings. That's one reason why all the oil companies advocate heavy oil for old cars. They simply allow for the dilution they know is occurring. Also, an important point to bear



New care have no scored pietons and warn pieton-rings. Because of this, they run more silently, with lower fuel cost and greater reserve power

twoand

folding com-

pactly out

of the way

when I don't

want it. My speedom-

eter is geared to the

gearset and so I don't

have any trouble with

fiber gears chewing up

through their inability

to chew up the road

gravel they feed on.

Nor does my speedom-

cter cable freeze in

winter and break, or

My demountable

I ghts are modern and effi-

On the score of materials

Clutch-

long lever

iui rea

in mind is that the heavy oil quiets an otherwise worn and noisy motor

Then there is the ease of control. As I said before, I drive my car in my humbers and also for pleasure. As a business car it must not be undary languing to drive. And pleasure driving must be pleasure, not work. Old cars steer hard, due to faulty construction, to wear in the attering

parts, or to lack of lubrication

Better design in mylnew or has county about a proper proportioning of the sage and leverage and therefore it steer easily and requires little lubrication. What lubrication it needs is taken care of by a little factor which its little figger of a grease-cup to which I fit a big greate-gun, and force the lubricant where it ought to go-force out the old. tired grease, and force in the new. Incidentally, every other part of my new car as

lubricated in the same way A two-hour, massy, dirty job on an old-style car becomes a nice, clean, fifteenminute fob on my new one. And everything is lubricated properly,


Clutch-springs are heavy In old cars, and so are the aprings that hold the brakes off. This means leg strain It means a tendency to "ride" the clutch, and this wears out the coutch collarbearings in short order. On my now car, on the other hand, I can release the clutch with one finger and bring the car to a stop with the lightest imaginable touch of the service brake. The answer is summed up in better, more modern design coupled with better lubricating methods. They mean easy control. They make it fun to drive

And now look at the

equipment I get with my new car.

There are side curtains that open with the doors and really fit. properly not jammed under the rear seat, wankled and tern and with half the centiond They are not on se nort in I taken as quietly They are not a Unibese puz-

zle even to my wife My new top IA S OBC-BARD top, put up ensily in a minute or




Better-proportioned linkage, lever- and clutch-springs make it possible to operate a modern clutch with less effort

that go to make up my new car I know that the maker has used variadium and molybdenum steel so the parts may be made smaller and lighter, easier on tires and a miner for gasoline and oil. For roadability and rid-

cient.

rims fit properly.

ability my new car is far better than a used car. And my new ear is a better inventment than a used car. as witness my own exportence. I hought a new car that cost me \$1040, desivered. It came to me brand new, shiny, beautiful. It ran perfectly. I drave it for a little over a year, covering approximately 11,000 miles, and sold it for \$850 cash. In that year I never had it near a service station, never stopped on the road for trouble of any kind, and never spent a penny for tepatre.



Write to Us About Your Motor Troubles

If you have a motor-truck or automobile problem, let the Automobile Editor solve it

Advice to New Driver

O. I have just taken delivery on my first car. What advice can you give me regarding driving or core of 107 G. A. M. Taliabance. Fortis.

A -An to driving, be twice an enreful under all circumstances to you think that you ought to be. Keep your eyes open and use your imagination. Thus you should be able to former almost any

Treat your car with as much sympathy as you would a thoroughbred horse. Never abuse it or neglect it. Above all, do not neglect its lubrication. you give it plenty of oil and grease, it will last indefinitely. Inspect it once a month for loose nuts, worn insulation,

Never take anything for granted-a little scrap of advice as important as it is difficult to keep in mind

Horsepower Formula

O.--Onn you give me an accurate heree-power formule?-- D. D. B., Farge, S. D.

A .- There are so many variable factors in an automobile engine that no simple formula can be more than

approximate. On the average the following will give fairly good results:

> PISTR Horsepower (5 000

where D is the bore in inches N the number of cyanders. S the stroke in inches, and R the revolutions a minute

When Building a Garage

Q. What dimensions would you advise for building a pr vars garage to because a single car? M B M People [M.

la building a private garage it frequently happens that the structure is cramped and poorly lighted. Good light and sufficient space around the car to permit of easy movement are essential. A margin of at least 2 feet should be allowed both at the sides and the rear. The size of the average car is approximately 6 by 16 feet, so that the dimensions of the building should be 12 by 21 feet.

If the car is a Ford, the building may be reduced to 12 by 17 feet. A large car, guch as a 66-horsepower car, should have a building 12 by 24 feet. There should be several windows.

Blowouts at High Speed

Q. -Why is a blowout dangerous at high speed? M. D. Mct. Oakland, Calif.

A —A blowout in a front wheel is dangerous unless the steering-wheel is firmly grasped with both hands, this statement applies to all speads in excess of about thirty miles an hour. A blowout in either front or rear whosl is dangerous on a turn which is being taken at a fast rate, because it greatly increases the cat's tendency to skid, and in many cases. this increase is enough to enuse an accident. If a car is curning fifty must an hour, and a blowout occurs in the right front wheel, the steering-wheel will be wrenched to the right and the car will swerve sharply in that direction unless the driver is prepared for just such an emergency. The explanation is that no steering goar is fully "irreversible," and the extra resistance caused by the flat tire rolling along the road. swings the front wheels in that direc-

Most of the accidents blamed on defective etecring-gears are caused by unexpected front-wheel blowouts.

bay or wrench at one end, while the other end is turned down in the lathe and provided with a groove into which a round-

headed muchine-screw fits. The sliding jaw of the wrench is cut off square and cut

out to receive a small block of steel, drilled to receive the blind end of the set-screw

together and the round-headed machine-

screw already mentioned fits into the

groove of the set-screw. The two pieces

that wedge the springs spart are made of

The round drill-rod. The points are

ground or filed to the shape indicated in the

picture and then tempered.

Two rivets hold the block and the law

Build a Homemade Water-Pump

By W. A. Logan

ROM an old motorcycle engine a suc-tion water-pump may be deal that with a spiral spring and cotter-pin. The prove of great use witness for many pur-spring should be of light tension, so that it poses. The times gears of the engine should be under again instead of leaving them at 3 to I. This change allows the


ducharge valve, which was formerly the exboust valve of the motorcycle engine, to Open at every up stroke of the niston.

The injet or suption valve is made of standard pipe-fittings and is screwed into the spark-plug hole. This valve may easily be made at any plumbing-shop from standard 34-in. T. with an old valveatem ground down to fit. The stem should run through a hole drided in the plug that is screwed in the

allows the valve to open automatically as the piston descends, but closing it when the reverse stroke begins. At the same time

> the ducharge valve opens and through it the water drawn in the cylinder is forced out


> It will be found that about 55 revolutions a minute is the best speed, giving approximately one impulse a second. The speed in culculated from the number of revolutions of the power puney, its diameter, and the dismeter of the pump purley. The end of the suction bose should be provided with a screen to keep out the durt that would interfere with valve action.



An aid matercycle engine may be restored to usefulness so a water-pump as here illustrated

Let Your Ford field in the Farm Work

ON the small farm the possession of a Ford is a valuable asset litt sturdy engine rady be employed to furnish the power required for driving or operating a variety of parts muchinery, from a simple host to a sawmid or feed-cutter. It is an



Attach a pulley to the rear sale of your Ford and it will run your farm machinery

extremely easy matter to harness the Ford engine to almost any mechanical task by providing for it a pulley as shown in the iliustration.

Remove one of the Jacked-up drivewheels of the car and put is its pince a nulley made of an old rear hub, a brakedram and a circular wooden disk, 2 in thick and of the same districtor as the brake-drum, all securely boited together as shown in the picture. - E. A. MESSLER.

Special Tool for Wing-Nuts and Petcocks

'HIS tool for use in the garage while adjusting and oiling the car can be made of a 2-ft. length of gampine bont at one and and alotted with a reliation of each, as is shown in the attached state of a reaching or crawling under the car to turn up



This tool will be found helpful for turning wing-nuts and petrocks

winged nuts provided for adjusting brakebands or turning off stopcocks for the gasoline line or grankease of the motor of the drain under the radiator or pump. The turning tool is also of advantage in turning up grease-cups of the type with a winged cup for the grease. This tool is readily made up in a few minutes and its use avoids soiled cuifa, coat sleeves, and clothing.


Adjust Radius or Torque Rods to Prevent Skidding

WHEN an automobile skids with the least cause and sometimes apparently without cause, the radius rods or torque tubes which hold the rear axis perpendicular to the center of the car are the reason. A bend or incorrect adjustment of one of these rods thrown the wester of the exists and and the wheelesdo a perack, but tend to reflete a tidependent course. The rear entire naturally inclined to follow the which and keeting is the resolt.

Thus is true of the setdom suspected causes of saidding and the remody is to takencours measurements from the yele-balls at each side of the front axis to the

bolts at each side of the front axie to the rear axle and adjust or straighten the rods as required until the measurements are

exactly alike.-G. A. Lumate



Incorrect adjustment of the torque rods will cause skidding and should be camedied

Device for Spreading the Springs of Automobiles

THE main portion of the device shown in the illustration is formed by a 14-in. monkey-wreach, the handle of which had been cut off with a backsow 6h in from the naw

If it the end from which the handle was cut, and at a right angle tob. angitudial axis, a rectangular groov to ut, I in wide and half the thickness of the steel. A piece of steel, 14 in. duck, 1 in. unde. and 176 in. long, is similarly out at one and so as to fit in the groove near the end of the wrench-har

The two parts are then drilled and threaded for two machine-ecrews that hold them together. The free end of the set-in

Summer? DID you answer the call of

Were You a Gipsy-

Motorist This


the open road this year? Did the running-boards of the "old bus" groun beneath their loads of tenting, bedding, estables, and utensils?

Tell us how much your trip cost, where and by what route you went, what hig leasons you learned that will help others make plans for a similar vacation next year. and, finally, what automobile. camping equipment you purchased or improvised.

For the most interesting and informative letter, \$35 will be paid, for the second best, \$15. Letters must not be more than 500 words long and must be received on or before January 10, 1922.

piece of steel is drilled and threaded for a until net storew

The set-screw has a square end fitting a




DETAIL OF SCHOOL

With this device the leaves of statumobile springs are smily ciled

Shop Tire-Rack for Tubes and Casings

A RACK to hold tubes in the tire repair shop is made as shown in the diluteration from ections of light proping and connectors. This rack, tracks constructed of process the tome price, but is far more convenient to the first price.



This hanging such offers many advantages in the espaireshop in which apace is limited

a tire or tube and in locating the desired tire or tube when called for.

The rack is suspended by means of flanges from the ceiling and elbows and erose couplings are used to acrew the neveral sections of gaspipe together. This rack is hung about 6 (t. above the floor and consequently does not interfere overhead. It will hold a large number of tires and as practically indestructible.

Auxiliary Wind-Shield for the Automobile

ONE form of auxiliary wind-shield which will protect the occupants of an automobile from rain and wind in automobile from the distriction.

This shield consists of a sheet in a brane frame screwed jointly the of the body adjacent to the first district.


and to the wind-shield frame

One of these shields is used at the side of the car and the side curtains are altered by extending the edges so as to fasten to the brass frames. With these a clearer vision is afforded the driver when the side curtains are in place. The transparent celluleid will not break and shatter as would glass, and when dulled it is renewable by separating the screwed brass strips. These shields are about 12 in wide and made to correspond in height with the wind-shield.

correspond to height with the wind-shield.

The polished brash of subjective appearance of thought near the freedom from the usual dust and dirt obviates the usu of

glam or goggles.



Riding in an automobile is made much more pleasant by an auxiliary shield against rain or anow



Keep Your Home Shipshape

Interesting things to do around the house to save time, temper, and money



Fire-Extinguishers for Use in the Home

SOME means of putting out fire should be kept in every room. The following formula will provide, for a trifling cost, material for twelve or more hand-granades that will metantly out out fire.

that win instantly put out fire.

Get b bee, common calt and 2 '7 ibe, salarimonide, Discolve in 1 '2 hal, water Bottle this up in the translation tiles you can find, cark verve ghiry, and place them where every one will be able to find them quickly, but not in too hot a place.

Should fire break out, knock the neck of the bottle off and sprinkle the contents over the fire, or throw the whole bottle into the fire against something hard with sufficient force to break it, and the fire will be extinguished.—R. A. McCann.

Softening Sponges without Injuring Them

FINE grades of sponges, sold under the name of "haby sponges of "surpreal sponges," are invariant to free from sert and bleached with parameters of potassium and suiphdrous abid before they are placed in the market. It has been found that this bleaching process greatly diminishes, the remisency of the sponge fibers, making them.

soggy and difficult to clean.

It is therefore, obvious that the arbitrache of spools are preferable and more enduring, but they must be irred from the gritty particles which they contain before they can be used on the soft skin of the baby. These particles, which consist principally of carbonate of lime, may be removed without injuring the clasticity of the

sponge by Immersing it for two or three hours in water containing about five per cent of hydrochloric seid. After the sponge has been removed from this solution it should be thoroughly washed in several changes of running water to eliminate every trace of the seid.

Simple First Aid for the Alarm-Clock

WHEN the old marm-clock lies down on the job and insusts upon taking a rest in spate of your shaking and twirling, the trouble is generally that the cold has gummed the oil and put the brakes on some of the more delicately adjusted mov-

The cur is easy Put the clock in the stove or on the steam radiator. Let it heat through moroughly—of course not enough to melt the solder in the case or scorch the face—and the gummed off will soften and run out of the bearings, leaving just enough to keep everything in the old stand-by working smoothly. P. M. Wiston, Jr.

How to Make a Cracked Bottle Watertight

REQUENTLY we have a cracked cutglass or other bottle of good quality which we should like to continue using. To meld it and make low attribute heat the bottle, code it tightly, then paint the outside of the crack with codium attente or waterglass.

As the bottle gets cold the solution will be drawn into the crack and will make a fine, tight joint.

Putty Substitutes for Use in the House

GLAZIER'S putty is made from whitening and lineed oil. A good substitute may be made of flour and oil mixed to the proper consistency. If you have no lineed oil, some varnish or point will do. In fact, paint is better. If of the right color.

paint is better, if of the right color.

A substitute that its better than putty when arguments of cracks that the filled is paper we made ated a water that mixed with some flour and but ed. This, when dry, will be found to get almost as hard as from

Plugging Up the Nicks in Old Furniture

To fill up the nick in that mahagany table, prepare a mixture of 8 parts becawax, 2 parts yellow others, 2 parts whiting and 2 parts Indian red

For more serious cracks, a mixture of shellar, beeswar, and resin in various colors may be bought, or the handy man may compound the mixture by melting in a tin or iron pot a cupful of common shellar, a spoonful of powdered resin and a piece of heeswax the size of half a walnut. For golden cak, add a teaspoonful of yellow othre; for mabogany, the same amount of venetian red; for walnut, the same amount of brown umber

After the substances have been thoroughly melted and mixed, the liquid should be poured on a clean surface to cool until it may be handled. While it is still quite warm, roll it into a stick between the hands. Apply to the cracks with a hot (but only black hot, not red hot) chief.



A Simple Radio Receiver for Everybody

these times, when the Bureau of Markets is broadcasting daily reports of market conditions from a chain of stations all over our country, the naval stations are sending out weather and navigation reports, some commercial companies. ard operating radiophone stations, and thousands of smateurs are using both the radiophone and the radiograph, it behonves a good many of us to build receiving-sats, got into the game, and receive some of this valuable and interesting free information. A few dollars enrofully specific will build a radio set that will be at the news of the world to our homes. It is presible that the market reports Jan be used in our business and the radio wine conscients that can be proved up there y any night may take the place of our phonograph and have the added attraction that the music, though canned, is being transmitted the out of the same from that through space from sfar. It is interesting to listen to the small amateur statum in your own home town talk to another possibly a thousand galles distant, instructive hobby has proved an excellent diversion to many a great engineer and

A simple receiver, having a wave-length range of from 175 to 750 meters and em-

husiness man all over the country

GADUND F G.1

Now the apparatus is connected for the reception of wireless messages


ploying a crystal detector, will be described in this article. A novel means of connecting the crystal detector with the circuit so that extremely sharp tuning is possible, will also be described.

Before we can build a receiving set of any kind for a given wave-length range, it is necessary for us to know what nort of antenna we are to use, the kind and sizes of condensers that are available, etc

For the ordinary smateur the receiving antenna should be capable of being used for transmitting as well. For this reason we have chosen a T type antenna 35 ft high and about 50 ft. long as the ideal. Of course, the receiver will operate equally satisfactorily on a larger or smaller antenna, but if the antenna is too large, it will be impossible to receive the shorter wave lengths, and if it is too small, the reverse will be true. Such an antenna as the one described will have a natural wave length of about 150 meters and a static capacity of about 400 micromicrofarads.

By Arnold Holmes


DO you know the joy of receiving radio messages and radio concerts? Long wintry nights are ahead of us. Have you thought of sitting in Lyour warm, comfortable room and bringing the news of the world to your ears? Nothing is more fascinating. You can do it. Only a few dollars and a few simple tools found in every tool chest are needed. Start now,



A few turns of tape about the tube will prevent windings from alapping

The and of the wire should be anchored in the tube as in Fig. 3 before the winding is started

Since the receiver it only to cover the limited range of wave lengths between 175 and 700 meters, it is not desirable to use a condenser larger than 750 micromicrofarada capacity. A minimum capacity of not higher than 35 micromicrofarada (000035 mfds.) should be obtainable in condensers of this size. We the these values of minimum and maximum capacity and the coils suggested, the desired wave-length range can be obtained. It is then obvious that greater wave-length ranges can be obtained by using condensers with higher maximum or lower minimum capacities. The first table on page 85 lists a number of




The details of the crystal detector used in connection with this outfit

commercial condensers and their minimum and maximum capacities.

Figure 1 is a schematic diagram of the receiver circuit. The wave length of the secondary circuit is determined by the inductance coil L₀ and the adjustment of the condenser C₁. The wave length of the antenna circuit is determined by the antenna the inductance of the coil L₁ and the adjustment of the condenser C₁. The two circuits are coupled electromagnetically through coils L₂ and L₂. The coupling is variable by rotating the coil L₂ within L₁. The tuning of the circuit is made sharp or flat in part, by adjusting the coupling handle so that the coils are mutually perpendicular or parallel to one another.

The crystal detector is generally connected across the receiving condenser so that all of the voltage of the received signal acts on the detector. Physiciats who have studied the crystal detector, tell is that it has a very high resistance for weak signals and a low resistance for loud signals. Thus the condenser C₂ is shunted by a very high resistance when weak signals or no signals at all are impressed on it and a relatively low resistance when strong signals are



How the apparetus is finally mounted on the panel

impressed on it, Shunting the condenser C, by a resustance has the same effect as adding resestance in series with the inductance and the condenser Cz. The lower the resistance, the greater the resistance thus added. Engineers have found that the sharpest tuning results when the resistance of the circuit made up of L, and C, is lowest. From this we see that the crystal detector connected across the condenser gives flattest or broadest tuning for the strong signal. If, instead of connecting the detector across the condenser C, or the cail La it is connected across only a partion of the coil L_p, it will have less effect on introducing resistance in the circuit, and the tuning will be sharpened meterially. In fact, with this arrangement, it is possible to obtain as good selectivity as tan be had with the vacuum tube receiver This method of connecting the detector to the receiving circuit is, in effect, loose coupling the detector to the secondary circuit.

The coils can be wound on cardboard, or rubber tubing. If the set is to be very well made, it is desirable to turn a thread on the tubing having the same pitch as that of the wire when wound close together. In winding coils on tubing of smooth surface material, the following kink will be found very useful, wind a single turn of friction tape around the tube longitudinally in three places (Fig. 2). This will hold the wire firmly and prevent it from shipping during and after winding. After the winding has been completed, the tape can be cut close to the winding with the aid of a penking

The wire can be fastened at each end of the winding by drilling three holes in the tube in line with the wire and winding it in

and out as shown in Fig. 8.

The dimensions of the colls and the winding data, the expection of the various condensers, etc., are given below

For the crystal detector, any of the standard makes of standa may be used, and galena, radiocite, sincite, chalcopyrite, etc., used as the crystal. A satisfactory crystal-detector stand is shown in Fig. 4.

The crystal is held in a small metal cup by Wood's metal (a low melting alloy). The cup may be turned in any position by recess of the knob and held in position by the set screw. The cat-whister is adjustable by turning the hundle or sliding the rod through the support. The brans spring is fastened to the support and presses on the cut-whister rod so that it will stay put in any position. The rod is also capable of awinging on the swivel, which is made so that it will stay in any set position by means of the spring washer. In operating a crystal detector it is beneficial to occasionally wash the crystal with a little carbon bumphide.

Usually panel mounting is the most satufactory, because the panel can then be mounted in any convenient place.

A conveniently arranged panel is shown in Fig. 5. This arrangement allows the equipment (allowing for a 5-in, diameter condenser) to be mounted on a panel 10 in.

by 12 in.

One of the possible arrangements of the coil mountings and details of the adjustable coupling feature are given in Fig. 5 for the convenience of the experimenter. With a set of this nort it will be possible to overhear spark stations, buszer-modulated continuous-wave stations, and radiophone stations within the range of wave lengths

	2 3103	MENSIO	NS, ETC	-
C inde nser		ide. 786 M		Caracity
1 9	.epp.pp.	http://www.condender		
(vil 1-1 1-2	Tube did 3 h J m	Windong designs 1 % du	T mail 185 60	20 49 60 15 30 45

CONDENSER TABLE

Low of standard commercial enden. ets and thele

Manufacturer	A grammace Massacum Lyp. M talda.	Massarants
De leavent	30	1600
A A A B	20 25 50 60	670 940 1500 3000
Mardina Sea Total	2D 75	500 P20
Nellst 3300 51000 4200 West Elec Co.	26 25 45	640 1100 3390
46 Å: 47 Å:	30 25	710 223
Euclieux 1	20 35	8.50 [40.50

How to Make a Pair of Delicate Balances

To construct with ordinary tools and from ordinary material a pair of chemical balances that will weigh the ink on this sheet of paper is not at all hard or impossible. So delicate a pair can be constructed easily from 4 ft. of No. 16 iron wire, 4 ft. of No. 16 iron wire, 4 ft. of No. 16 iron wire, 4 phonograph needles, some small strips of 1/16-in, brass, and 3 anall blocks of wood. The tools necessary see pilers, hammer, small center-punch, vise and sordering outfit liaving process as follows


From the No. 10 wire enrefully bend the form of the frame. The following dimensions are suggested: beight 5 in., width of top 2 in. This frame should be bent by the aid of a vice and harmer. The two ends of the wire should be butted together and soldered under one of the curved ends of the bracing stripe across the bottom.

When the bending is completed, the little stiffeners made from 1/16-in, brase 6-16 in, wide, should be bent and soldered into place. Two small holes should be bored in each of the bottom straps in order that the frame may be fastened to the baseboard. On the front side of the lowest cross strip a graduated scale should be marked. The most satisfactory way of marking is by means of engraving the scale in the brase strip itself. However, the scale may be made on paper and pasted to the strip.

Next in order are the balancing points, which take the place of the knives of the ordinary chemical balances. This is one of the most exacting details of the entire construction. These points, which are phonograph needles, are fitted in the top of the frame as shown in the detail illustration, and are beid exactly vertical by a bit of solder. Now, screw the frame to a base-board planed flat and sandpapered and supported by two stationary feet and one adjusting screw as shown.

The balancing arm is made from another piece of the No. 10 iron wire. It balances on the two needle-points and carries the weighing-trays. It is 10 in long. The tray-balancing practs are spaced 2½ in on each side of its center.


On the under side of the arm, exactly in



This shows the appearance of the balances when completed in secondupon with the directions given

the center, is soldered a steel plate, 1/16 by 1/2 in. The center-punch marks on the under side of this plate fit over the main balancing-points. The marks is the mail delicate operation of the entire construction. The center of the punch marks make enincide within 1/1000 in. The needle-points. A good method of procedure for the making of these indeptations follows.

Procure a center-punch that has been ground to a very fine point and the point polished with emery-dust. Soften the piece of steel. (Brass may be used, but if



The belancing arm is above here in top view, also details of the most delicate parts of the structure

so, the balances will, not be an delicate.) Cover the side to be punched with chalk. Draw this chalked side arross the needle-points carefully, in order not to blunt them or turn the points; then very carefully punch exactly on the fine lines left in the chalk and in the center of the strip. The center-punch marks in the strip and the balancing-points should then coincide exactly. Now reharden the strip and solder it to the center of the top gross piece.

Next, insert the phonograph needles that are to carry the trays. Thread 1% in, of each and of the beam and acrew a small weight on each. These weights will make it possible to bring the scales into perfect belance. Attach a point (made from two parallel No. 16 wires) as shown in the picture. At the end of this pointer insert a piece of very thin flat steel or brass. The edge of this strip next to the scale should be ground to a knife edge so that exact reading on the ecole may be taken.

the scale may be taken

The weighing-trays may be made from netal but they may be turned from the lid to court-box more easily. They are hung of Vo. 16 wire brackets carefully bent as shown. On the inside of the topmost curve of each bracket is soldered a small piece of steel with a center-punch mark. The tray brackets then hang from the balancing points. If the brackets have been carefully made, the trays will hang exactly level.

These balances will be found an aerastive that they should be operated in a room where no air is stirring. If the needles are perfectly sharp and accurately fit in the center-punch marks, and if the steel inserts in the top of the tray brackets are tempered until they are very hard, you will find no difficulty in weighing the amount of lead that rube off of an ordinary lead-pencil is writing a half-page letter, or the amount of carbon dioxide taken out of the air overnight by a plant


A good way to obtain small weights for your balances follows: Procure a thin sheet of aluminum and have it weighed exactly by a scientist or a druggist. If it weight 100 grains, cut it into one hundred equal pieces and you will have 1-grain weights. Cut a few of these in balf and a few in quarters. Cut, do not now or file.

Useful and Attractive Ornaments from Carved Clay

BEAUTIFUL as well as useful articles can be made of carved city. The clay must be soft, like talcum, and under no conditions should it be gritty. A gritty clay is difficult to carve. The purer the clay the easier it is to work. It should have the least amount of foreign material in it. Only those pieces that are free from sand and pebbles are to be used; all other pieces must be rejected. But most impuriant is its color. This may range from pure white to yellow, brown, lavender, and red, together with all intermediate shades. The variously tinted clays are more beautiful than the white, and the mixture of two or more colored clays is still better.

If the clay is so dry that it is difficult to mold, water should be added until it becomes very soft. When soft, two or more colors of clay may be worked together, which, when dry, will give the affect of marble. When this has been accomplished so that no air spaces remain, it is molded by pressing it into shape. The shape desired will, of course, depend largely upon the quantity of clay on hand and the desired object to be made. But it is always best to make blocks that are somewhat larger than the intended product. If a smoking-set is made, then the largest block, which is to hold the tobacco, can be hollowed out at once. This is best accomplished with a tin can. The other, and smaller blocks, are left as they are after they have been formed

After the blocks have been formed, they



Here is shown the method of cutting out the well of the clay jer with a tin can of proper size

By E. Bade



In carving the designs in the clay, you may give free play to your imagination and artistic gifts

room or attic. Care must be taken that they are left undisturbed for at most 6 or 8 weeks. Never place them in a move, or otherwise bake them. This most causes them to cracks. The slower that drying process the backs have become thoroughly my many are shaved down with a knife. They have the deared dimensions and habe, the interior must be carved.

When the brocks have become thoroughly by they are shaved down with a knife. They they have the deared dimensions another they have the deared dimensions another they have the deared dimensions another the interior must be carved out, if this has not been done with a tin can. Here great care must be taken that the knife does not slip or that the corners are not chipped off. If octagonal jars or other containers are to be made, then the blocks are first aquared, and after measuring the exact size of the corners to be cut off and drawing them with a pencil on the clay, they are slowly shaved down to the required shape.


The envitue in the blocks of clay can easily be made with a brace and bit or simply by turning the point of a knife on the block; but care must be taken that no pressure is exerted. After a small hole has been made, it can be enlarged with a pocket-knife until it reaches the desired size. Never make the walls too thin; it is best to have them at least 1/2 in, on larger

Now the most difficult and at the same time the most interesting work remains to he accomplished. That is carving. Since the clay, when dry, is very soft, it is a comparatively simple matter to carve. Formal designs are the most difficult to make, Here the straight lines must lie in certain positions, and if alghtly on one or the other side, or if one end is slightly thicker than the other, the whole appearance of the object will suffer. Although at the first glance they seem to be more difficult, the simplest designs of all are leaves, branches, and tendrils; if one line does not lie in the position it is supposed to occupy, no harm is done.

The selected designs are first drawn upon the surface of the clay, and then the clay is removed on all its sides in small pieces, preferably at dust. The design itself should stand out in relief to obtain the very best first.

When the object has been completed to the satisfaction of the worker, it must be covered with some kind of a varnish, otherwise the clay would come off at every touch. For this purpose celluloid dissolved in acctone is ideal, especially if the solution is made very thin. The acctone forces the celluloid into the clay before it drim, and when dry the surface will be

It is best to give each object two coats, the second after the first is absolutely dry and no more furnes can be detected. Great care must be taken that the acetone is not brought near a flame, since it is very inflammable.




A smoking-set like the one above will be appreciated as a Christmes present by any amoker

Moving Shadow-Pictures on the Screen Are Amusing

HAWAIIAN dencers, dencing animals, etc., shown in motion as shadow-graphs on a screen will form an attractive entertainment for children's Christmas parties. The figures of the dancers or romping animals are drawn on heavy manila wrapping-paper and carefully cut out

The illustrations below give a number of suggestions for such figures and show how they may be cut out singly, in pass, or in triplicate.



Draw one figure, fold the paper us indicated, and after cutting along the putlines you will have three figures


The speciators at the entertainment are all seated in the parier. Over the boor to the next room a sarge short is introched. The lights in the parior are tuned down during the mow. The agures are suspended by that threads printed to the sheet singly or in groups, and the enter-



Moving the two curdles in different directions with the cousic makes the figures seem to denou

holding teach hand a lighted made, staped behind the curtain and in the the the plane, thus producing the illusion of the figures dancing to the mudo. The illusion may be aided by giving a jerky motion to the sheet

By arranging a program, it would be a simple matter to elaborate upon these dancers and to tell an interesting story with boldly defined cut-outs—in short, to produce a shadowgraph marionette show that would amuse the grows-ups of the party as much as the youngsters.



Dancing Bons, slephants, and other sources add to the comical effect of this shadowgraph entertainment

Business

is Better!

Young man, be independent. Strike out for poursell. Hold

up your head. Do the sky hen of Opportunity see the

Incomes School. We are

TRAINERS OF MEN, ARCHI TECTS OF SUCCESS. I have

made e milios dellars in

Choos years BY MAKING OTHERS SUCCESSFUL TOAM

poor first slog loward extensi

by writing we today. Over 44,000 tourousini graduates,

I'll Pay Your Railway Fare to Kansas City!

My Big Announcement this season-

You can come to the world's largest and best trade school at no more expense than if it were located in your home town, for I am rebating fares from any point in the U.S. to the Sweepey School. No advance in tuition, no extras. Just a fair square rebate. No matter where you live, this brings the Sweepey Million Dollar School to your door

Thousands upon thousands of young men thought as you have been think ug about BIECHANICAL TRAINING, and they answered my advertisements, got my Rig Free Catalog, came here, learned the business, and today in all parts of the country ARE MAKING GOOD. I can give you hundreds of letters from these men that relate circumstances and hopes so like your

own that you will be amused
These men TOOK THE FIRST
STEP. They wrote for my catalog. and date their present success from that moment. They will tell you

"Don't make any mistake. Take up the Auto Business. Loarn it right. LEARN IT AT SWEENEY'S,"

But These Men Never Had the Opportunity You Have Right Now

The rai road fare to Kansas City is a big item. Lots had to pinch and scrape to make it. But I will now pay your fare.

But you must COME NOW I don't know how long I will keep this offer good. Because I WONT ACCEPT MORE MEN than I can properly handle and give the attention to them that the Sweeney System demands. I've got over a quarter million dollars worth of equipment in the largest trade school in the world, covering 12 acres of floor space—but there's a limit to all things. And when that limit is reached— I'll withdraw this Pree Pare Offer

I will allothy small my 73-peops illustrated curtilous FRFE. Also a free rough of the december Schille Name, a maint interestable man is a school galact positioned here. You will set a heat. Read the war him ally discrete of face; the improve who rappe to become a and found sports. Reput how found hovel and Marry Wilmon but the a fill different matters on a section of the section and the section and the section of the section and the section and the section of the section and the section at the section with the section of the sect

EMORY J. SWEENLY, President.

Send Coupon Right Now!

947 SWEETEN BLOK KANSAS CITY P

Young men mechanically inclined, get into the automohile husiness new and make

rost money. And remember you are never too old. Henry Ford was 40 when he started the Ford Do.

QWEENEY trained men are in demand everywhere at good wages, \$50 a week and more, from garages, tire shops, welding concerns, auto repair shops, etc. In the last oix months farm products have all gone down, but the outes still best reasons and so trained mechanic had to hunt a job Top wages are paid, but SWEENEY TRAINED MEN ARE WANTED Here a the proof :

Hundreds of Openings For Men!

South Dakota wires: "Will pay most any price for a good man. Send. him right away. Neck City Mo. says. Put us in touch with a first come repair man. Excellent opening." Indiman for my new garage. Steady work. at good prices " Kansas appeals: "Send me a man who understands Ford Carfrom A to Z. Will pay top wages. Mis-sussepp: telegraphs. Wast a post grad-Wire at my expense." Florida calle:

"Want head mechanic. Will pay \$50 a week. Let me hear by return mail." Thousands of Susumey graduates now produc their ses besiess in various parts of the country missily hear the Sweeney trained, men. Sweeney loyally is wonderfu. Our daily may is conclusive proof that the trained man with a Sweeney diploma can secure jobs like these at \$50.00 a seek and more. Get


Thie Free Book

> For Big Free Catalog Mail This Coupon Today?

EMORY J. SWEEKEY, President Dept. 947 Sweeney Bidg., Kanses City, Ma.

Send me tree or hoot any obligation your 71-page calabages of your survey; School Servi. Tell for of the apportunition the ages and Tractor Sections.

Name:





All aboard for a delightful trip through the trip winter air with this propeller-driven sled


OOD looking as is this homemade ico-G flyer, it is not expensive, as it can be made from used parts that a mechanic

always has lying around his workshop. Its novelty and speed will make a strong appeal to all lovers of outdoor sport.

And now for the construction. First, look around for some spruce wood and from it build three 2-in, runners. Be sure that the apruce is well sessoned and that it has no knote in it. As soon as you have complated the runners, apply two or three coats of the best spar varnish.

For the motive power a good secondhand Ford power plant could be used. At the and of the elongated crankshaft in placed the 6-ft, propeller. The old Ford transmission is dismembered, all ussiess parts are removed, and sheet-from plate is placed over the universal-joint housing

The engine is set on an angle-fron foun dation as shown. All unnecessary parts




Front elevation of the sir-driven tos sled, showing the framework supporting the engine

are discarded, such as the fan, for instance in the ice surface. The side hands are of as the radiate redrives plenty of au. The armondate redrives plenty of au. The armondate redrives plenty of au. The family of the side hands are nailed along the edges.

The frame of the air field of 6 to 10 thattery has magneto ignition is preferable in space recatored by M. It bolts and to any other.

There are sied in fir steering and braking. It is pivoted on a vertical axis that has a given two coats of the best spar variable in the property of the side hands are of a transmitted in the second to the best spar variable. A strong statul string and two coats of the best spar variable and two coats of American white lead on

13s-in pipe handle. A strong spiral spring and two coats of American white lead on is placed around this steering-post, be- all other parts. A gray and black striping tween the rear end of the platform and the for the floor and the runbers will give your



Side storation and top view of the ded are here shown. The dimensions given are morely tentative and may be changed to start conditions



REID

Star of the Movies, Playe a



True-Tone Saxophone

Willie flot classed as a familiar star. Walker field a Sampleme of our tion much dequate a borne enwas made after knowing it to be the

Choice of Professionals

such as Tom Brown of the Six Beaws Beathers; Cipie Doert of the huted Art Hickman a Orchas-tea and Columbio Record Maker about Cork ca-cert Satopa most with the celebrates Faul White-man's Orchasten;). Gurveich Satophore Soluti with Sauss's Sand, and many others. More Rockfier Satophones are used than the combined product of all other manufacturers, because they are

Easiest to Play

You can learn the scale it an hour a practice and You can learn the scale in an houte infractice and play popular music in a few weeks. Processes as a pleasure because you learn so quickey. You an take your place in a board within 90 days. If you content within 90 days. If you so there is Unitivalled for he may employ on the training or school. In his demand for one tests a take music A Sangaphone will employ you to take an important page in the musical development of your consequence. page in the musical development of your community is increases your permarkly and your oppositely as your oppositely as

Saxophone Book Free

"The Origin of the Saxophone" is an interesting bookless. It illustrates the beginner's first less no it tells what each Saxophone is best adapted or when to the study, in quarteries sea extens state at or in regular band or 'no Saxophone Band Triba how to transpose for tello Saturpione upon the how to transpose for tello parts in or hesten. It mustrates and fully describes he virtues of each model of the Saturphone Family. Ask for your copy. Thousands of he must successful professionals see Beescher Chine a. Trumpions Trombones and subser Band and Orchestral that upones.

Free Trial-Easy Payments

You can order any Summilier buttersoon without purious one cent in advance and one is see days to range our bone, without obligation. If payiently satisfied, pay for it on that one mayments to suit your equivationer. Metaula the terry payments to suit your rottermines. Mentale the

BUESCHER BAND INSTRUMENT CO. Makes of Everything in Read and Sectionly Instruments Elkburt, Indiana 3130 Buescher Block

December, 1921







Boys! You Can Have a New Toy Every Day

THERE is simply no end to the fun you can have with Meccano—fun building the models, fun working them, fun taking them to pieces again and building something else. Think of it-you can make hundreds of models of things that work, each one a fascinating, real, worth-while toy-all made

with MECCANO

Any boy can build Cranes, Bridges, Airplanes, and all kinds of machines, and then make them work like real machinery with the Meccano electric motor. The big Book of Instructions in each outfit makes everything clear even to the youngest boy.

Send for This New Meccano Book



TO BOYS

It describes Meccano and tells interesting things about model building. Every page a pleasure. Sent free if you send us names and addresses of yourself and three chams. Put No. 36 after your own name for reference.













About the Care of Dry Cells in the Country


DRY cells, whether for one purpose or another, are used in almost every country place. They make the spark that lights your gas and runs your engine, they ring your doorbell, operate the burglar alarm, and perform other duties too numerous to mention

Dry cells should be kept dry and clean and slightly warm in order to give satisfactory service When they are purchased, it is well to give the mirricules a cost of shellar or varnish ho as a make them as damp proof is presible and to prevent corror of a varnish ho as a make them as damp proof is presible and to prevent corror of a varnish be repraced, to further protect the battates.

Cells had come in batta on three or more are scaled in a pitchy compound to chain nate manager, loose connections, and short constitute.

circuits. If it is desirable to make your own "units," make light horses large en rugh to hold the cells and line them with beavy paper. Place 12 in. of dry sawdust. on the hottom and put in the betteries. With a wooden stick pack in all the sawdust you can to the top of the cells and connect them with No. 14 insulated wire, making sure that the wire is scraped clean and that the nuts are tight. Use the paper for thus. Then finish filling the box, fold over the paper, and attack the wire leads from the batteries to two bindingposts placed near the top on one side of the box. The cover may now be fastened. A piece of "strawboard" placed beneath and above the cells would act Bu A. J. Christopher

as a shock-absorber and would provide an air space, but it in not necessary. The box may be punted. The batteries



Several methods of connecting dry coils that will prolong their life are shown bere

will last much longer if protected in this

For the gas aghting rod, four to six cells in series are usually used, and for engine ignition from three to ten. In this work they function properly only until one or more drops below five or six amperes These run-down certs then cause resistance in the circuit and the coll, not receiving the proper amount of current, cannot produce a fat spark. When the dry cells that operate a coil seem to be weak and, upon testing one or two, are found to be below normal, connect the two weakest cells as shown. Unless they are entirely exhausted they will give a little more service

A number of partly run-down cells may be connected in multiple series and will last a while longer. On furms where gas is employed for lighting, each building or group of buildings has its hatteries and coll About once a year these lutteries are replaced. Those removed should be tested. All showing four amperes or better should be kept and connected in multiple series. Always arrange them so that each cell or multiple of cells placed in series test around ten amperes. When connected in this manner, batteries that would otherwise be discarded will give service for from two to six months on a gas-lighting circuit.

An ammeter test, if taken from the loads of the series-connected batteries, is unreliable, as it does not show a weak cell if one should be run down, Each cell, therefore must be tested individually.

Oil-Filter for the Farm or Shop

E PFICIENT and handy is this filter for oil. It can be made in the farm workshop from an ordinary wooden barrel, as shown in the accompanying litustration

The head is removed from a barrel and w cover is made to take its place. A sircular hole 6 in in diameter is made in the center of this cover. A 6-gal, round, con tal top often, is an inverted position, which beves to feed the oil to the 6 ter a placed in thu hole. The bottom of this can in cut out. empathly and is perforated with small holes made by the point of a small nail. This old can bottom in then dropped into the can and rests on the flare of the conical

Into the mouth of the can is soldered a

- COVER FOR CHUCAN SATY OF TO BE LITTED -NEW CLEAN WASTE ANTRY OF BURLAR ON PERFORATED PLATE ALC: IN FOR BARREL LE LITE BE 1 CALLON DANNEL OIL RISING THROUGH PURE CLEAN WATER P. PE. COMMECTING CAN WITH THE AND COT LENGTH) OF MITE NAVING HOLES DRILLED ON JEFFER SURFACE

Every farmer who uses muchinery may save money by constructing and using an eli-filter like this

short piece of amplicated from piping to other tubing that extends near to the bottom of the bars. To the threaded end of the tipe a T is screwed and a short were after same site piping is threaded into such side of the T to extend horizontally almost to the walls of the barrel. In the upper sides of these short pieces of piping are cut several amail holes for the escape of the oil. The ends of these short pieces are plugged up with cork stuppers.

On the perforated plate in the oilcan several layers of felt or buriapping are placed. On top of the burlapping is laid a bunch of new, clean waste, as shown in the illustration. This fills the can about half full and the remaining space receives the oil. The oil is then poured in on the waste in the top of the inverted can.

The barrel is filled two thirds full of pure, clean water and is provided with a bibcock that is 1 in, above the level of the water in the wall of the barrel. A cover is made for the top of the oilcan. It is obvious that the oil seem down through the waste, through the burlapping and the perforated plate by force of gravity. Thence it descends through the perpendicular pipe out through the short, horiguntal pieces of piping attached to the T union and emerges, a drop at the time, from the small holes made in their upper sides, rising to the surface of the water in the barrel, which below to refine and clean the oil.

As soon as enough oil has been filtered to rise to a level with the bibcock in the side of the barrel, it may be drawn off as needed. The supply of waste and burhapping can be replenished with little difficulty when it has become polluted with foreign matter.-L. M. JORDAN.


Shopmade Speed Wrench of Simple Construction

SIMPLE form of jointed speed wrench A for a small shop is worth dublicating, being of especial advantage in getting around almost any form of interference due to pumps, wires, and pipes. This wrench is not used to start or final the bolt turning, but is for the express purpose of apinning them of

A beavy open-end wrench is used to start the bolt and this speed wrench is slipped on, when a quick job of removal is made. To make the wrench, use a 1- or I 'min. length of pipe. Drive this over the bolt head and flatten up the sides to a fair

Use a piece of round stock and after drilling through one end countertank from each side and round the and over as shown. Rivet this vato the lowest Make the handle all pions with a crark end and an eye to ensure the eye made in the socket plug plug

To me, hold the tandle in the left hand and turn the crank with the right. This wrench is particularly useful for removing sylinder-head bolts, especially those of a V-type eight- or twelve-cylinder motor




Here is shown a simple form of homemade speed wrench which will be found very useful

THE HOME WORKSHOP

Christmas-Tree Candle-Holders that Always Hang Vertically

FOR the Christmas tree, an easily made condle-littler that we have on the tree. It can be made of ware or in brate, and lead or liability waghts to hold the candiider that we



Candle-holders of this type are easily made and will always hold the

The weights can be cast in many designs, such as fish, or other animals, fruits, etc. They can be cast in plaster of Paris molds direct to the holders and may be painted with gold or aluminum enamel.-Louisa A. Cappel.

Build Your Woodbox Under the Stairs

NEAR the dving-room stove is a woodbox that is large enough to hold wood for the entire day, and it is never in the way, since it occupies a space that was formerly unused trans the lower eart of

A strail over in the bring room well gives convenient secons to the wood.

The box is filled from the foot of the staire. This is made possible by removing



A woodbox under the stales will make the housework easier for the housewife

the entire fifth step and the top or horizontal section of the fourth, and fastening them together securely with screws and iron strips, bracing and reenforcing the corners both inside and out. This is the lid of the woodbox. It is hinged in pasce. Strong wooden supports were nailed to the wall on either side for the steps to rest on when the box in closed.

To prevent falls and accidents on the stairs, the lid must be kept closed except when the hox is actually being filled. So the lever shown in the line drawing is to open the box when stepped upon and to permit the box lid to close automatically when the foot pressure is removed.



This New Way

Now beautifies teeth half the world over

Millions of people, half the world over, now clean teeth in a new way. Modern authorities approve it. Leading dentists everywhere advise it.

This is to offer a ten-day test. The results will surprise and delight you. And they may lead, for you and yours, to life long benefits.

Write for this free test.

That dingy film

That viscous film you feel on teeth causes most tooth troubles. It clings to teeth, gets between the teeth and stays. It dims the teeth and often leads to rumous attacks.

Film absorbs stains, making the teeth look dingy. It is the basis of tartae. It holds food substance which ferments and forms seid. It holds the seid in contact with the teeth to cause decay

Millions of germs brood in it. They, with testar, are the chief cause of pyorthes. Also of many diseases.

Old brushing methods do not end that film. So very few people have escaped some form of film attack.

Now ways to combat it

Dental science, after diligent research, has found two film combatants. Able authorities have proved their efficiency. Now peoples of many nations use them deily, largely by dental edvice.

The methods are embodied in a dentifrice called Pepsodent. And a 10-Day Tube is being sent to every home that

Watch these five effects

Pepsodent does more than fight film. It brings other results now believed essential, in view of the overage diet

It multiplies the salivary flow Nature's great teeth-protecting agent. It multiplies the starch digestant in the saliva-put there to digest starch deposits that cling. It multiplies the alkalinity of the saliva-Nature's neutraliser of the acids which cause decay.

Pepsin is also included.

This ten-day test will 20 times repeat all the effects. And you will gain a new idea of what clean teeth must mean

Send the coupon for the 10 Day Tube. Note how clean the teeth feel after using. Mark the absence of the viscous film. See how teeth whiten as the filmcoats disappear

You will always want your teeth, we think, kept that white, safe and clean. This is too important to forget. Cut out the coupon now.

The New-Day Dentifrice

A scientific film combatant, whose every application brings five desired affects. Approved by highest authorities, and now adviced by leading dontists everywhere. All druggists supply the large tubes.

Ten-Day Tube Free ***

THE PEPSODENT COMPANY. Dept. 329, 1104 S. Wahash Ave., Chicago, III.

Mail 10- Day Tube of Pepsodent to

Only one tube to a family

THE BOME WORKSHOP

1000 Things You Ought to Know

VERY day in your work you get uponly some old "sticker coming in a new way. Just the same though it takes a bit way. Just the same though it takes a lot of time a figure them out. Don't do it liere a every long worked out for you fivery problem big or fixtle that you will meet it a day'n work. Hundreds of new ideas and better ways of duting things. I undieds of ways the other tellows are making money. Hundreds of ways you are doing now. are doing now.

Cyclopedia of Carpentry and Contracting


From green his valuence bound in genuine American bilities to write 21 th images with twist hard their section is the speak diagrams. If he the first inter another is the property of the section of the head of their sections of the head property of the section of the head property of the section of the section and on the result of different sets the France many in he shop and on the sets whether there have been first that there are present. What there get a head if the third appears to have a property of the sets that the sets of the first the Lychology of the contract the first the Lychology of the contract the Lychology of the contract the Lychology of the contract the Lychology of the sets of the first the Lychology of the property may be set the latter than the contract of the Lychology of the sets of the latter than the contract of the latter than the latter th

What You Shaple is up of Francisco to and Francisco to an expectable and francisco to an expectable and francisco to a francis

conduct Building Supersymmetric What You Should Show Alleds Connected great Lagar Schmidtle How p Know Ma risk and beleek to the heat Welpe and Regar Mantalana State of Read Should Sho

MONTHS TO PAY

Send the control for their great acted by the control of the AV You are added by the control of the acted by the control of the acted by the acted b Send the control for their



Picture aread out the 5 volume Cyclebrothe of Cur-pentry and Commercing, obligating charges reflect. I will would you \$2.80 to revest days and \$1.00 rack month must \$24.90 in paid or partity you to send for he books as your repetter. I I have the loggest I get a membership in your society from.

Address

City

Reference

Plagar fill out all them fitter

New Prize Contest "How I Made Money with My Tools"

HAVE you ever made extra money with your tools? If you have, we want to know just how you did the trick. If you constructed something, describe it. If there is a particular job that you do, let us know what it is. Por instance, we have heard of a chap who mends furniture in his neighborhood during his spare time. Others have established small spare-time businesses with tools as their only invest-

Sit down now and describe your own experience for the readers of Popular Science Monthly. If you have photographs or drawings of the things you have made or the job you do, send them along.

Tell your story as humanly and interestingly as possible.

\$90 in Prizes

Popular Science Monthly intends to make this worth your time. If you do not win one of the three big prizes it is possible that your article will be bought at space rates. First Prise will be \$50; Second Prize, \$25; and Third Prize \$15.

Conditions of the Contest

(1) Contestants are not limited in the number of ideas. The contest is upen to averybody.

(2) If a drawing is cont in, it need not be made by a skilled drafteman. The contestant's name and address should appear on each sheet of drawings.

(3) Drawings and photographs must be accompanied by a description, preferably typewritten, is which the subject is clearly explained. The MSS, must be written on one side of the paper only, and should not be rnore than 500 words in length.

(4) Drawings and descriptions entered by contestants must be received by Popular Edence Monthly not later than 5 p. m., on January 20, 1922.

(5) The judges of the contest will be the editors of Popular Science Monthly.

(6) The first prize of \$50 will be awarded to the contestant who, in the opinion of the judges, has suggested the best idea.

The second price of \$25 will be paid to the contestant who submile an idea next in merit.

The third prise of \$15 will be paid to the contestant who submits an iden third in morit.

(7) The winners of the contest will be announced in the earliest possible issue of Popular Science Monthly and their articles will appear later.

(6) The editors of Popular Science Monthly shall have the right to publish meritorious manuscripts that do not win a prize. The regular space rates will be paid to the coctestants who submit the manuscripts thus selected.

(9) Manuscripts or drawings will be returned to contestants if stamps are enclosed.

(10) Send drawings and specifications to the Editor of the Making Money with Tools Contest, Popular Science Monthly, 225 West 89th Street, New York City

Bench-Hook and End-Wood Planing Device

WHOEVER has attempted to plane the ends of small thin strips of wood will appreciate this handy little device. It is constructed of hard wood.

If is a block of wood out like a miterbox, which is screwed and glued to the hody B. This block also perventes a sup-

B is the body upon thick the want to be planed resid

I is a flar relike groove cut from B, in which the phote sudes back and forth.


D is a support that it screwed and glued

to B to keep the bench-book from sliding all over the bench when used.

To plane the ends of a piece of wood, piace the wood on the body B and against block A, then lay the plane on its side so the cutting edge is vertical. Then push the plane against the wood to be cut,

pushing from you. The plane alides in the groove C

A screw-eye can be placed in the top of the body B, so that the device may be hanged on the wall when not used. The clustration gives the dimensions.



This little device on your workbanch will make it easy for you to plans the ends of small strips



Build Structo Autos that Look and Run Like Real Cars!

BUILDING a STRUCTO A complete Track of Tractor to fine sport for any boy these over use remove tops on those or real union. See mand its They have harve like reas are. You assem to be parter and shall your even Au . Track or I as tor Vin on one a tank a part. Her gives a many breadster a big Lorent Tio k or a startly Time or South to the short of a fine to They have steing posterior money that there is my straight abread or a made or a citizen up had or on the level South to the startly or on the straight abread or a citizen up had or on the level South to southing generating as a many region. In cast differential with generating stake levers, of erapayer don't store down whole the Tractors have due the corner ed gen a that give to an paning power of their space work. They all have many features of the cars, and are have some some at the or the machines you can have a lot of fun with They are so well made they and a hore one

There are als fine models to choose trem Nos 8 10, 11 12 14, and 20, a pictured here Any hay are build them all he work in done build them at he work is do no just put them toge her and y a have an Ancomobile Truck a Tractor that he ke and came not the area one that he ke and came not the area one the type first many and decide with y are print that the post first that th Auto because it he is how warterstand how hear allows are made



lar The No. 12 Applicant the same the-

There are also found and pleady-buts 11814 To produce his 40 4 48 and 44 Tout are trady but for a and ready tour more you set tom. Toy to move dul-me ner and have strong to see the large them a feet a rought to The large this as and to have a feet er and end the transition of the second of t

The Late of the An Andrew of The Late of the Andrew of the Antrework

Ach for STRUCTO TOYS in the Tay Department, Hardwere Store. Tay Store and any store where good tays are sold. He save you see the name STRUCTO TOYS' on the bes because then you'll have the best ones. If you cannot find the one you ment we will fill your orders direct, upon except of price listed.





Service of the Wiscol Process to build during the 11 despite the Process of the P

teractic finding Auto Auto Builder Digital No. 5 A fact ages in a by book three color book ringstor 65 10

Attracts Seet Cat Auto Specification Could be 10 A stinity present in 1 decree 6 to hims make take to be 10 feet t

Structo Burne Truck Truck Busides Onesi No. 4 Truck and mer or allising new crime-interests forward and reverse appears 16 in one 1 no dun-ping attechment 1 rd



STRUCTO MFG. CO., Freeport, Illinois West of Denser. Colorado, and in Canada, prices are 161. higher.

Residence Auto Rendif-Built Model No. 40 A similar appear y car 10 a In Iong Red with black trimming \$3.50



Contraction 1 Model No. 42 Flas both Ityling and better from the Craner with block and nickel type-notice.



Carepithet Tractor Poulty. Just Sode No 41 Tip long very registre to action. There have not not use the Carepined for with biget communication.



Cutyrpffler White Ready Floring Tanh Brany 15 in Mindel Mn 45 15 in bear Gray with red of bearing Gray menaster of bearing Gray menaster of bearing Gray menaster of bearing Gray menaster

Two storeds differential. Any of the and brake ferward and been received forward and been received and relative required and black relative.



Tube Tracted Tractor Builder Cottil No. 6 A serfect recordantion of a sed-forcer receive Present of the liberary moreon on the baseline and supposed short letter to the traction of the local area of Billian and the profess \$8,50

THE BOME WORKSHOP

met not (due

\$500 REWARD for TWO HOURS WORK

manewer to a request from Thief of Police Wallen india awards in order from Easiest ar-the of the energy the distinguisher 1,000 nen fan officer. En 20 00 in gerenig Wile Colbe

A count enmediately fliglow turned his et-The glossy managery are keel an excellent set of langer or nee. The short maght guar a. with his which her call me and.

To make a long story short his prints were that a school and ma cheel with how & But Joe" Moran, a pale his wer. Moran was caught and convicted on high we finger print. prind. The money was recovered and a \$100.00 reward given to P ab w in not then to ats feer-es pay for his two hour e work

Be a Finger-Print Expert Learn at Home in Spare Time

No more fascing ing work than this and directable to the PKPLET. The mounds afted men are now needed. The Figure blig programte girl Put work of governments, corporations, police departments determine agencies banks, individuals, has clearly a new good set of Many experie surn 11 40% 40 42 \$10,000 to a year And new you can eas y learn he accrete
of his described of you space time at
home. Any mail with a common act on educases can become a Pinger Price Rapert to a

Finger-Print Large libratrated Book

We are making a special limited office of a complete Prote somes burger for me and a seal of complete Professionals beings for me and a function of the complete Professionals being for the man of the complete professional being professional and other professional and other professional and the professional and the professional professional and the prof You may never our this ampronnerment again

University of Applied Science Dosh 1389, 1828 Swennyaldo Ave., Chiangu

University of Applied Science Doct 1300, 1000 Suprepted Arm, Chicago, Mr.

Gentlemen. We hour one obaque on whateever send me your new lung illust aben, FREE book on Finger Prints and you. Her of a FREE Course in Secret Gerome Intelli-都を同く他

State

SIGNAL

ENGINEER 40

Town

Quality at home in some time for a his position as 'Agnal Engineer' Get latefuls great our field of familiarities work where sprice nucleate, swift promotion and a high salary await you Hall-work as a superposition and a high salary await you.


roads everywhere need med who indentified Signal Engineering and electrical salety devices. Sook FREE

mich for his Contrated book Singtonerlog and details of Pron Circle Offer and our war pleas of tradition which police is Community which in-1924 Bentralik Ave. Chicago D.

A Boring Table for the Small Lathe

BORING or milling table is a useful accessory to the small lathe and the illustrations show how one may be made and fitted to the lathe cross-slide, using the original cross-feed screw. No planer or shaper work is required as all work is performed either in the lathe itself or on the

The device consists 🌓 cast you tab place, as the builder leaves. The saide of the builder has alledge bround add strengthand two ower boars to w bta ens to which the V slide are boffed. Corner bosses, with holes through them, are shown, these, in the original apparatus, were intended to take a 14-horsepower motor with a grind-



Owners of small lather will find this boring and milling table very useful in their work

ing-wheel, botted to the table for special grinding work; but the holes would also accommodate clamp bolts for large work

A pattern for this table is easily made, as there are no cores or loose pieces. If the builder dom not wish to use a casting, the table could be made of a piece of heavy iron plate. As the position of the feedscrew nut, if cast in place, would in all probability interfers with the machining of the bosses, this is made separately, tapped or threaded and acrewed to the bottom of the table. Two V slides are made, et her of cast from or from cold-rolled steel stock; if the latter, the V slides must be filed or sawed to shape. Cast-iron V shides will have to be file-finished on the surfaces that bear in the cross-slide V's. They could be lest at to the face-plate and faced off in the lets or ground on a bigh-speed abrasive

The table casting itself is drilled and tapped for four boles, in the corners or otherwise, and bolted to the lathe faceplate and faced as nearly as possible to a plane surface; it is then reversed and the two under bosses are faced off. Next, the V slides are holted in place, one of them being made adjustable after the somewhat novel method shown. Steel study are set into the table and the V slide is set up by nuts on the ends of the stude. The holes in the slide are larger in diameter than the stude or are filed lengthwise to allow of a small amount of take-up. Smaller holes are drilled in the outer edge of the alide and corresponding once drilled and tapped through the atuda to take fillister-head machine-acrews. To adjust the slide, the lower nuts are slightly loosened and the machine acrews turned in, which will draw the slide against the cross-silds V's. The auto are then set up and the adjustment is

If no slots are provided in the table-top for holding the work, holes may be drilled and tepped at convenient points for clamping the work. The boring-table is quickly applied by drawing off the regular toolslide and pushing the other on, using the same feed screw. Besides holding work for boring or milling and drilling, the table can be used, as stated above, for holding a small. grinding-wheel motor for cylindrical or face grinding of work held between centers, or the face-plate, or on special brackets attached to the lathe-hed. - H H PARKER

Piping the Flow of a Spring

a low piace and used for stock drinkingplaces, the trampling of the stock will break in the sides of the spring and ca it to fill up and get ewampy. It is possible


to pipe a spring of this soil so that the water may be carried to a distant plant and allowed to run into a second strough.

First, it is the second soil to the spring occasion to good the and outhout making the depth may proper than necessary bullerying to arrange the spring so that the spring so

Take a slort length of pipe, about I in. in d meter, and set it upright in the center of the spring and at a short distance from the bottom, being careful to keep the water baled out as it enters. Fill around the bottom of the pipe with good sized clean stone and then over that with fine sand and gravel to within a few inches of the top of the basin. The work must be done quickly. Then pack over the top with thick clay that has been previously prepared, and ram and tamp down firmly all over the top of the spring location. This makes a top coating that will not allow the rising water to seep

VERY often when a spring is located in through and later it can be covered with a are of concrete to prevent rains from washing away the surface. The rising water can find an exit only through the pipe. Some experimenting may be neceseary to find the correct height of pipe.

> An elbow screwed to the upper end of the pipe and a length of drainpipe acrewed into



If you have a spring on your land, you may improve it by collecting and piping the water as shown

the elbow is used to carry the water to the trough placed at a slightly lower level than the spring B. P DASHIELL.



How Many Objects Beginning with "C" Can You Find in Picture?

Observe These Rules

It AP server must be maded by placement to

I All agreement of well the secretary on agency of the people of well on the secretary of the con-Window plants to the great and adjacent of the great grades.

for help margin frequency on the foreign destruction will be several the or one destruction is represented for marginal and the companion of the probability of the p

A Words of the more qualities may be quote to be any one the sph toold of about define. As allowed up to make the histories may paid of the other may also be asserted

If The quite strep the hoped and interest substitute of one P of the last of particles of the particles of the last of the particle of the par

The manifestation of the property of a second of the property of the second of the property of the second of the property of t

I to the mount of time the all emeted of the price and be paid to be defined interests.

§ These well-impacts began only having the sup-mer-time, with Minner of the Prince
W. S. Peppers. Anthro Produce Produced Panish Pa. Pend J. F. Karakis Pro-apal Products Patrick School St. Phys. S. W. Himseld Pived Service Service St. Phys.

14 All agences of B topology the steep regulatoration programme of what bot at a n on arriar for a Manageda Spanism Pur hay here, steel the

All, The annual property of the given whemse and the operate had of a risk well to property as the risks of the interest made a very bracked to make person pur-phication of Manual property. Form to Fee

As a parameter of the later of a prophing or or or other than the state of the first of a state of the state

How to Win \$1,500.00

tain Price a great the beautiful to the

Special Christmas Offer

At a special Christians tiller we gre offering he stand place of he as in the result of he had been made from a property of the head of the result of the first of the result of the first of the result of the first of the f

State Style of Pen Wanted

The Minnesota Francish Pen comes is two of the action and desired to the in-feet he \$2.00 and it will be included in the conference of the action and are play two highly the action of the conference of the action Mr բնական քանահայն.

Money-Back Guarantee

We remember Minnesota Ferminis Pens to be justice in an efficient. If you are not as acted with a no are as course it and we will carriedly be of released your money.

MINNESOTA PEN CO.

Dept. 715

Saint Paul

Miranesota

god in him again a man had Present for yourself It a not a fanciful dream but a straig took in the product area of the second of the parties of the year will find a partie of abjects when the object and partie of abjects when the object with the better C. Pick out objects his cost case chest see Nothing to be ten. You do not even been to furnishing the ten. You do not even been to furnishing parties upselve down.

Everybody Join In It Costs Nothing to Try

Bit down right now and nor how many "C" is a let of graph had. The object of the persuase particle in the get more people negationed with M unevolate branchen Persuase and M unevolate branchen are now giving an existence when see every day. We want you I had one of our mean for a nuturely who shouldn't had an a get A M threath.

From an Persuase present and

ferror heisting present and it will some the printers of the eng what shall a give for Name

Fun for All the Family

Mari an new and see they man to a solution of the Use old long to the life to your order of function of the block if your absent to the des

former to the destination of the point of the manufacture of the price of the manufacture of the manufacture of the big cash process.





"The Easy-Writing Fountain Pen"

You will find the Minnesets one of the finds press by ever used. The max flows ethicularly and from the best by and from the transport of the transport of the standard press and the standard press of the standard press by the standard press of the standard standard press of the standard present press of the standard press of the standard press of the standard press of the


Satisfied Users Everywhere

To New York, he Chicago by Raston, in M. Lean, in San Frances and in the in absent every command a many a large rough the Roll the M. America P spatials like his the the first in the M towards is perfect. In these per blue to such the first of the first perfect in the perfect

- THE PRIZES -


THE PAREET				
	famogrammy facilities Ly 200	fit con \$2 pen 14	17 FP 00 November Pers are purchased	
Let Private 2 and Private Private Private Atta Private Atta Private Atta Private Priva	3 00 5 00 5 00 3 00 3 00 3 00 3 00	250 00 250 00 125 00 75 00 50 00 25 00 26 00 14 00 14 00 50 00	21,500 h6 750 B6 375 B6 107 50 108 56 73 90 50 90 40 00 30 64 30 00	

THE HOME WORKSHOP



How to Make and Furnish a Doll's House

By E. Bade



Make the framework of the doll's house from parts of an old bus, and saw doors and windows to suit

VERY boy who has a younger sister can make for her a doll's house from an old box and some odds and ords of waitpaper. Any trace odds and trace long, 1 it was, and 1 thing can be and One side. Can be traced out and ad 1100 jecting that respective

Three s har a which form windows, are cut out from the bark of the box, and a partition, with a large rectangle sawed out to represent to the low, in nailed to the box, which now a partition two pooms—the dining-room and the bedroom. A door in



An open Sceplace lined with brickpaper may be made and provided with a mentalshalf


made that must fit into the rectangular opening. This is later natied to the partition with two small brass hinges so that it can be opened. Cortices large salled ground the top of the box, a This gives the finished boxed a remain apparatus.

finished house a remain appearance.

Brick or wind paper is glued to the outside of their sines and the back of the box, while the inside is finished with odd pieces of tralipaper. The windows are fitted with glass and small strips of wood represent the trips.

The furniture for this doll's house may be made of cigar-box wood. The tools required consust of a kude, a harmost and some small once. Paint or stain can also be used, although this is not absolutely necessary.

Chairs, beds, and benches are made from atrips of eigar-box wood. These should be



Brick-paper is pasted on the outside of the bouse and the windows are provided with frames

about in in. wide, and as thick as the wood it is best to cut the wood with the grain, This will make the stripe as long as the box. They are cut into suitable lengths for the legs, sides, and seats of the different pieces of forniture.

To make a chair, cut two 8 ½ in. pieces for the back legs, and six 1 ½ in, strips for the seat and the braces and two other 1 ½ in, pieces for the back rest Arm-



With a little patience a complete set of furniture for the doll's house may be made of cigar-box wood

chairs, Morris chairs, and rocking-chairs are similarly made. The same method is employed when making the hedroom formture.

A dining-room table is made from an empty spool, preferably a large one, upon which a 3-in, square of cigar-box wood is nailed. If the table should not be high enough, two or three thicknesses of wood can be nailed under the spool. These will represent the feet of the table.

An open fireplace can also be made of a small box about 8 in, square with one side removed. Slanting sides are nailed to the



The errangement of the interior and the addition of ornaments may be fait to the taste of the owner

box to represent the chimney. About 1, in above the box, one of the strips made for the furniture is nailed around it. This will give the appearance of a mantel. To heighten the effect brick-paper is glood to the wood.

"Every-Day Wonders"


Beginning with this issue, POPULAR SCIENCE MONTHLY will publish each month ten questions on general science that affect your daily life. To know and understand the answers means that you have laid the foundation for a sound education. The questions will be found in this number on page 32. The answers are printed on the same page.


THE HOME WORKSHOP

Wood Puzzles that Will Interest Your Friends

FIGURE 1 shows a piece of wood with a round, a square, and a triangular hole in it. The puzzle is to cut one piece of wood that will exactly fit the three holes.

To do this, get a cylindrical piece of wood that will exactly it the round hold in Fig 2. From phistory indirect street out of a length equal to its dispeter. If put in shlowing, it will fit the square hole. Now draw a line through the center of the circle across one and and from the circumserence.





a.z. Fig. L

The protesthe left will fit a round, a square, and a triangular hole

of the other and cut a bevel to this line. The plus will then fit each hole


Figure 3 is the mysterious dovetad. It seems impossible to make, as the mortises apparently run through each other from each side. Figure 4 shows how it is made Join two square-cornered pieces of wood heatly and carefully by two mortises. Then chinal the corners off to the dotted line, leaving another square block as shown in Fig. 3.

Figure 5 is one piece of wood passed through another, which just fits the stem.



PK. 3.

PIG At



The construction of two puzzles that can be out from a block of wood

or narrow part, and has no joint. It may be made either by choosing soft wood and soaking it in boiling water until compressible, or, better, by making two pieces like Fig. 6, and gluing them together. The joints, being at the corners, should be quite invisible. E. A. McCanx

Do You Know How to Make a Glue-Joint Invisible

WHEN making a glue joint, always, if possible, lightly sandpaper the joint before the glue dries. This will fill up any sight crack with fine sawdust and greatly aid in hiding the joint,—E. A. McCaris.



Democracy

"—of the people, by the people, for the people"

People of every walk of life, in every state in the Union, are represented in the ownership of the Bell Telephone System. People from every class of telephone every, members of every trade, profession and business, so well as thousands of trust funds, are partners in this greatest investment democracy which is made up of the more than 175,000 stockholders of the American Telephone and Telegraph Company.

If this great body of people clasped hands they would form a line more than 150 miles long. Marching by your door, it would take more than 48 hours of coase-less tramping for the line to pass.

This democracy of Bell telephone owners is greater in number than the entire population of one of our states; and more than half of its owners are women.

There is one Bell telephone chare-bolder for every 34 telephone subscribers. No other great industry has so democratic a distribution of its shares, no other industry is so completely owned by the people it serves. In the truest sense, the Bell System is an organization "of the people, by the people, for the people."

It is, therefore, not surprising that the Bell System gives the best and cheapest telephone service to be found anywhere in the world.

" BELL SYSTEM"



AMERICAN TELEPHONE AND TELEGRAPH COMPANY
AND ABSOCIATED COMPANIES

One Palicy, One System, Uninersal Service, and all directed toward Batter Service



W. H. PHITTS CO., Sara Dept., Bellein, Long Island, M. Y.







The Letter That Saved Bob Johnson's Job

-and paved the way to a better one!

I was written to his employer by the International Correspondence Schools. It told how "Robert Johnson had enrolled for a course of home study and had received a mark of 94 for his first lesson."

Bob answered the summons to the Chief's office with just a little fear and trembling, for a lot of men were being dropped in lot more were having their pay reduced.

But as Bob came in, his employer did a surprising thing. He got up quickly from his desk and gresped Bob warmsy by the hand.

"I want to congratulate you, young man, on the marks you are making with the L. C. S. I am glad to see that you are training yourself not only for your present Job but for the Job sheed.

"We're cutting the pay-roll. Until I received this letter, I had you in mind as one of the men to be dropped. But not now Keep on studying keep your eyes open and pretty soon there'll be a better job for you around here. We're always looking for trained men."

Won't you let the L. C. B. help you, too? Won't you trade a few hours of your spare time for a good job, a good salary and the comforts that go with it? Then mark the work you like best on the coupon below and mall it to Scranton today. That doesn't obligate you in the least, but it will be your first big step towards success. Do it now

INTERNATIONAL CORRESPONDENCE SCHOOLS BOX 7447-B SCRANTON, FA.

Begining without chilenting me, how I can qualify for the bostine, or in the subject, before which I mark X. position, or in the subject, the tracking the subject, and the subject, the tracking the subject to the subject that the subject the subject to the subject

before which I mark X.

PREMICEL MEMBER.

PRACTICAL MEMBER.

PRACTICAL MEMBER.

PRACTICAL MEMBER.

PRACTICAL MEMBER.

ADVERTIME. SEAD

Window Trignoper
their fact and high Principle
In a first fact from
It for the Ex.

Resident managements

Postable intropomisms

Design fact from
Core Pub Accountant

Traffic Maragement

Assumption I law

Lendy Extending Members

CTYL ASSISTER

Rettwee Med Check

Traffic Veryger or Publ.

Assisted Teles

Prestry Raising Members

- Circles Demarktone may provid 7A to amount



The Burlington

Prec Book floor for the beautifully Described by address. A tetter of good card will do.


BurRouten Watch Courses,

THE HOME WORKSHOP

To Prevent Breaking a Small Drill

By Albert Strandin

First Price, "Best Idea" Contest, December



Your impertips will tell you how to feed the drill without breaking it

O drill a hole with a arall doll piece that is chucked in an engine lat without breaking the drill equires gr skill and patience. The least hit of excessive pressure applied to the hand wheel will result in a broken drill and many times in a spoiled job.

To eliminate this trouble, the writer evolved a simple scheme that works very

saturactorily

By removing the hand wheel on the believed whalt and tightening the nate in the contact the picture, the worker, by the use of the numb and forefinger, can obtain a very security touch for feeding the unit, which otherwise would not be possible

This Boiler-Baker Is a Boon to Housewives

By Roland B. Cutler

Second Price, Sees Idea" Contact Departure


N excellent oven for the oil- or gue-An excellent be made from an old washboiler and a length of stove-pipe, heavy tio, or galvanused from

Centered on one side of the boiler, mark out a 9 m. by 12 m. space; the 9-in. width beginning about 2 in from the top and bottom if the utenul is standard In the center of this space cut out appoints flaps, each 4 in. wide, and head there an 2 in and over at right angles to force exports for the over bottom. Cut each alle flap far enough so that when it is bent back and up 2 h, the supports will be about where the curve commences, as shown. This cutback will probably be 4 in

Cut the bottom 10 in wide and with the ands bent over I in to fit over the supports. Cut each side to fit in the boiler with one end bent I in, at right angles. Sit each corner of the tope far enough to bend down and out I in midway of the oven on which a second bottom or shelf can

Make this out of heavy wire doubled

back and forth to the right width, and fasten at the ends with lengths of tin 2 in wide, doubled over and riveted between the wires as shown. Punch a 34-in. hole in each end of the boiler, 2 in. above the ovenbottom level for ventilation.



The handy man may construct this behing-even from an old weeh-botter

\$75 in Prizes Each Month for the Best New Ideas

FIRST prize of \$50 and a second prize of \$25 will be awarded A every month to the authors of the two heat articles appearing in this department. Every article submitted will be considered as a possible prize-winner. Those which do not win prizes may be purchased at space rates. The prizes will be awarded upon publication and checks will be mailed to the winners during the

Prise-winning articles may be long—but not over 1000 words or they may be very short. The idea, device, or machine described must be practical and ingenious; it must fill an actual need in the home, office, or shop.

This contest must not be confused with other contests which Popular Science Monthly is conducting at this time.

Prize-Winners for December

The two prizes of \$50 and \$25 for the "Best Ideas" appearing in the December issue of Popular Science Monthly have been awarded respectively to Albert Strandin, Chicago, Ill., and Roland B. Cutler, Springfield, Vt. These two ideas were considered by the judges to possess the highest all-round merit.

It should be remembered that this "Best Idea" contest is a monthly feature. You may have an idea that will win the prize next month. Read the rules above.

THE HOME WORKSHOP

Improved Spur for Stump-Boring Auger



This method of changing the spur of the auger makes it efficient


BECAUSE of when one is boring a hole in a stump preparatory to beasting. one cannot test when two mosat the point of the auger will leave the solid wood and get into sail, so losing its feeding power it is well to use an auger having the aide cutting spure At right ungles

to the cutting lips. Such an edge will allow of rutting down into the goots

When a rounded apur water to the the rounded form the spur wal tender force has sugget out of the world, while it is almost impossible to constant! I have to the shape shown the bage, being at right angles to the line of cut, will sever all wood and roots with sase.

Can-Opener Easily Made from Strap Iron

CAN OPENERS can be most in a factor of Chaired size by using a prayer, steep of light-weight strate from or literal moves in



This can-opener, made from a piece of strap steel, will be found effective for case of one size

the drawing. One end is pointed and a cut is made in the piece at an angle. The end and the cut are bent as shown. The cutting edge must be sharpened.

Here Is a Use for a Discarded Gasoline Barrel

WITH a little work, a pasoline barrel may be turned into a reduse for waste-

the top of the tank should be ordered with a harchet one nahears. A sinu door should use he cot in the side of the tank next to the bottom, to be used as a draft door Then a stand

door Themsstand made of strong strap iron, which is easily procured should be placed in the bottom of the tank. A wire screen resting on this stand will serve as a grate. When waste is ignited in the tank, it will hum rapidly and with safety from sparks.



A waste-burney for the back yard







POURLE MILEAGE TIRE & MURRER CO. 2018 W Harrison Page, 102 CHICAGO, UL.

The Strength and Charm of Physical Perfection!

FREE!

Learn of the tremendous curative power the manifold uses of VI-REX Votet Rays to

treating almost every known h man adment—Nikola Tesla's great discovery! This book also contains charts and diagrams of the nervous hystem and organications, and fully describes just how the Vi-Ren Violet Ray works its many muncles. Written in a simple style—devoid of all technical language

Vi-Rex Rays

Assure for You Amazing Health and Vitality

Enjoy Wonderly) Sparking Health! Increase your store ! of energy, revitalize your worn-out cells. make every fibre of your body tingle with a tiew vim and vigor! All this you can have through the magic of Vi-Rex Violet Rava-right in your own horsel Violet Rays penetrate to every cell in the body imparting that stimulating vigor which brings the glow of health, tones up the entire system, putting life into overtused and eluganh tissues. As a quick relief from pain, Vi-Res has no equal. Hearisches, nervousness, skin blemshes, and many other complaints vanish as if by magic through this marvelous treatment,

Try the Wonders of Vi-Rex Violet Rays

10 Days FREE

Find out how Visies Mayo will help you. Demonstrate for yourself. Read what his satisfact of users and about the VI-RI-N goal the action that is a chemical what have been out after Learn why as a chemical management grant product another of its kind available. There is no limit to the benefithat powers. Just itself the coupons or point a powers! I see it also coupons or point a powers!

VI-REX ELECTRIC CO Daps. 1915
130 West Madison Street, Chinges

Flowe send on without any cost or obligation, your feet book describing your Victor Ray Machine, and details of your free trial after.

Name

Address

City.

State.


To Lift Locomotive Driving Boxes Vertically

THE width of the device shows here can be made as desired, to suit the size of the box or of a size that will average reasonably close for boxes close to the range of the lifter.

The tong part is made of \$\frac{1}{2}\$ in, by 2 in iron, while the hiting books are of \$\frac{1}{2}\$ in, by 2 \$\frac{1}{2}\$ in, angle-iron. The tongs extend down only to about the middle of the lifting pieces. These are features it to the tongs by \$\frac{1}{2}\$-in, bolts on which the lifter can awing. Below the tong part a \$\frac{1}{2}\$-in, filler is provided, which is riveted to the angles.

A te-in bolt is provided as a pinton for the tongs. Finatened or linked on to the lifting-ring, 5 16-in chains are used. You will note the action, that in lifting, the pull on the chains transmitted to the tongs tends to close them on the box.

Another very good feature is the safety chain, which is featened by an eyebolt at one end and goes over a hook at the other Hence, when the device is placed on a



Lifting-tonge of this type are very useful in shope where heavy loads of square forms must be lifted

driving-box, an accident through the opening of the device is almost impossible

This device is well-nigh indispensable for placing driving-boxes on axios of locametives and can also be used in lifting of boxes to be repaired. -L. J. BITNER.

Wheelbarrow Wheels Can Be Built at Home

T MADE a fairly good wheel in the following manner: Two circular disks were saws from a 1 in. by 14 in. plank, the full width of the board. A %-in hole was then hored in each and the two pieces were nailed together, crossing the grain of the wood, and using sixpenny humbing back, Nucle were driven into the disks about 1 1/4 in, apart from each side and the anils were clinched. Two I in by 6 in, blocks, with the corners sawed off and each block chamfered on one side and from holes bored through their centers, were then nucled to the wheel one on each sidewith the grain of the blocks crossing the grash of the piece to which it was nailed. These pieces also were shower nailed.

A % by 3 ½ in common pape-napple and 7/16 by 10 in holt and nut and four ½-in cut washers completed the axic assembly.

The in-in, happle was driven into the hole in the center of the wheel, about 1/4 in protrucing on each side. The frame of the barrow was made so as to allow for a washer at each end of the nipple, or hub, of the wheel, and a washer under the head of the bolt and under the nut.

In giving the length of the pipe-nipple for the hub, or thimble, and the length of the bolt which is to be used for the axis, it

must be remembered that these lengths are for dressed lumber, which is only 18-16 in, thick; thus the four pieces when easembled 1027 [3 measure 314 in However, if neces-METY to use undressed lumber, besure that both the napple and the bolt are long enough Remember also, that



This wheel can easily be made by the amateur carpenter


pipe-nipples are measured inside, and further, they are all oversize; hence you cannot use a 14-in, bolt for the axis—the wheel would wabble too much. There is little likelihood of the nipple ever saming loose if it is driven tightly into the wheel

A wheel made in this manner will not only have very little wobble, but it will, last for years; and it is inexpensive.

A Weight to Aid in Lifting Heavy Doors

A RESTAURANT I visit has a large telepox with beavy lift door. It is necessary for the waiters to raise this door many times.

The ingenious proprietor placed a strong window-weight cord with weight attached over a pulley in the ceiling above the box, then attached the other and of the cord to the front of the icebox door. The weight is not quite so heavy as the door, but it helps materially, and the appliance is so



Provide your cellar trepdoor with a unterweight and you will be able to raise it much easier

arranged that the door stays open in a vertical position after being raised, allowing the waiter to use both hands in removing things from the chest,—A. W Ros.

THE HITTLE WORKSHOP

Shoe-Polishing Rendered Easy with a Support

DON'T polish your shoes on a chair or other furniture. Make a shoe-polishing stand. It takes up no room, does not defigure the wall, is very meful, and is easy to make.

All that is necemary for such a device are a few pieces of wood, a bolt, and a number of screws of d fferent sizes, a saw, a piene, and a acrowdriver


Flrat, two pieces of wood are cut slike, and planed down These are the supports of the footrest. These two places should be made of atout material so that



When not in use, the foot-rest folds against the wall

they will not break by the strain to which the spot-rest should also be made from a they are subjected. The grosspiece holding stout piece of wood, and must be typesed. The and properting outside in the first supports care is made in this is desired, although it should be at least 1 in

In thickness. The other end, especially that part which lies between the supports, should be aulte wide. When this piece has been cut, the footrest. which may consist of a thinner piece of wood, should be attached to the CT CHIED HICE.



The holt is passed through the two supports and through the cross piece. Then

the supports can be attached to the wall at any convenient place about 1 ft. above the floor. When the stand is to be used, it is simply let down so that it stands horizontally. When out of use, it is lifted and rests flush with the wall,

If Your Pipe Fails to Draw, Try This

BEFORE leading the pice with tobacco, place a small place I feter wood in the bottom of the bowl, and press it down with the finger Tren the tobac ; my i .n. By us, you not only get an easier

draft in gr pipe, but it prevente the bipe from becoming clogged with small bits of tobacco. The steel wool also stops the mootine from going through the pipe and may bechanged when-

ever Decessary



STEEL WOOL

Steel wool in the bowl keeps the tobacco out of t e stem.



HANES Underwear Hance Winter Underwear comes to you at the

lowest prices in years-with the assurance that it will give long wear-or you get your money back! That promise is the Hanes guarantee!

We know Hancs Underwear! We know what wear and comfort you'll get from those Hanes features shown in the illustration.

Every operation in the manufacture of Hanes Underwest-spinning the yern, knitting, entting and tailoring, are done according to Hancs standards-standards that have made Hapes the most popular men's underwear in America!

See the Hanes line at your dealer's! And remember—there have been tremendous reductions in Hanes prices. There's the longest measure is value in those beavyweight union suits, and shirts and drawers. You can see that with half an eye! And the mediumweight allk-trimmed union suit has won the admiration of thousands of extra warm-blooded men and indoor workers.

Union Suite for Boys - Made in two weights, medium and extra heavy—in sizes from 2 to 16 years. Two to 6 year slees have drop scat.

Always look for the Hunes label when you buy

If your dealer can't supply you with mediately.

Hanes Guarantee

Wa guarantee Hanes Understant absolutely— trang through stiffs and but-tion. We purposted to re-turn year money or plot you a sent perment if pay some brooks.

P. H. HANES KNITTING COMPANY Winston-Salem, N. C.

New Summer-You'll want to wear Hanes Navasion Union Swith!

AUTOMOBILE REPAIRING, MADE EAST By L. vine SF Page: A chapter give page with topolic mandalining. Constitute dates work for Machaning appearing to all paster of the mapper care magnification.

1 956 pp. Price. \$4.00 POPULAR SCIENCE MONTHLY, 223 West Dish St., New York





W. Western you be used to five worder, to oil patest temperal Percents.

Lambert Marie and a property State of System. Instruct you be mint from TANGLEY CO., 135 Males, Monocolon, Louis

BUILDING AND PLYING AN AEROPLANE By Clearing B. MAYWARD. A practical hardbook privates in design condensates and operation of appro-phree and cloded. I for putter. Peters, \$1 de. Popular Science Monthly, 225 West 38th Street, New York



REAR FENDER BRACE FOR FORDS



Stop the equest and state in pour cent feathers with huns flavors. Physical line \$1.00 per subset of desires or enabled [Proping for that anisotent in active to the country of the countr

DUNN MFG. CO., 767 Malo St., Clarinda, In.

\$6000.00YEAR

7HAT others have done YOU CAN DO! \$8,000.00 year is law estimate. Many make more. This how much an and Hop wood's Tire Surgery method merces on Stirts you in paying his test quality to apperlence remod. Taught at my when I is by mail such a two weeks very the cap a required, it's a bon-ansa for analy will need.

Many Man Making Money

Are you one of the road of this back to 1914 where a control of the roads of the who have of the roads of the who have of the roads of the who have of the roads
Great Opportunity Now

Above successes were made within past elighteen months. These men took in an age of splending all no. It is wear new a size rendomisting. Not ay ag new term Making old ones do. aving new time. Making old ones do. These rich an ing fire Surface stations Which wish housesteen

Qut My Big Proposition

Start also others have done the the facts. There a probing and probabilities as the properties and the properties of the y a taske in t. My or opinion a many or of a large and a strong and a seminate or of a large and a seminate of the contract of the seminate of the semi tpe tonight

10- Hayesad, Freedman

MAYWOOD TIRE & EQUIPMENT CO. 161 Capitol Ave. Indianapella, 164,


my fill depresent, Nove Presented The fill Lipsychettel En I Capital See Continues (puts, free

4

tred there is the profitable business. Please

Dollars in Hares

Verney \$7 Octob 8.30 am apageter and entered charges. Blg Profits, We furnish guaranteed blob grade etach and buy all you raise. Use inchard, barn cellar gi is f one rectano literaria Catalog Free.





Your spare time writing show cards. 70U can earn from \$1 to \$2 an hour Quickly and easily learned by our new simple method. No canvassing or seliciting, we teach you how sell your work and pay you cast each week. Full particulars and booklet (rec. AMERICAN SHOW CARD SCHOOL 206 Ryrin Building, Yougo & Shuter Shrorts, Terresto, Control.


You Can Make this Disk-Grinder Yourself

By L. M. Jordan

OUTLINED in the illustration is a diskgrinder that is simple in construction and operation and grinds the disks automatically

Procure a piece of 1-in shafting, 6 ft. long. This shaft is mounted in a box bearing near one end on a mountaing attached to a bench as shown, and the other end passes through a 1-tn. hole in the center of a piece of malleable iron 1 in. thick, 3 in. wide, and 3 1/4 ft. long, bent into the shape of the letter U. This iron fea-on a block mount, ig on the bench, which is lower than that supporting the box bearing at the opposite on

The lower side of this Distanced stud is fastened to the block support and the bench with two heavy botts drawn tightly. Through another hole in this stud extends a short piece of the same size shafting 10 in.



With a little shill and few tools you can make an automatic disk-grinder

long, 2 in. of the upper end of which are threaded for a retention nut. This short shaft is held at the proper beight by two shaft collars. On the lower end of this shaft is mounted un 8-in. gear in un inverted position, beveled for right-angle

driving. This gear is engaged by a similar 6-in. gear mounted on the drive-shaft as shown.

A small wooden roller is mounted on the U-shaped stud in brackets made of strapfrom and riveted to the stud. This roller holds up one side of the disk level and the opposite side rests on the top face of a 3-in. emery-wheel gagunted on the drive-shaft under the disk at shown. An inch of the short fertice shall immediately under the throids is approved square to fit the on the shaft in an inverted position and a put in acrewed on to prevent them from coming off the shaft during the grinding.

The drive-shaft is prevented from playing back and forth in its bearings by

two shaft collars, one on either side of the disk support piece of U-shaped stud. The hole in which the shaft rests in this piece is its bearing at this and, and should be kept well offed.

Near the box-bearing mounting two small pulleys are mounted on the driveshaft. One idea on the shaft and the other is fastened and drives it, with a small belt from the engine or countershaft, allows shifting of the belt from driving pulley to idler when necessary to change

A flywheel is mounted on the end of the shalt to basance the motion and power of the grinder. The duk rotates at lesser speed than the emery-wheel and in an opposite direction. A small wooden roller supports one side of the disk, while its other side rests on the face of the emerywheel. On account of the ratio of the driving-gears the disk does not rotate as fast as the grinder, yet fast enough to keep it cool and grind it evenly and uniformly Many disks can be sharpened in a day with this apparatus.

A Capacious Fountain for the Poultry

POULTRY fountain that will hold A enough water for a large flock may be made from a square 5-gal, oilean such agus used for automobile oil and of which the

spout and the screw-cap with melted off
A strip I in. wide and the full width of
one side of the can in by and the can
cleaned inside of scaledon it with the or
washing it with produce. This strip is cut
in in from the edge or bottom of the can to seave a surface to which to solder. This surface is cleaned and acraped or sandpapered, so solder will adhere. A strip of tin 2 in, wide is now cut 6 in, longer than the exterior width of the can and the ends are bent so it will just straddle the can


Clean this strip along one edge on both sides of the piece and both ends likewise so the solder will stick. Now lay the strip over the hole in the can with its clean edge along the bottom of the can and solder along the edge

Then pull the top edge away from the can about 1 by in, and clean the sides of the can where the ends of the strip will be soldered and solder the ends watertight,

Cut out pieces of tin large enough to cover the holes where the spout and cap were attached to the top of the can, clean the pieces and the can and solder airtight.

Lay the can on its side opposite this opening and nour in water until it is full, then

If raused from the ground by setting it on the inverted half of another can of like ke, with amail ventilating boles in it near ne bottom, a brooder-lamp may be placed under it in cold weather. This will give the chickens warm water all winter




How a large square offcan may be transformed into an automatic fountain for chickens

THE HOME WORKSHOP

Try a Rubber Hose on the Greass-Gun

T'S a messy and tiresome job at best to keep the differentials and transmission filled to the proper let of with grease, and the job is of an neglected for this resear. If a piece of rubbentuous is a traced to the groungus, it is importantly a crawl

the granuagus, it manne



Make your grease-gon more effective by adding a rubber tube

under the car to lubricate a transmission. Procure about 5 ft. of 34-in. rubber tubing, obtainable at an automobile accestory shop, and wire it to the end of the greene-gun spout.—J. C. Ottopy,

Transforming a Tea-Kettle into a Glue-Pot

OliT of an old hettle and a tin can, I have made the glas-por Blustrated An old water-letter that I have in the

ghrt for imin the classfor the ghas receptate of

A ring about 🥖 in, wide was cut from a piece of galvanused fron, and soldered to the outside of the can to keep it from resting on kettle and also to keep the kettle steamught.



the bottom of the CARLI TROM BOTTOR!

The water in the kattle prevents the glue from burning

How to Prevent a Wood-Screw from Loosening

WOOD-SCREWS will quite often loosen in any construction where there is continued vibrit on. These may be effectually inched metalloon hown

The screed lightened with the usual head of the screw and driven down, the middle section of the tack fitting into the


plat of the acrew If the tack in not wide enough to fit over the head of the acrew, a small brad may be driven down beaide the acrewhend and bent over until ft fits in the alot. Lither way provides a simple method of keeping the screw from turning. - L. R.

Slot-head screws may be locked as shown

What a Glad Surprise On Xmas Morn!

A LIONEL TRAIN is a wonderful gift it so perfectly resembles a real train. You've watched the long, graceful lightning express go speeding by like a rocket engineer with tense grip on the throttle, eyes steadily ahead! Didn't it make you eager to be master of a genuine railway system? Well, a Lionel Railway will gratify that ambition, because it looks and operates like a real electric radway.





Standard of the World for 21 Years

Blooters Warning Signal

Blacerical bull rings when train

suprosches Crossine.

Tell Dad you want a "Lieuti" for Xina. He'll be interested when you tell him it is no standily boate it will lan for years. By now it's a LIONEL

Send for the New Xmae Catalog

- showing the complete Lions line of Locomo-tiers stell single motors or with twin-motors, Conches Freight Cure, Stations, Bridges, Sema-phores see in full color—over \$50 (terms, Then buy from poor dealer or sents us, Prices from \$6,33 up.



50-B, East 21st St., New York City



New Lionet Type "A"
Multiroli
Tag Transformer Approved by National Sound of Pire Underwijers. Chesp-est and beer transfer mey made. Many improved electrical fea-




ute. Enjoy the fascination of wireless combined with the joy of beautiful music. Treat your friends to wireless concerts. Entire outfit obtainable at cost of ordinary phonograph. Anyone can operate st. No technical training necessary. Ask any radio dealer or mail coupon below for full particulars.

The provident transfer (materiores) that makes the jupo of introduce and extrades marrie auxily adjustmable in maryons of south east. Faithfully reproduces all counts and home had and clear to may referen desired. Angere can operate & No special himselfe at experience percently. Our representative rate up not/2 and بدينونهم خلكوسيت ننتي نتتني

MAGNAVOX COMPANY, OAKLAND, CALIFORNIA New York Office : 139 Seventh Avenue, Penn. Terminal Bids.

Plany steel are priver and full particulars entrupping the Radio Maginesia and entophys metic for receiving messages and moair by wreien.

MANE. ADDRESS.



GET A HOBBY

MAKE MODELS Start a Home Workshop

White Making," by R. P. Yuten de-acel has the evinate of the model con new stream-engines, revolute sea from a vince of thickness relies at quite ere. To rey one-ters are devoted to model of virtual nature. I will be, you so become a cepter ne-cligate to all the you is decrease, disting payers making etc.

pa gern making, etc. This ag bank every amateur or professional

tions and and made makes disciplinate. Mindel Man in describes tem augi-

secting metals and toys.
400 Pages. 200 s instrations Pourts at, complete enally anderstood. Price. Protpaid. 43 00.

Popular Science Monthly 225 West 30th Street, New York



TWENTIETH CENTURY

Book of Recipes, Formulas and Processes

This book of 800 pages in the most complete Snok of Recipes ever published giving thousands of recipes for the manu-facture of vasuable articles for every-day use. Hints, Helps, Practical Ideas and Secret Processes covering every branch of the useful arts are given

19,000 Practical Formulas—The Best Way to Make Everything

About to which you may turn with confidence that you will find what ou are reclared for A in he of information until a dare in every respect. On a new in innerse is indeed of formulas that every one ought to move that are not found in any other work

ı

Price \$4.00


Popular Science Monthly 225 Wmt 59th Street, New York

THE HOME WORKSHOP

This Weather Strip Will Adjust Itself

WEATHER strip on the bottom of the A front door must close the open space entirely to exclude the cold, but when the door is swung inwardly the weather strip will strike the carpet and prevent the opening of the door. The strip shown is this illustration corrects this common defect by having narrow slots instead of screw-holes.

When the strip strikes a high place it slides upward, and when the door is closed again the strip falls by its own weight and



Sare coal by providing your outside door with one of these self-adjusting

makes a perfect closure. Round heady screws are used and they are turned in . far enough to permit the up-and to movement of the meta, piece. An observed strip bent double at the appared with a piece of felt or subber between the litters at the nottonics need. I makes at ery mat and serv ceaher sor-or pland may be used for many years.

In the summer the strip is pushed up to its extreme height and held there by

tightening on two of the outside screws. In the cold weather these screws are assened and the strip again becomes a barrier to wintry blasts

Indirect Light from an Old Wash-Basin

HE warlor who finds weed foundarect lightform is kapen will and this a salvafactory way to medice it. First the colling a painted we taken the include of an



Good light is necessary for doing good work and indirect lighting is superior to direct lighting

old metal wash-basin is also painted white The basin is then suspended from the celling in the manner shown. The rays of light are first reflected to the exiling and then distributed over the room.

Chemistr



Dr. T. O'Conor Sloans Will Teach You

Pay As You Go Along

The price of our course is early less and the parties includes courselling, area sho the history of taked only in the relative by the control of the co

Big Chemistry Outfit Given FREE to Every Student

We give to every moderat a valuable chegolytic and fit which model within displacifued "of loss that high to the high is lader project taking the plant for the politic moders that higher adjustable from

SPECIAL 38 DAY OFFER

profiles of the many making a process offer the a short time party of the profiles of the first time deposit of Merca to the best proposed on the statements are a first time best to the statement of the stateme

CHEMICAL METITETE OF NEW YORK, INC.

Rome Extension Division

140 S-Liberty Street

New York City



2 YEAR GUARANTEED **BATTERIES SAVE 501**



Ford Burt - :

Patronas "Reyal" Bate ter im chighest qualitative, patronas remainder de est tron, qualitative de est tron, qualitative de est tron, qualitative de est tron, qualitative de est trons de la companya del companya de la companya de la companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya de la companya del companya Sand the Manage Order

Louisianian Prices \$ H III Maxwell-Godge 25 60 de Offer Cort Specimed of Equally Law Process.

FREE MODELLY IN H-I BATTERT CO., Be

Engineer Meet Breen Cattery So

Most modern and lasting of co-substructed time. These actio-crack are heavely reinforced with Gen-tion flow thereoff transfe and will give monderful device. Depot renture them with several or half soled time. A remark-able for facture provides deliber to be often there goes

Standard TUBE FREE 28 x 3 報言語 20 x 31 x 4 20 x 31 x 4 22 x 4 34 x 4 11 12 35 x 445 35 x 445 35 x 5 35 x 5 8-35 9 10 10.20 14 48 15 LO 15 10 11.60

SEND NO MONEY Pay only at er examenating at express other. However, of section, for payentists, if each with seden, modern 5 per cent. Cost you nothing to send for time. We're poder Receive if notice can.

MUDBON TIRE CORP.

201-A Harrison and Poorle Sta., Colinado, M.L.


THE BOME WORKSHOP

Old Sink Forms Foundation for Gas-Stove

FROM an old drain-basin with a 10-in place of 1-in, pipe, a 1-in, nipple of 1-in, pipe, a 1-in, nipple of 1-in, pipe, and 2 plage, I made a vary erviceable stove. The legs were made of two pieces of old strap iron 2 in, wide and 24 in, long, bolted with two 14 in, stove-holts to the back of the basin. They were bent in an 1-shape, one regard in, and the other 14 in long. In teach reg two 1-in halls were rithed.

ong. In bach ieg two the hale were ribed.

The pottom of the base had a sin hole to the base covered with another piece ture an old pot-cover hammered into a



This simple type of gas-store may be made from an old drain-basin

cup shape, in which a \$\frac{1}{2}-in, hole was drilled for the \$\frac{1}{2}-in, nipple that was connected with the 1-in, pipe. This 1-in, pipe was tapped in the center for the \$\frac{1}{2}-in, nipple. The ends were capped. On the opposite side from the \$\frac{1}{2}-in, tapped hole: \$1/32-in, holes were drilled \$\frac{1}{2}\$ in, apart; these were the burner holes. To assemble the caps were scrawed on to the 1-in, pipe, then the nipple was tightened into the 1-in pipe; this was put inside of the basin. The nipple was just long enough to reach through the cup shape of tin

When the elbow was tightened it held the birner in place. The 6-in, pape connected the stove by a tube with the gas-plug. I used this stove all wister with success.—

L. K LANIER.

Homemade Cook-Book Holder for the Housewife



Your wife w'll appreciate this device for holding the cook-book

support the edge of the cookbook at the bottom. Two nails driven through the tin at opposite ends hold it securely. A wire bent as shown and secured in the ends of the wood will hold the book open at any page desired.—K H HUNTING.



Found Guilty!

A GREAT mechanical training institution has been found guilty on two indictments: first of giving too much individual instruction and personal consideration second, convicted by its own graduates of giving two much for the money

The President of this institution has been sentenced for life at hard labor, holding down his present job as head of this wonderful school because of his proved ability to help men help themselves in these times when so many need help. He knows that there is no reason for any man with a real back bone being out of a job. These are days of the trained man. The man who is properly trained should never be out of work.

Here is **Your** Opportunity

-To be a Trained Man. Learn Motor Mechanics-Let "The Quality School" prepare you for jobe paying \$200-\$400 a month

Plan at once to start the new year right in a permanent business with big, wide-upon opportunities. Thousands of skilled motor mechanics are constantly needed in the cities, on the firms and in the aveation fields.

Here you learn by doing everything about the care repair and operation of autotrucks, tractors, stationary gas engines and a spaine mechanics. You work with the most modern equipment and motors, including the Liberty Motor.

Learn by Big Shop Standards—Thoroughly—in 7 Weeks

We teach you the practical big shop me hous. One test and tenable work olone is worth the price of the entire cinese. Yo education or experience required. You work with tools not brocks. Our graduates are recognized everywhere as exceptionally competent workings. Thursands are holding good stendy jobs or are


making big money in their own shops. Like scholarship privileges,

Special Rusiness Course—Your choice of a thorough husiness training or complete instruction in Hookkeeping and Modern Shop Records and Management as part or regular course.

I sung Wrest mg f man viere No kan charge.

BIG FREE Book

tells all about the opportunities in Motor Mechanics and our hig shop standards of instruction. Write today.



Handicraft for Handy Girls

With reggerstance in the girl who likes to make things Also for the see, for girl and the one who likes to play and work out of down.

Price, gent paid \$3.15, Pagelor Science Monthly, 225 West 3th Street, New York City THE NEW METAL WORKER PATTERN BOOK. By C. W. Everanese at Asser area. The constroughted book metal control of the control of problems in which of an investigation 544 pp. William Price 3. Popular Science Monthly, 486 W. 1816 St. New Y.

Don't Wear a Truss Brooks' Appliance, the by cier and the repture, will be considered to the construction sprage.

Brooks' Rupture Appliance

Has automatic Air Cochinas, Bands and draws the broken parts together as you would a braken sole. No salves. No lies. Durable, theap, Sent on trial to prove it. Protocred by U.S. patents, Catalog and measure blacks may ed free. Send name and address today. Broke Appliance Co., Exp. Sect. R., Banks, Rich.

POOL AND BILLIARDS

Learn to become an expect player through eventtific methods used by champtons and ex-champensa. Thorough course to study at home. Write for aformation.

PROGRESSIVE EXTENSION INSTITUTE
1174 Photon Bldg., Son Francisco, Coll.





Ry mean wring some old 240m up frame yourseld.

S.5. 75

613-d. up

The second of the first tree will be second to get the first tree would be greated and great tree would be second to get the first tree would be second to

the course of th

Play by Nata Mano, Organ, Vialla, Car-nut Guitar, Matter Cultury, Banja, Manja, Manja, Manja, June, Cajia, Tyens, butte, Pluts, butte, p Calla, buste Appra Appra Pac-nin Saca drace Uku-da Saca Hanga Hanga enging. He wellen Steel Cultur Haymunp and Companition, Tater Banja, Druma Teaps,

hause to longer and-out New man makes in case to learn by home along the library easier than with private teach or heater progress has or header progress to up will be able in pray your faintee interdepent to p for abject manufact them than 550 they pure the manufact progress the property of the form that is your space.



Amazing Offer

L. S. School of Music



#12 francoich Bidg. How York Caly TREAT YOURSELF Renuliferous

Language White Ray from the other pro-lines purpopayees and hunting that already. It was put school and puter and admitted the puter and all and all and all and and all an hPring octy

Absolutely absolutes and early, You specificate with a strength to the strength of the strengt

Got "MEALTH" Socie from the best seems of the seems of th

Submitted the form of the State




Play the Hawallan Gulter

-Just Like the Hawaiiansi

Our method of traching to so simply, plain and cass that you begin on a parce on h your first leg-Theore

to be for the first proof you can the it. We had duced the necessary much mayou see a first mad you are you be there in a first in the world process of parasite the first in the world first which is the first which where we want which we will be first which we will be successful to the first which will be successful to the first which we will be successful to the fi

"This Makes a Spiere-did Christmas Gift"

Send Coupon NAW

Get Full Particulars FREE

First Hawaiian Conservatory of Music, Inc. 233 Broadway / Woolewith Bidg v. New York City

I un interested in the HAWAIJAN GUITAR Please sent complete information special price offer, etc. etc.

NAME

ADDBESS

TOWN

COUNTY STATE Print name and address clearly: 13 P.S.M. THE HOME WORKSHOP


Some Uses for Picture-Hooks for Hanging Pictures

"OMMON brass picture-hooks can be Contacts bearing of uses for which,

ordinarily, special strips must be out

If they are himmered out fat and toen
punched for round readed screen, they
make me organization in his putting on
homerade furniture.

They can be attened and bent a bright



Picture hooks may be bent in yorious ways to adapt them to other

angles and used as angle bindings for boxes or cabinets

They may also be partially straightened out and used as brackets for supporting such tools as braces, hand drills, drawingknives, etc.

In the kitchen, when acrewed to the wall, they make excellent supports on which to hang kettles, dishpans, or other utensils.

If tacked around the walls of closets, articles of clothing may be bung upon them. Other uses will naturally suggest themselves .- L. H KIRRY

Shutter-Frames Can Be Used for Window-Screens

NEEDING some screeze for the windows I brought from the sellar some old dutten. Selecting those that the the windows wished to screen I commend this mutury They then miring them on one end.



Practical window-screens may be made from old shutter-frames.


dropped out, leaving a good strong frame Over these frames I tacked screen wire. After painting them, I put them on the windows. The hinges and catches were still in place. The acreem were very satisfactory, as they could be thrown open, allowing one to shake dusters, etc.-MRS. H E. HOLD.



High Frequency Apparatus Sy T S. CURTIS

This book covers the design, constructions and practical application of all kinds of high frequency apparatus for use in experimental, medical and plant cultivation work, and also includes directions for the construction of a complete stage outfit for both low and high potential work,

266 pp., illus. Price, \$3.00 POPULAR SCIENCE MONTHLY 235 West 39th Street,



New York City

THE COM TENT OF THE PROPERTY O

Associated Art Studies, 23d St. and Reveducy A21 Plantes Building, New York, N. Y.




THE HOME WORKSHOP

Ornaments of Hammered Brass Are Welcome Gifts

ORNAMENTS of hammeted brass are very effective for decorating bookends, desk sets, pipe-racks, etc., and the only took required for making them are an old pair of acissors, a round-headed hammer, a gouge and some blocks of hard-

Draw some or de and dyslatin the end grain of the wooden blocks and a th the gouge work there out into amount depressions of any senized depth Make a





Handsome presents of hammoned brase may be made with sinsple tools

pattern of the proposed ornament on paper out this out, lay it flat on some sheet press 1/32 in, thick, and mark around it with a lead-pencil. The brass is then cut out with the sciences

Suppose you use the quatreful design disstrated. First piace it carefully centered over a circular depression in the brock and heat it gently with the head of the hammer until the brees buiges and file the hollow. Next hold the brass with the busys upward so that the edge projects over a rounded corner of the wood and tap it so as to bend the rim. Keep turning until the entire edge is rounded over Then punch the brad- or screw boles and the ornament is complete. Polish with fine sanupaper or emery .- L. H. KIRBY

How to Improvise a Slide-Easy Collar

I INWIELDE atarehed collage To quickly putting a prescription will easy region by putting a prescription will up for the cretch of them as shown in the lieutration. The tiny bristian prevent the cleaner from working down while the collar is worn, and the ne will allow through it easily, without requiring any process. requiring any effort. A. SCHAAL.



A hint for those who weer turndown college



Become An Artist

THIS wonderful new method makes it possible for anyone to learn Illustrating, Cartooning, or Commercial Art. Hundreds of our students are now making splendid incomes And most of them never touched a drawing pencil before they studied with us,

The samplicity of this method will learn how to put them together. Naw mail yet you receive personal instruction from one of America's foremost Commercial Artists—Will H. Chandles. Let into this functioning game NOW You can easily qualify. A low minutes' study such day is all that is needed.

Crysta Demand for Trained Artists

beweignigers, advertising agencies, magazines, laisings concerns vall are looking for men and women to handle their art work. There are hundreds of varancies right this menute! A trained commencial art of an command almost any salary he wants. Lartoonests and orsigners are at a premium. Thisens of our stocents started work at a high salary. Many ea n more than the cost of the course while they are learning! YOU -with a little spare-time study in your own home -can easily and quickly get one of these lag paying artists' join.

No Talent Needed

This amazing method has exploded the old size that talent is an absorble from your too book. Here to there on Artist " becessity in art Just as you have bearing to write, this new method teaches you to draw. We start you with straight anes, then curves. Then you

astound you. You will be amazed at you begin making pictures. Shading, your own rapid progress. You learn by action, perspective, and all the rest folaction, perspective, and all the rest follow in their right order, until you are stuking pictures that bring you from \$50 to \$500 or more! Many arrests get as high as \$1,000 for a single drawing

Write for Interesting Free Book

Mail coupon now for this interesting free book. How to Become an Artist Explains about this amazing method in detail. Tells of our students-and their wonderful progress-and how we an qualify you for a high-natured art at a position. Also tells of our free art at a outfit and special low offer to a limited number of new students

MAIL COUPON NOW 1

Washington School of Art Room 1706, Mardon Building, Washington, D. C.

----FREE COUPON ----

WASHINGTON SCHOOL OF ART has till. Mardon Bldg., Washington, D.C.

Person with me without your or chilipating up my

Modern American Telephony in All Its Branches

Br A. B. SM TH her people process in constitution of treating the adding from themse of apparatus of the section of a facility reprint the section of a facility of the section of the sec



Blorry A. Bullini 305-228 No. Walls St. Chie

With Draw Made Write Today For Protrains Circular Exploision Tra-fir's or You Buy Plan SMITH TYPEWRITER SALES CO.

Be a Lawyer \$5.000 to \$10.000

A . 1 ren Salard, Print - 970, Brital & 1970, Character

For your home or hudgest for wastme and froming turnines, pursue or ma-cines shope, house pumps, printing machin-ery rise. A general utility motor for many purposes. Thoroughly tested high quality, सम्बद्धीरसम्बद्धाः हर्गातन

Quality Motor Bargain Columbia Motorwice A. C. a. p. 1p. 25 of 50 or 00 t. 1 D. v. 1550 h. P. M., as a 10 t. cm d are once also a securiored pe top. A so furnished for D. C. 20 v. 110 v. or 220 v.

10 day money back guarantee. Sedt prepold on repert of your under with money Inquiries selicited on all types and cises of

Interpolicy production to agents.

Two off tougeneous man contact

Clock natur duired Address Department No D A. C. 230 v. M.c. 49 c 50c Min.

a 12 v...... 101 2.50 v

The Columbia Electric Mfg.Co. CLCVILAND

How the Man in Maine Buys Oregon Apples

COMMERCE lives through the interchange of products. California fruits are sold in Maine. Shoes made in New England are worn on the Pacific slope. Automobiles from Detroit traverse the Florida sands; the North Smokes Southern tobacco. And so it goes.

Advertising has played an all important part in fostering business growth. Without it we would retrograde half a century, or more. Business would stagnate; large institutions which build cheaply by large production would fade into oblivion; we would live in total ignorance of many things which might add to our wealth, health and happiness.

The bread and butter of business depend on advertising, and your interest in it.

Read the advertisements. They will be as productive of results to you as to the companies that pay for them. In half an hour, or less, you can learn much of many things that go to make life what it is.


Read the advertising. It enables you to get more for your money by telling you what to buy. It is your guide to what's good to get.

Read it - reflect on it - it pays

THE HOME WORKSHOP

Wide-Swinging Gate for the Farmyard

A GATE that may be swung through nearly 360 degrees may be made by using an offset ring-hings such as is shown in the statistion. The case of the gate is to the opposite and the construction a lower degree the gate back against the fence of earlier aids, we character very




When swung spen as far as it will go, this gate will be flat against the force

desirable. The mounting below the lower bings should be a solid ring, to allow of free rotation of the hinge upon it. The post used for a hinge-post should, of course, be round. The post on the other side of the gate should be so placed as to allow the gate to pass it if the maximum swing of the gate is desired.—Louis Schneider.


Novel Speel- and Twine-Holders and How to Make Them

THE spectrack in the statute it made from a chaight stick of marginal and a pair of tope nature. Which necessary to put on a newspool simply pull our one of



the pins. It's so convenient to have all of your spools right at hand when sewing.

The other picture shows a single-speel holder made from one of the handles the grocer gives away for carrying parcers home. Keep some of them, for they make the handlest twine-holders. Always have one in a convenient place in the kitchen and laundry—Japane E. McCov.



Books for Mechanics


Sheat Metal Work—A manual of practical self-instruction in the art of pattern drafting and construction work in light and heavy-gauge metal, including skylights and rooting, connex work, etc. Cloth, 288 pages, 370 illustrations. Price, \$2.60, Pasipaid.

Machine Shop Work—A comprehensive guide to the most approved methods in modern shop practice, the construction and use of improved toos and machines, hand tools, the lathe and lathe tools, the methods of screw cutting, taper and eccentric turning, etc. Leather, 360 pages, 401 illustrations. Price, \$2.60, Postpaid.

POPULAR SCIENCE MONTHLY 928 West 39th Street, New York THE HOME WORKSHOP

Spinet is Transformed into Bookcase and Desk

ONE day, while rummaging in the attic, I conceived the idea of transmiring an old a second at the second at the second at the second at the second was to remove the keyboard and the mechanism in the interior of the instru-



What was done with an eld spinet may suggest similar transformation of other eld furniture

ment. Nest I built into the fore part of the old spinet two note of small drawers on each side and partitioned off a number of pigeonholes of various sizes. Then the affixing of a hinged writing surface supported by two metal quadrants gave to the front of the former instrument the ordinary appearance of a comfoctable writing-deak. Furthermore, by means of a pair of movable supports. I made the music-stand adjustable so that it could be lowered to serve as a convensent bookrest or raised to act as a lid for the desk by folding over fluth with the top The music-stand and writing surface met at right angles when closed, forming a firm protective covering and changing the article into a quant library table

I divided the rear portion of the body of the former spinet into three parts for the storing of books. The volumes were put in with titles upperment.

In addition, I fashioned a large drawer to be used for keeping papers, booksets, and the like in each side of the drak in such a way that they were wholly unseen. These drawers were opened by clutching them with the hand on the under side.

To open the combination bookcase, library table, bookrest, and deak, finally, one had but to touch a pedal of the former spinet, which released the catches holding the music-stand and writing surface in position.—L. C. Goretz.


A Convenient Ruler that Does Not Slip

THIS ruler consists merely of a length of angle-brane with 14-in flanges. Belect a smooth piece and finish the ends neatly and the job is done. If you wish, you may mark an inch-scale on it. Use the ruler with the corner up. It gives a hold for the hand better than any except the triangular

ruler, and it has the advantage because it will not slip. For this last reason it is very useful for cutting where considerable pressure must be used. — Howard Greene.



Here's a Book You Ought to Have



FRE'S just the book on Electricity the your beed to another front many previous to also your knot y problems, o teach you are kinks, to be your memory for cables, rules formulae, and other Electrical and Mechanical tacts. With this it is Chart 2 C S Electrical Engineer's Handbook we kim easy reach no hour or a day need not be not "during up" some unfamiliar ten you") just turn to the index and get it in a pilly " A lim of the applicant treated are

Electricity and Magnetiam; Buttering; Circuits Magneta, Direct and Alternating Currents, Dynamos and Motore, Butter Shafting, Electroplating; Electrical Municipality, Meters, Arc and Incandocant Lamps; Morcury-Ara Rectifiers Transformers, Insulating, Electric Carn; Single and Multiple Unit Control; Transmission; Rail Welding; Tables of Wires—Sines, Capacities, etc., Mathematical Rules, Forestule, Symbols Tables of Controls, Arasa, Weights and Massures Chamistry; Freperties of Metals; Principles of Muchanics

This Electrical Engineer's Handbook is just one of 17 1. C. S. Handbooks covering 22 Technical, Scientific and Commercial subjects, all equally granded with value. They have the contents of full one books condensed into peaket size trady to go with you enjoyabers and be at your instant command.

You run no rink! Money buck if desired?

INTERNATION AL CORRESPONDENCE SCHOOLS
Beg 7450-B, Sepanton, Penna.

I enclose 5 for which send me, postpaid, the Handlesoke marked X of \$1.00 each I is understand that if I am not entirely satisfied I may essure may or all of them within five days and get my money back.

Hookbeepef's

Tame's put furtequedeel's

Ductave Mee's
Adversame's

Substitute's

Vandow Trimmer's

Camon Tugdile Window's

Enfour's

Farther's

Applies while





Keep one of these safety revolvers in your home and be fully protected against butglars threver and toltes, must be a conti-legh, it write up in the neglet this noises desira-suled of in the new coops and festive vide neglect has less von wholly UNPRITECTED

Buy one of these revolvers and be always fully protected. Him the objective grants a basis. HAS DOUBLE SAFETY and is also likely "foologood" against occidents. Posters gris, acquires that Refer basis for each occupant by the Bolds I controlled Should conjunct the farmous Colt Auto Cartridge.

SEND NO MONEY

Order to-day Just send your name and address and may wideh revolver you want. Vis 345 in 25 cultire 7 that, Reg \$975

No. 43 to further star 12 calibre millitary moriel 10 about extra manage be \$12 peneth \$1.50 FRGE Regula rice \$12

1

Lough's walk. Christy this barrould today the same placed your factors arises and the Napples of he happened you want to fister. Sweet we made. We shape by se are mail. Pay Sweetness on after the place of the property of the same paid.

Paramount Trading Co. 34 West 25th St., New York City



Learn in Spare Time to be a CIVIL ENGINEER

Emm \$1600 to \$5000 Yearly

Hele a your hip chance to be now a full finite of the Brightene With this est of breaks you can fit regree! In make buy money by he gestern distribute estatement in an equal to the fully estatement in course, through only estatement in course of the U.S. and Connects



Great Books Shipped FREE

Send No Money "you been been often Note to the first the sense of the

Consulting Service Free A \$ 1 mm of any Attentional of the control of the state o BEND NO MONEY JUST THE COUPON!



Address Autorea.

THE HOME WORKSHOP


Receiving Rain Warning by Telephone

SOMETIMES A is important to know whose rain regressional in the night.

In a method of of terming this information in terms a discarded telephone transmitter lattenths

mouth prece,

mouth up to the roof or any convensent place open 💰 to the sky, and over it fix by the corners a sheet of tanned from its contact with it. Theo lead the wires to your bedride. where you will have the dry cells and the receiver part. The rain striking the un will make a lot of noise which you will bear in bed.-E. A. McCann



The telephone will enable you to hour the coto falling

Here's an Ingenious Screw-Holder for Starting Screws

IT is cometimes necessary to start as the finger. When such a candium in it with, the tool shows in the saustration of the residence of about I and the saustration and brotter are a distance of about I and the saustration and brotter are a distance of about I and the saustration are a distance of about I and the saustration are a distance of about I and the saustration are a distance of about I and the saustration are a distance of about I are saustrational and the saustration are a distance of about I are saustrational and the saustration are a distance of about I are saustrational and the saustration are saustrational and the saustration are saustrational are saustrational and the saustration are saustrational are saustrat

used of the handle one and by sawing. An old slarm-cock



How to start screwe in echarules inaccentible places

spring furnishes the material for the fingers of the holder. A proce of this is doubled in the middle and forced into the slot in the handle. The fingers are shaped as shown and the ends squared by filing

To use the holder the fingers are pressed together and slipped into the slot in the screw. After the screw is started, the holder is pulled away from the screw.

One Method of Removing an Obstingte Staple

LARGE stables that are driven in runted it made lare den extract. This can be done as a c, h with the stable of the contract of the stable of

Run a big mail through the staple and hook the claws of



This kink is well worth remembering

the hammer under the null, the claws straddling the staple. Put a piece of wood under the hammer so that the susface will not be damaged, and then pull in the usual way. A very small stante, or doublepointed tack can be pulled in the same way with the claw end of a hammer





OF MEN WITH AND WITHOUT

The Perfect Leg Forms

PERFECT SALES Ch., 140 M. Mayfadi Ave., Dagt. 45, Chingo, M.



Cut not this ad and Mail R to se, with your pamer and address no many and see a Remai you our FAMOUS MARKAT MAZON at the normal speciated Voucasyam to account of the particle has a page 1887, pay let be at 1888 in the page 1888 and the page 1888

the most beneficial exercise

Get all the benefits of a tross country run. in your own home, with



Just the thing to keep the indoor man At

5 few minutes daily brings wonderf I return. proved lung power better Cit Watter and digestion, p va or prilyity of the

aves and browels and mer pure blood. Makes the body and erect Deveups he mostlet med important to

health those in the undominal tract supporting the analogans. The most treatment for obesity Avred he scop and lagurag step of age. keep will and 42 mg with he R natheme-

Supply reside nothing to get out of order Handles ad astable to any size. Folds up Folds up Size when folded 16 x 20 x 7. compactly. Weight, 60 lbs

Sent anywhere prepaid for \$35

W N. SHARP

45 L. Lake Street.

Chicago, Illiania

The Last Discoverers

(Conduded from page 15)

piorer. The man who travels to the endaof the earth to-day is led by the hope of a discovery that will prove of mating value to mankind.

For example, coal has been discovered in the region of equatorial Africa to which Carl Akeley sailed last August. This is the first good coul found in Africa. There are amail lignite deposits farther south, but the lack of a suitable smelting coal has forced African minors in this region to float copperand sine ore down the rivers to the coast and to ship this unnecessary bulk of ore across the sea for reduction. Now, in an area of which very little was known, we have found a coal-mine which will do much to make this section of Africa a great producer of metal.

A parullel case exists in British Guians. The streams here have some gold in their sands, and occasionally placer-miners find a diamond. But where are the diamond "pipes "? An expedition has left the Smithsopian to look for mines, and its leader W. J. Lavarre, expects to remain in the jungles until he eneconds in this quest.

Geographical explorations such as Shaekleton's and Colonel Bury's expeditions to Mount Everest, is drawing to a close. They have become a matter of clearing up details rather than preliminary surveys of totally unknown regions. The era of commercial exploration, such as the expedition of Lavarre and the oil prospecting on the Mackenzie have only begun, and in the future we can expect more and more work of this character. For instance, a few of the expeditions in the field to-day for scientific objects are the following. Dr C D Walcott in the Canadian Rockies Mr. L. H. Abbott in Chile, Dr. H L. Shantz in Africa, and Mr C. M. Hoy in Australia. The majority of modern exploration is purely scientific, but it must not be supposed that this "pure science" has no interest for the average man. It might seem as if the discovery of ten new variaties of beetle in South America, is a matter of little practical importance. But results which are at first "purely scientific" soon turn out to be of immense practical importance. Dr. Henry Rusby is now in the Amazon valley in search of rare plants -and to study noxious insects. Among the pinnts he expects to find medicinal remedies unknown to our present phatmacopusia, perhaps a medicine of such treznendous importance as quintas, which was brought back from these same forests by the early Spanish explorers. The study of insects may lead to the discovery of new serums for the treatment of dysentery and lock, aw, or the blotting out of tropical dispases, as his colleagues discovered the gauses and the cure of alcoping sickness.

Few of as realize that modern research is like a pyramid—we hear of the peak, the culminating fact, that is recorded in the daily papers, but this is based on a long series of abservations and data gathered by men scattered to the ends of the earth, working taboriously and unknown to fame in tropical jungles and frozen wastes. A scientific discovery is a synthesis of apparently unrelated facts gathered by many men, and these modern explorers at work at the points indicated on our map are really the advanced outposts of the army of science, and if the age of exploration for its own sake is drawing to a close, that of exploration for the sake of humanity has

only begun.

GIVE Popular Science Monthly for Christmas

A SPECIAL HOLIDAY PRICE TO OUR READERS

An ideal Christmas Present will be a subscription to Popular Science Monthly. You will give fresh, fascinating, vital reading for a whole year. Popular Science Monthly is packed full of useful facts, new ideas and practical information. Give some friend the pleasure of having this good magazine, which is growing better every month.

We make you a special Christmas rate of \$2.50 for a year's subscription. This special rate is open to every reader.

\$2.50 the Christmas Rate on Popular Science Monthly

You may give one or more subscriptions at this special rate. You also may include your own subscription. Use the order blank below-'If more convenient, you may remit after January 1st, but send your order now. This offer expires December 25th.

Every Month Next Year All These Things in Popular Science Monthly

What Do You Want to Know?

Popular Science Monthly will answer. your questions free of cost.

Useful Things to Do at Home

First aid hinte for keeping things shipshape about the house.

Every-Day Wonders

Amount \$

Ten fascinating facts of science explained in every insue

Things to Make with Tools

which every reader can make at home) month by month,

Your Automobile

listest facts on economy of upkeep -repairs tires motor gas -oil-butteries-garage - new accessories.

New Inventions

New tools, new labor-saving devices, wenderful new machines handreds in every mour.

Flying

Over 50 new designs every month | Watch this marvelous science grow

borowith

Send Christmas Order Blank Now

POPULAR SCIENCE MONTHES	Y, 225 West 39th Street, New York
Enter subscription for Popular Scienc Please send Gift Card Announcement.	e Monthly for 1922 for the name below
Send to	Ordered by
Address	Address
You may write order on blank paper if	Check here if you with to include your own subscription
	Remittance Please solid



Bill: Fold, Coin. Peres, Card Cost The Armstran Burstran I was a second of the Gold Name

Engraved Absolutely FREB Chr 30c Street So. 10c. Francisc Come on the high This attractive staying many grow the perhatman un ay-apricantly rich and mandeson apparation. This was alone in worth 11 ht of anythesis a unexp

Send No Money

Dyes nowed as a passary in navyment of Jam apped your regime to continue and the passagement and that the ordered gives which respective to the passagement and that the ordered gives which respectively the passagement of t

C. S. Loother Goods Ca., 2 or 1700 Edward Street

International Street Street Street Street Street Street

And Street Str

St. Mr. Commission of the letters and the second s

Produces to the second production of the second party of the secon

Stars of Popular Music Play the Conn

Wher greater preaf of superiority chair archesites all use Come in-seruments! The three arc only a few of those who, personally and through phonograph records, are shelling millions with the builting broatly of their quake,

You, too, ten win populating double your income playing whole or pass time in band or orchestra. Take a up from the world's prestone processes make them.

**Exclusive processes make them.

**Green or all to

Proo Trial; Basy Payments






C. C. Conn Led. 1232 Conn Bldg., Elbhert, Ind.
Genelemen: Please send pay copy of Success.
to Music" and details of your tree trial plan,
(Mention Instrument.)

(Mention Interspi	Luny				
Neme			 		
St. or Rural Room	·		 		
City. Science		_	 		
County			 	101	

TO ACCUMENT OF

Hinged Tailboard with an **Eccentric Lock**

IF you are handy with tools, you can construct a hinged folding tailboard with an eccentric lock such so the one shown in the illustration. The lock is cut



interesting suggestion for a hinged tailboard with an accentric lock

from a piece of flat from stock, the lower and (or tail, being bent alightly outward to provide a handle.


The locked position of the accentric is shown, the weight of the tail portion normally holding it so. When the tall is turned straight up, the catch of the lock is released, and the tailhourd can then be removed .- LOUIS SCHNEIDER.

Hallstand Is Built from an Old Oak Easel

N antique oak easel that had stood in

formed into a mailstand as dilatrated.

The stric as the backshal supported the caselwas carrier lengths (on by umbrellarack togethe with he strip on which the



This illustrates the transformation of an autique easel into a modern and unuful hallstand

picture rested, the scalloped portion of which made edges for the bottom of the rack, which was the only new piece of wood required, and was stanted with a dark oak finish to match the rest. Six ornamental brass hooks were added, and the result was a good-looking and meful article of furniture. - KATHERINE L. DANIHER.

Try a Coal "Carburetor" on Your Range


"HE object of the device is to save coal. The object of the same by mixing the games created in combustion with air and burning them, instead of permitting them to go to waste up the chimney

Manufacturers of several patented "carburetors" claim a saving of at least 20 per cent in the amount of coal used, besides

complete combustion, giving a uniform heat, and burning the coal to a fine white ash without clinkers.

The one shown in the illustration has been thoroughly tested by several months' use on a kitchen range, and has given exceptionally good results. To make one, all that is needed is an old gresse-cup (iron or premed steel) from an automobile, such as is used on the Ford uniternal joint, two small drills, and a lij-in pape-tap.

Drill a hole in the center of the stove-lid and tap a 32 in, pipe-thread in it. Take




Try this coal-"narburator" an your rungs and you will find that it SAVES COM

the top of the grease-cup and with a very amail drill (1/60) drill, evenly distributed, about a dozen holes in it. Screw the cup together and then arew it into the tupped hole in the neve-lin. Your enrousetor" is not complete and ready to work, among invested or he are. Even better requite can be schloved by attaching a carborretor to each lid that is directly over De ffe.- E. B Duter

Correct Drawing May Cause Error in Machining

WING to the manner in which a circular drilled hole was shown on a detail drawing, as being cut through a circular bar, a machinist was misled to the extent of turning out a piger with a circultir groove arounds the bar instead of the required hale. While the method of deneting a hole in the law is correct as shown in the filter ation, in accordance with mechanical drawing practice, also the dimension for the diameter of the hole, thele details will invariably mislead the mechanic if he does not underst, and the projection.

A method for the draftsman that involves less work and is clearer to the ma-



Dyaftemen can learn from this illustration how to make their drawings so that they cannot be enursed

chraist is to leave off the circular lines at the ends of the boles. As a time-saver and for clearness, this is worth adopting .- G. A. Luers.

THE HOME WORKSHOP

How to Obtain Reflected Light for Indoor Pictures

THE amateur photographer ands that taking interior pictures by daylight is not usually a success. The ordinary living room loss not furnish sufficient light for province after particular terms explains a fundamental like in generated is to place the subject of he to a window so as to get the in. is not if the light However, this aways results in having one aids



Amateur photographers will be able to take an indoor portrait by the use of this simple arrangement

of the object illuminated, while the other aids will be in the shade. This difficulty of proper lighting has caused many a camera

lover to avoid indoor pictures.

By the use of a mirror properly placed, some of the light coming from the window may be reflected to illuminate the shaded side and thus help to procure more even lighting and avoid the defect of heavy shades and shadows. An ordinary sized hanging mirror so used will give surprisingly good results. A large place of white paper with a glazed surface will make a good substitute for the mirror.

The picture and inset diagram show the arrangement. The best location and angle of the mirror can easily be determined by trial.—B. Fox.

Another Winter Use for an Electric Fan

A Neelectric firm method be stored away in the windertime as it can be made in service in the way shows in the picture. It is connected with the cellar light-socket

The ejectric fan forces cold air into the furnace, thereby siding fuel combustion

and placed so that it will blow air into the cold-air pipe. This assists the circulation of cold air through the furnace, aids the combustion, and increases its heating efficiency,—Joseph B. Moran.



If you want to get comething that will keep you busy and tasernated all the time, that will show you the wonders of themsal science, that will start you off on one of the most interesting things you ever did. That will give you reliable and practical information on the most absorbing science there is to-day—if you want RFAL has with a live bunch of fellows—thes I say to you, get a CHEMCRAFT in a and start experimenting on your own has a

With a CHI Mt RAFT outfit you can work all kinds of amining and instructive chemical experiments. You can test the things you est wear, and the every day; make suap, dyes, inks, and do many other practical and

give van as understanding of chemical econoce. You you do have to as too, the kind that quake everybody wender how you do them to an a large for the first of the second with the second to the second the second the second to the second the second the second to the second the second to the second the second the second to the second to the second the second to the se

Calcand I'll more have a ver business twee get my CHEMCRAe 1 a ghe away


PIEMCRAFT)

Makes Any Boy an Amateur Chemist!

Local Chapter, and get other hove in with you. You'll get the Club magazine too, and cut rackange letters and


Character (raft

Makes Character Reading Easy and Interesting for Children and Adults



experiments with other Club
many and the first of fine
Clab Tax the first or
Common and a v
body that a what you want!

Select from These Five Fine Outfits! No 8,75c No 1 11 30, No 2 \$236 No 2 53 00 No 4 510 00 But here: A and



Special Note to Fathers, Uncles. By Brothers and all Good Friends !

If join want lift make point the first parties of the point to the poi

Free to Boys


An interior of them into

THE PORTER CHEMICAL COMPANY

Parter Products Put Science at Your Service

Industrial-Arcade Building

Hagerstown, Maryland



COURSE

You Want to Earn Big Money!

And you will not be retisfied unloss you sare steady promotion. But are you prepared for the job shoul of you? Do you measure up to the standard that insures excess? For a more responsible position a fairly good education is necessary. To write s sensible business letter, to prepare estimates, to figure cost and to compute interest, you must have a certain amount of preparation. All this you must be able to do before you will earn promotion.

Many business houses hire no men whose general knowledge is not equal to a high school course. Why? Because high mainten princes to burder itself with men who are incred from promotion by the lack of elementary education,

Can You Qualify for a Better Position?

We have a plets whereby you can. We can give you a complete but almosticed high school course in two years, giving you affect the essentials that form the futuristies of practical business. It will proper you to hold your own, where competition is been and essential. Denot doubt your ability, but make up your ministest and you will soon have the exquirements that will bring you make the exquirements that will bring you make and bly money. YOU CAN DO IT.

Let us show you how to get on the road to success. It will not cost you a single working hour. We are so sure of being ship to help you that we will chemically return to you, at the end of ten lessons, every cent you sent us if you are not absolutely eatsched. What fairer offer can we make you? Were today. It costs you nothing but a stamp,

AMERICAN SCHOOL

Doot, H-178, Dward Ave. 4t 50th St., Chicago

merican Schoo

Bags. 43-975; Oblemjo, Ph.

Extention for continuety for presen charled: April 1 and 12,530 to 84,593

Circle Engineer to Std. 600

Symbol En PS. 400
Directors | Engrave to England | Engrave to England |
England | England | England |
England | England | England |
Certified | Febile | Aesountains | Febile | Aesountains | Febile | England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
England |
Eng

Biastrical Engineer

4 um to (10,00)

Gassal Education

In you pure

populational Manager


Phone Engineer 13,990 to \$4,000 12.000 to PLAN I taur neer Telephone Engineer
E,500 to 10,000 th Polograph Englisher PASIO to 10 440

High School Gradents Figu Ensurance Expert
St. 600 to \$10.000

THE HOME WORKSHOP

How to Clean the Under Part of the Boat Hull

PRACTICAL method of cleaning the A hall of a bost without having it out of the water is shown in the illustration. This device consists of two or three wire



Use this scrubbing-brush when you clean the bottom of a boat. It can be dens without taking the best from the water


brushes fastened to a plank with a rope at earls end of the purk. The salint down over the bowlor is no out to book and the owner of clearer place in manufactured orth from about harmonic growths, harmonies, etc. ran readily be temoved. The purpose of cleaning is, of course to prevent decay and obtain better about with the boat as these archimulations harder the boat as these archimulations harder the boat as

these accumulations hander the boat's progress through the water -G A LUERS.

Straightening Cotters to Bring Points Together

N order to insert a cotter-pin into a cotter-puritele uffigt jim ende utg. spread, loss of temelocium obless the pour crough trope to

ence wil stand open nless



This litte hink in a good trouble-enver, especially for the mechanic

they are bent in the opposite direction. To do this, place a nail between the points and press them together with the phers.

Stamp-Pads May Be Made of Type Ribbons

LD typewriter ribbonadury very satis-

factory, rubber-stamp part take a suitable langith of distracted ribbowland and it a build a piece of card-board out bout the pad-box easily arrange the Bose end underneath, and secure with

TYPE ARE THE

Save up your old typewriter ribbons

and make this proc-

tical inking-pad

李650

CHICOCAED

a drawing our or smal, tack, and place in box

The top layer can be cut nexty instantly when clogged with dust and dirt exposing the clean mky surface beneath. GEO. R HOLDEN

DIRECT YOU AT ROCK PRICES. A Remerkable Typewiter Barge

With they can when you can now contrict a read new mit to of Harris Visible Typesweller making aread maintry to proceed The Harris is an age to date white and durable full sensitive local beamens appropriate that appropriate hydrogen Full biston writing Salema and other agency action. But is the temp macrosale and other agency action. But is the temp macrosale and other agency action. But is also the sign of the main order action to the other main order action conditions. Head to the main archite activities to bridge with a tests all about the winderful machine.

Sears Rochuckant Co. Chicago





LEARN AUTOS AND TRACTORS

Manuferful Olymor Britism absolute. It proceeds appeal to a second companies of the process of t Total graduates making guoda, Cutaling Phone

Cloreland Automobile School, 1621 E. 761h St., Cleveland, Obie.



Perfect hearing is now being re-stored in every condition of deal-ness or defective hearing from causes such as Catarrial Deal-Thekened brums, Roaring and History Sounds, Ferforated, Wholly or Partially Destroyed Drums Discharge from Ears, etc.

Wilson Common-Sense Ear Drums "Latte Wereless Phones for the Ears" require no predicine but effectively replace what is lacking or delective in the natural car drams. They are simple delective in the natural car drams. They are simple describes which the wearer capity fits into the care where they are invisible. Soft, safe and comfortable. We see and to the farm where they are invisible. Soft, safe and comfortable. We see and to the farm which is the ladge for our 168 page FREE took on DEAP-100555, giving you tall particulars and testimonists.

WILSON EAR DRUM CO. Incomposated Inter-Southern Bidg. LOUISVILLE KY.

MAKE MONE

on a result minery. Be independent. On he the blue to-reducing bits beat. One man mays 'I prade \$40.00 the Brit ar. On the average that is \$50 to \$50.00 to Year Scale cabused seculed. Jobs phoneful. Every tentaries a pos-nicle resource. No experience meables. We tend beca-

SHALE R Tire Repair Outlit

groved Wrappet Treed Matin Coul by Two Manufactures

Deep so good work so the blg blafe parted enteresting optific A hay can one it. I so the entry releasting that hay have a start of the entry start and each it is a start of the entry in the entry

FREE Book

"Harries Open a Tire Legacy there," It tells how he make hig morney. Don't delay. Write quick.

C. A. SHALER CO. ZIE Fourth St. Wanter, Windsufer



THE ROME WORKSHOP

Pulling Posts is Rendered Easy by This Method

U-SHAPED staple of heavy from or steel is driven into a post near its base. If a rock or a log is now placed near the port, and a long pole or an iron pipe is placed on the rock and under the staple, sufficient leverage will be exerted to pull up the post. The staple has greater resisting power to bending when driven far into the past, than one to two spaces of the same thickness. Where as implicable wall bend. der the steam, that I supped staple will

Such a staple can easily be made from odds and ends found in the junk-box. If it



One man can pull a post by this method. Try it and see how easily it will work


is undestrable to bend one, one can undoubtedly be made from some broken pieces of machinery or tools with the aid of a file. - E BADE.

To Prevent a Saw from Sliding to the Ground

WHEN a man has considerable sawing to do, whether it is regular carpentry work or treet and branches to cut down in the groods the drawary based and must frequently bonshumed.

Or resuming the workers are at picked


ground, which necessitates



be injured. File these prints on the and of your saw and lengthen its life

bending down, as often no place is available to put it on a higher elevation.

This constant stooping on a job that may last for hours is very trying and causes much fatigue. Invariably, when one attempts to stand the saw on end near the job, it will saide and fall. By cutting a V-shaped projection at each end as seen in the illustration, the saw will stand up without suding. ANTHONY E. ZIPPRICE.



The Follow Eigh May

O the man who enjoys the finer, better l things in life, The Florsheim Shoe affords quality of unusual excellence and style that as pleasingly correct, at a cost that is low for the satisfaction received.

> The Florabeim Shoe - \$10 and \$12 Throughplate Bookles "Styles of the Times" on request

THE FLORSHEIM SHOE CO.

Манифасынета

For the man



Make \$15 to \$25 a Day and be happy doing it ?

ET a job you can't lose! You can make \$90 to \$150 a week as District Sales Manager for the Wizard Kerosene and "Quicklit" Lamps and Lanterns—if you can qualify! We want men who are capable of doing big things -and of earning big money right now. The Wisard Kerosene and "Quicklit" Lamps and Lanterns are the only sure lamps and lanterns that always give all the

light that is needed—never get out of order—cannot leak, explode, catch fire. "Quicklit" burns gasoline; lights with ordinary matches. Give more and longer light for less fuel. Only lamps and lanterns made with automatic cleaning needle. Demonstrate these superiorities and you will sell one to a dozen lamps and lanterns a day easily.




Laimes of Lantenns

You can sell direct or through dealers. Build your own business have a dealer in every town working for you.

We need real men who are able to earn big money. If your time is worth \$15 to \$15 a day, wire or write your application today with full particulars of your ability.

The Nagel-Chase Mfg. Co. 271-275 East Erie St., Chicago, Ill. The Automatic Cleaning Needle - a new invention makes them quick sellers



DATENTS IF YOU HAVE AN INVENTION and DESIRE

TO LEARN HOW TO

SECURE A PATENT, send for Our Guide Book, HOW TO GET A PATENT, sent Free on request. Tells our Terms, Methods, etc. Send model or aketch and description of your invention and we will give our opinion as to its patentable nature.


RANDOLPH & CO.

130 F St., N. W., Washington, D. C. NAME STREET STATE

THE BOY ELECTRICIAN

Practical Plans of Electrical Apparatus for Work and Play with an Explanation of the Principles of Every-day Electricity. \$2.60

POPULAR SCIENCE MONTHLY, 225 W. 39th Street, New York.





PATENTS

Booklet Free Promptmen Assured. Best Results

Send drawing or model for preliminary examination of Patent Office records and report as to patentability

All Business Given Prompt and Proper Attention

WATSON E COLEMAN, Palaul Lawyer, 434 F St., Washington, D. C.

PATENT-SDASE His ham ple eventors ---MANUFACTURE! HITH COTTON

PATENTS

A Hand-Book of Essential information and Advice relative to Patents, Trade-Market Assignment, Sale of Licensing of Rights; Abstracts from Loading Document State Laws on Patent and Trade-Mark Property FREEI Write LACEY & LACEY

Bopt. S. Wubington, D. C.





Eribous charge, to get the dollars but of their house the ring facilities house others possess.

Advice Irea. Duty of district - gas the Brenk at over

AMERICAN endustries, inc.

201 Patent Dept., WASHINGTON, D. C.

ADVERTISED For SALE FREE INVENTION AND **EAMUFACTURING** SUPPLEMENT.

Published for the Bend for tree sumple destabling No. THE ROME WORKSHOP

Attach a Hand-Guard to the Wheelbarrow

WHEN using a wheelbarrow near a brick wall or fence, the operator's knuckles are often skinned. A.po many loads are dumped by the operator in order to save his hands. This means great iom of tame.

The guard

WHITELRARROW HANDLE . SHEET-METAL CHANG

This attachment presenta excaped

shown in the illustration will protect the workman's hands It should be made of from about 1/16 in these and the mart that protects the hands out it communitively wide. The limit montain best of calculated to suit the particular conditions—8. E. Gines.

Handy Nozzie on the Hose for Fi ling Radiator

HERE is an improved way for filling the automobile radiator with water

At not a sprint ever favort to the end of the hose coupling as above. The hose can be keptle opposited with the main all



The epring-laver famout attached to a water-bose will save time and trouble

the time. All the automobilist has to do is to place the nozale of the faucet into the filler pipe and then press the lever. The flow of water stops as soon as the finger pressure in released. - L. B. ROBBINS.

Use Old Books for Filing Bills. Recipes, or Pictures

Do not the wave police and dictionaries, plates, directores, etc.) They be made into holders for filling oppoints, recipes, bills or parties.

With a sharp-pointed knife out out pages

good use for old books

about), in from the binding Leave about every fifth page, to separate the various subjects. These pages can be numbered, and an index put inside the front cover of the book If desired, a thumb inder can be cut down the side of the pages so that therequired subject may be found outcker .-ARTRUE GOLDENBAUM.

SERVICE

Philadelphia, Pa., Office



Washingloo, D. C., Office Victor Bids



New York Office 1997 Westworth Hidg-

Our Branch Offices

In or ser to assist our classes in patent matters and give the rate of a regret of every estimate and facility, we have collable as branch of up New York, Philadelphia Pittsburgh, Chicago and Sun Francisco. These branch offices being located in the principal commercial cities of the United States, together with our main office located near the P.S. Patent Office in Washington, D. C., enables us to more primptly named to the name of the principal to a site of the primptly for which has a site of the principal to a site of the patent of the party form as a contract of the principal to a site of the patent gats

SPECIALIZATION - OUR STAFF

The first part of the second like it is improved for an are in the least of the second like a part of the second green and green medical exposure for the second like a part of the second like a part o

THE VALUE OF YOUR PATENT

W and a the skill and care with which grut case to prove a district Office a second second of the second se

OUR THREE BOOKS MAILED FREE TO INVENTORS

published there very valuable lies a for a fire a metato root free. The a total value of
the root free to a root free to the root of
the root of the

Our Hustrated Guide Book HOW TO OBTAIN A PATENT—Sent Free on Request

Contains full instructions regarding Palents, Trade Marks Foreign Patents, Our Methods, Terms, and 100 Methods from Marks and the foreign and Prince and Prince and Prince and Prince are a class Prince and Prince and Prince are a class Prince and Prince and Prince are a class Prince and Prince

DUR TRADE MARK BOOK

of ma or have some a two different Mark Protestion and government on many or authorized the

OUR FOREIGN BOOK

We have Duvet Agencies in all Foreign Countries. Write for our illustrated typide Book on Foreign Patents.

SPECIAL OFFER

Free Opinion as to Patentable Nature

We not about give as our process to the patertally nature of 0.5 invention which you are interested as the that to immediately send to imfer our "Explained of Conception to see and in messed notices used to trage their with model or the board description of the inversion. Send as our blank form "Evidence of the primes of our and take accountage of our special offer.

EVIDENCE OF INVENTION

Our blank form fixulenes of invention should be filed out by the invention of the last of the first by the invention of the first beautiful to the first beautiful to the first beautiful to the first beautiful to the project with a patent.

WRITE TODAY

1 + htt - roome and address and send to the nearest office and we will

for any our patent back as described above

Highest References

Prompt Attention

Reasonable Terms

__Free Coupon_____

VICTOR J. EVANS & CO.


MAIN OFFICES, 901 9th St., WASHINGTON, D. C.

THE PROPERTY OF CHARGE IS book as legendard a new

tarypipes.



Chicage, III., Office



Pilisburgh, Pa., Office bid Cropter Bldg.



San Francisco, Cal., Office 1819 Hobart Widg.

Mechanical Engineering



Learn at Home!

Employers are looking for men with mechanical ability.

There is an easy, delightful way in which you can learn right at home in spare time. For 30 years the International Correspondence Schools have been giving men and women just the training they need for success in mechanical engineering and more than 340 other subjects. Hundreds of thousands have stepped into good positions through I. C. S. help.

Let the I. C. S. bely you, Cheese the work you like heat in the entropy below, then much and mail it teday. This down't oblique you be the least but it will bring you information that will start you on a successful earner. This is your chance. Mark and muil the soupon gase,

DOX 7648-B SCRANTON, PA.

Explain, without obligating me, how I can qualify for the medium, or in the sufficet, before which I mare &

Mineralism, we have entried.

Mineralism.

Mineralism

the, how I can quality for the sphere walch I flace & Commency Electrics & Commency Electrics & Commency I flace & Commency & Commen

Personal Regioner 7-1-20
Compation Address
Hirest and Pig.

Cong. State
Consultance may produce this conjunct to International Service States and Consultance Associated Consultance Leasting. However, Leasting States and Consultance States and Consultan

Motorcycle Bargains

SAVE 23% to 65% on SAVE 23% to 65% on Shipting used and Rebuilt Motor cycles. Side had been been and Shipting to Shipting the Shipting Shipting House Burgate Shipting had draw the chief Meanings, the high and their shipting the shipting Meaning Meanings, the high add that shipting Meaning Meanings, the high add that shipting Meaning Meanings, the high add that shipting Meaning Meanings, the high shipting the shipting Meaning Meanings accesses to the shipting the shipting Meaning Meaning Meaning to the shipting the shipting Meaning Meaning to the shipting the



AMERICAN MOTOR CYCLE CO. Dept. 1202, 2017 W. Charago Ave., CHICARO

MAKE MONEY Building

We furnish everything Man print plants—care marcrist, term sure, and too, full town sure, and too to 100 to




THE HOME WORKSHOP

Heat Room with Pie-Plate and Gaslight

FOR heating the bathroom or other room when there is no fire in the house, as in the early fall or spring, a device can be made with little expense. The materials needed are a few pipe lengths, joints, an old pie-plats, and a small short of asbestos.

The pic-plate is lined with asbestos and is fastened, by means of small pipe lengths



Take the shill from rooms in the morning by using this simple beater

and joints, to the gas-jet It is factored in the pention shown in the illustration. When the heat from the gas lame has the ashes as and present of the elected downward. The plate amount be facened so that it can be adjusted to any position.

Reference-Book Pages Held with Tire-Tape

DAGES of magazines pertaining to aboption work or papers on some particular subject to be retained for reference purposes are quickly and cheap y bound together with a reliable to a last table to in the





This shop-notes book will stand a great deal of abuse if put together in the way shown

attach to the strip of tape on the adjacent sheet. When as many pages as are desired, are placed together, a sheet of beavy paper or muslin is folded over the book to act as a back.

Whenever it is desired to add pages, the taped pages are separated by pulling away from the tape, and extra sheets with taped edges are inserted.—G. A. Lucks.



Diamonds at

Pre-War Prices day for the new Pre-War Prices day for the new Pre-War Prime | Name of Stock | Diamonds | Inch to Pre-War Prime | National Publications | 1/12 per \$250.000 | 1/12 per \$250

to an expectation was taken to the tracking, was the enlight and tracking temperature. We said through the first in We are stacking temperature. We said through the mail at amporters prices climinating middlemen's profits the to be a made of specific use prices. And now with prices a made of specific prices of this retailers are stall retaining to big profit prices) you can dealer additional big assetute.

Free Constitution—Money Back Guardetee Foury statement out on free commentum. We take the rise and pay all charges. We also guarantee to return in cash full price less 19%, if you wish to return your disposed. We allow full price in a crimings for unfilled demand along time. Every thomas fully guaranteed.

FREE 1922 Besch De Luxe Dismond Book-Write

the the recently system to the third will find the formation of the first to produce a second state of the first to produce a second state of the first to produce a second state of the first to produce a second s

L. Beach & Co., Buys. 8-yer Shale & Quiney No.

PATENTS

TRADE-MARKS

COPYRIGHTS

Send for our feer book of puteral informations

Beale & Park Harman Marine Property Co.

PATENTS Secured


Prompt Service. Avoid dangerous delays, Send for our "Record of Invention" form and Free Book telling How to Obtain a Patent. Send sketch or model for examination. Preliminary advice without charge. Highest References. Write TODAY. J. L. Jackson & Co., 169 Oursy Bidg., Washington, D. C.








Appears can existed to over the hundred should deed by a property of the hundred should deed the state of the best state of the base of th



STORES MINE OL. 101 Spales (Sep. Triads, Side



The Technical or Scientific Book You Need

Turn to our 96-page catalog and find just the hook you need on any acceptific or practical subject—the intent book by the best author. This is the most complete catalog of its kind issued. You'll refer to it constantly in your work. Only 380 copies remain.

With the cutalog will be sent the supplements for 1919 and 920 and new 32-page book but for 921. Prices are not yet enturely stabilized, but those in the supplements will be 86°, correct. If there is any charge in price you will be notified before your order in filled.

Send for catalog to-day It's free There will be no obligation for you to buy, and we want you to know our extensive book department

SCIENTIFIC AMERICAN PUBLISHING CO.

MUNN 4 CO


MON 4 CO

Mon York City

Providing a Soft Nose for the Peen-Hammer

A SIMPLE modification of a ball peenhammer for purposes of driving in ball-races or for any other use where a brase or copper hammer is required, as on gears, is shown in the illustration.

For this purpose any hammer is suitable, even if the peening end is well worn and




bettered, so the half must be sawed or ground off. A ½-in, hale is drilled in the end to a depth of ½-in. A copper or brass plug is driven into this hale and held with a dowel-pin drilled through at right angles. The soft brass or copper can be replaced as often as is required.—G. A. LUERS

A Suggestion for a Cork Handle for Your Fishing-Pole

If the cork handle on your fishing-pole is worn, below in described how you can make one at practically no expense.

Obtain three ferrules, or steel washers, and a number of large corks. Place one of the ferrules in position, put a few corks over the rod, fasten the second ferrule in place, then a few more corks, last of all



Add to the comfort of fishing by placing this cork handle on your pole Shape the corks roughly by means of a knife and then anotpaper them to the shape shown. Such a headle is as good as any manufactured style, and is easily applied to any fishing-rod. — J. H. Moora.

finishing up with the third ferrule.

Try This Emergency Clothes-Line Pulley

When a new ribbon is put on a typewriter, there is one roller left over Don'ts brown these retained and they may be useful some day. One us for the old ribbon-body to take the plant a broken or worse a clother-sine party. A piece of think is put through the hole

CLOINE BLINE
TYPEWRITER-

A new use for an old typewriter ribbon spool

RIBBON SPOOL

in the center of the roller and then I tied to the hook on the pole. If the knote in the line are too large to pass over the roller, they will either have to be made smaller, or the ends of the rope spheed A. GOLDENBAUM.



THE HOME WORKSHOP

MONARCH JUNIOR LATHES


A STURDY small engine Lathe both with the same quality r ting that has made MONARCH ENGINE LATHES standard the world at the accurate, dependable machine tool especially designed for and guaranteed to do any small work that any other lathwill lo with speed and accurat

MOVERCH JUNIOR we fit in any shap of in a work-room right in your own home. They are especially designed for beginners—are easy to learn to of te may are equapped the same as a logic content.

The Greatest Achievement in Lathy Business History

Monarch Junior \$250

The Monarch Machine Tool Co. 201 Oak Street, - - Sidney, Ohlo





Strength and Service

Use the dependable, sturdy strength of Williams' Drop-Forged Clamps and Lathe Dogs—they'll never fail you and will last a life time.

Clamps—11 patterns, in a wide range of sizes for every purpose.

Safety Lathe Dogs, Bent or Straight Tail, 1 or 2 screws, 16 sizes.

Ask your dealer—Literature on request.

J. H. WILLIAMS & CO.

"The Brap-Forging Paople"


BROOKLYN BUFFALO CHICAGO) Relect St. 7 Vetes St. 1007 W 1206 St.

How Leather Straps Can Be Made at Home

OFTEN it is necessary to have a few lengths of narrow leather atraps as belts for model machinery. These san be made easily from any piece of available leather. Before it can be cut into states, it must be cut into circular form.

The only requisites are a sharp triffe and a small piece of wood. The nufe mould be as sharp as a rezor's persect results are to be obtained. The place is wood used can be of any respectively. The place is wood used can be of any respectively. It is not use in further prepared by further a mortise on one end. This mortises cut to a depth alightly more than the thickness of the leather and of a width to which the desired strap is to be cut.

Then the kalfe is firmly driven into a board or into the workbeach, and the ci -




Small leather belts can be made easily when the leather is cut in this way

cular piece of leather placed before the knife. The small piece of wood is placed against the knife, and the leather, which has first been out a little so that a strip of it can be drawn under the mortuse and held in the hand, is then gently but firmly pulled against the knife

When the leather is pulled, it will be found to press against the mortise ext into the wood, and the knife will cut the leather as it reaches it. The leather will tear when the knife is dull.—E. BADE.

Do You Make Your Own Wire Terminals?

HAVE seen so many person use the plain with ends twisted toder the bind-intractor of arbatratus for connect on that I thought I would describe a water making about more terminals. Benefit of a partier that bear connectors, there will be a netter



The emateur electrician will be interested in this suggestion

electrical contact, the wires will not become broken, and the possibility of a short circuit is avoided. These connectors may be cut out of sheet copper or bross.

The illustration shows three types of terminals and does not require an explanation.—A. J. Chaistophen.

AGENTS \$ 50







Ready to hang. Direct from manufacturers.

Completely wired including glass-ware

ERIE FIXTURE SUPPLY CO.

Oack A. Eric La





New Furniture
For Old—
This
FREE BOOK
Tells How

Explains how to refinish old furniture to conform with the vogacior enameled and stained effects—how to make your to up as to cherry and my one Trils how to find the steepers soft wood at a least-caulifulate are the as bard wood. Tolks not us in marrials he use those to apply them. Includes the mand gives covering thinking effects.

We will gladly send this book free and foot haid for the name of four best debits in runns. And for the we will also send you a run of Johnson's Prevaced Wall.

S. C. JOHNSON & SON, Dept. P.S. S. Reche, We "The Wood Provishing Authorities"

ASBESTOS

We are miners and shippers of Crude Asbestos in any quantity. We produce all grades at our world famous BELA. ASBESTOS MINES, in Canada. We also card fibres, spin yarne, weave ciothe, and make all sorts of Asbeston products.

For anything you want in Asbeston turd to

Keasbey & Mattison Company Dags S-4, AMPLER, PERSON, U.S.A.

Denote of the World's Largest Ashertes Misse



Machines Standard the World

de dis di of pipe from

Separate Pipe Banda L' en il' pipe la moch far immediate delivery

AMERICAN PIPE BENDING MACHINE CO. BOSTON, MASS bi Pourt fittent

4Music Lessons ALL MA TO MAKE I

Complete Conservatory Course by Mail

Take the country of t

10 Gallons Gasoline Free

The Pake T below C. 112 Pake T Bidg. Kanson Cl. y. Mr. well send parcel per paid to one person neighborously with a H use at a his anti-tractic or get engine and recommend 4. a \$1.00 can of No-Carbon Mt. chough to make 40 Cmt of main to take you as far as 10. Thereby get up you all tall us free. I cleans out made a neighborousless to person sings which y is do we. Don't send any miney. We to eligs while you do we. Don't send any money. We to

Get on the Staff of

Big Newspaper

Pascattaining much stay fair support

office to sell Mit pascataline to

many with the contract of

work we detect only the contract of

work we detect only the contract of

work we detect only the case may cook

the new on all these are my cook

can newling are himself of the many on the best

of these are happening of the area

of these are happening of the area

character and pascataline the specialist

and as long the quantities and report on

pages of the contract of the contract of

the many the second of the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the contract of

the c a Big Newspaper


we shortplete from write using wanted from the Tone to the Tone

Cleveland 75 miles 3 7th Year -Gallon A Safe and Same Motorcycle CUIS Weight only 175 bs. As easy to ride as a bicycle. Simple, dependable, two-stroke metor. Very economical. Write for Calalogue "S" Cleveland

THE HOME WORKSHOP

This Photo-Print Washing-Box Rocks Automatically

HAVE used with success the washingbox shows in the illustration for washing photographic that, if is athout to in. long, 12 in 12 ids, and 2 in. p. The rocker in the hiddle of box in in. highlind




The photographer will not have to watch this washing-tray; it works automatically

bumpers on each end are about 1 is in. The center upright is about 10 in, high and is made so that it is watertight. Half-inch holes centered I in, below the top of the box, give outlet for the water. Piace prints to be washed in each end and fill with water, place the box under a spigot giving a slow stream of water. As the box file, first on one side and then on the other, the weight of the water will cause the hor to rock as part of the water runs out of the lower end of the box

Equip Your Tenon-Saw with This Guard

THE guard shown in the Mustration consists of a piece of aluminum or other meta bont of right adder, the length and width depositing on a grown algorith, and the distance rom top sky to associate the Two slop are made thout Let brow the ends. A supple of J. In. holes are likewise



drilled in the sawblade to admit small bolts. They are secured with wing-nuts.

After determining the depth of cut required, adjust the guard in position, and tighten the screws.

I find this device especially useful in cutting dovotails; the depth of cut always being equal, measuring it not necessary.

The accessory is attached or detached in a second; it may be applied on either side of saw, and does not interfere with its use for all-round work.-GEORGE H. HOLDEN.

Furniture Polish Renews Old Auto Window Lights

WINDOW lights that are hard to see through because of blurs and scratches can be quickly cleared up by rubhing them, with a soft-stig asturated with furniture polish. Sin By rub them well and wipe off the dirt with a dry cloth and they will shize. If C. Orvory



When work is play


Those odd jobs around the house become good fun when you have a Sargent Auto-Set Bench Plane, and your work will all have a professional finish. Bargent Planes are a favorite among good carpenters; they are ideal for home use.

The Auto-Set feature enables the blade to be removed, sharpened and replaced without readjustment-a feature found only on this plane. It saves your time and temper.

Ask your hardware dealer to show you a Sargent Plane. 15 you will send us your name and address, we will send you the Sargent Book of Planes without

SARGENT & COMPANY

Hardware Manufacturers 50 Water St., New Haven, Cons.



NEW KIND OF HEAT!




the first in the part of the p

FREE Months had taiting all about the "New Eved of Best," sent you free, postpaid. Also assumed the introductory-price offer including the lay Trial, if you set quickly. Write independent

OLIVER the bank the late. Othert, Laugust Mire. Of-Gas Storages in World.

and appears to make any The Advanced Company of the AGENTS :





THE BOME WORKSHOP

Cats Can Be Kept Off the Back Fence

If you are annoyed by cat screakers on the back fence at night, an old Ford induction coil, connected as shown, will give the feline visitor something to remem-




This small electric-shock outfit in-

ber Two bare wires from the secondary of the college ray clong air topics top and when the secondary come in contact with these wires to have the vice by abrupt y - J B. Moran

Pipe-Pulling Tool Is Useful on the Farm

To pull a pape from the depths of the carth is strengon work, but here is a tool that will be a sure help.

Get a wagon-tongue and cut it about 5 ft. long. At the large and or butt, agrew two steel plates to opposite sides and drill three holes through the plates and timber 6, 9, and 12 in, from the end. Holes should be he in its diameter. Then have a black-smith force a targe book with a flat shank



Pulling pipes from the ground is difficult without the aid of a device similar to the one shown

and bolt this to the top of the tongue so that the book lays over the end and down.

The standard is composed of three pieces of heavy stress programmed programmed in the drilled in the topp of each beging to correspond with the large in the tongue. Then the tongue by a 14-in, bolt as a pivot bearing.


Set this lever so that the hook comes 2 or 3 in from the pipe and wind a strong chain about the pipe a foot or so below the hook. Pull the turns of the chain tight, so that they bits the iron and hook a link at each end over the hook. This ruses the far end of the tongue. Then, by exerting the weight of the body on the end of the lever, with the chain biting good, the pipe will come.—L. B. ROBBINS.

THE ROME WORKSHOP

Skylight Serves City Dweller as a Hotbed

THE forestan of an assembly room had a fundamen for gardening. One spring he converted a skyaght on top of one of the shop roofs into a temporary hothed. Supports were placed across the space beneath the glass and in these were set boxes of suitable size in which the seem were planted. Needless to say the mante through and were ready for lating two many agency than if they had been planted if the sen

The stylight product to be paracularly appropriate since it faced the south and was protected on all sides from cutting




An idea for the city dweller who would like to have a garden

winds by a 6-ft wall at the edge of the roof The plants made were spared any drop in temperature. Moreover, the heat rising from the rooms below helped the germination process. - D R VAN HORN

A Collapsible Stepladder for Home or Shop

STEPS are attached to the uprights by months of proges. are on the app the opposite ance, then us in use,


Thu two cross stays




This stepledder occupies very little space when it is folded un

steel, secured at the top by a screw, the other end being held in position by a wingput and bolt. The stays will then be found to hold the ladder rigid during use.

Out of action, the ladder folds up to occupy a space about 7 ft, long by 8 4 in. deep. GEORGE H ROLDEN.







to ners Renal men elelar per Manas and secretive and of Flaherman

BUY A UNION TOOL CHEST! ON THE MONTHLY PAYMENT PLAN

Reve a bance to buy a heat o statect your leads to e his. 56 ld ferent at you for every need to on one from

Pay the Easy Way

Ask for en alor details of bir case par party pina, aidd agus be route of root ford, aidd agus ber case of the ford agus bure and took cheef you be a dealer ber you be a dealer be and took and took who were took the world to keep your took the Walle tooks.

UNION TOOL CHEST CO.



ICENTS 500% AUEN O PROFIT

Gold and Silver Sign Letters

For store fronts, office windows and glass ages of all kinds. No experience accessary. Anyone can put them on occessory Anyone can put them on

\$75 to \$200 a Week!

You can sell to nearby trade or travel all over the country. There is a big demand for window lettering in every town. Send for free samples and porticulors,

Liberal Offer to General Agents METALLIC LETTER CO. 43-A No. Clark St. CHECAGO, ILL.


Wheels versus Figure-wheels

You're developing a machine; you may watch the wheels go round and witness the working of parts. But you can't tell as much as by watching the figure-wheels of a Veeder Counter!

You see the machinery at work. Your counter reports the results.

How much production per hour or day; how much poswhile capacity; how much efficiency secured? — read that from a





The above Revolution Set-Back Counter records the output of any Buching where a shall-revoluting andicates an operation. Sets back to sure from any figure by turning know once round. Supplied with from four to ten figure-wheels, so required. Proce with four figure-wheels, as illustrated, \$10.00 subject to discount. Cut has then san-half size. Set-Back Rotary Ratchet Counter, to record reciprocating move-ments as an punch presses, \$11.50 (int). Smaller counters at prices down to \$2.00.

The Hand Tally illustrated below is used for counting anything from number of people attending a ball game.

to number of packages in an inventory. In the public piace it counts persons / in the factory or store it counts shed, to the "open" it may count anything from cattle on a ranch, to poles on n telephone line!



Reguters one for such pressure of the thumb liver; musta up to 10,000, then repeats. Can be set back to sero from any figure by turning knob once round. Stre, exchaire of finger ring, 2 mches greatest diameter. Price, \$5.00.


Write us about that counting problem of yoursthere's a Veeder just made for it, and fully described in the free Vander booklet.

The Veeder Mfg. Co., 44 Surreant St., Hartford, Coun. THE HOME WORKSHOP

The Tip-Up for Fishing through the Ice

WHEN a fish bites, the tip-up shoots up in the air, announcing that you have made a catch. At once you go to the hole, pull in the fish, and re-buit the book

The tip-up is made the a pule board and is about \$2-in. there the soil a trule themer at both the such large and I is Delin. and and and the large at he bored through this piece clear the reali




When firthing this "bits signa"

and through this a stick in fitted to tie across the hole. To keep the cross stick firmly in place it is well to sink it into a slit in the Water cun ice. then be poured around the end This will keep the attek firm and tomovable, no matter how great a struggle the fish puts up .- Robert PAGE LINCOLN

A Finger-Nai' File Used as a Match-Seratcher

DISCARDED nuil-file cun be made into a very convenient matchecratcher. Cut a piece of cardboard an inch or two wider and longer than the nail-

file, place the file on it and fasten the file, together with the cardboard on the wall with two double-pointed carpet tucks. If you wish my may make th mate less lacing in ien or base and fastentily the file is such a manner that it may be taken out to be cleaned and then put back into its place again --WM. A. JACKSON



Don't erratch the wall when it can e prevented in this simple way

Carrying the torage Battery with a Chain

NE of the orngone take from a discorded cours at the st Topic hearing tage who hards Ha batters. PR - (21) start to formus length of leather to not ! t me because they soon detersorate EN LINES and then give way under the weight of the battery



way to carry betteries

The illustration at the left is nest explanatory and clearly shows the manner of attach ing the ends of the chain to the handles of the battery box - WERNER STAAF

"We Can't Keep House Without Sloan's

We always bean Shan's Liniment right where we can by our bands on it. We has it for every part of enternal scho or pain, risquantism, souralgin, backachen, stiff inless, oprains and strains.

Sold by dealors you know and own treet.

35c, 70c, \$1,40

Keep it hands



Place and and his teacher hand between income antibone agrance. The manager is into a second of a
point of method look become relevant motion experient
bere a ried or bone true a Propertion Technical Codings
tone by the ring. I be property between the action
to the ring. The ring. I be property between the colors
to the ring. The ring of the ring of the best to the colors
to the ring. The ring of the ring of the ring of the ring. The sale and the sale of the s



New Big No. 15-225 pp. Wireless Catalog

Wireless catalog mailed for 12c in statute would, Any wireless amprour will tell you it in the ape catalogue in have. As an ency chare-le of information it is in-termed to information it is in-termed. The largest and most elaborate radio catalog pulse flatted talues that cannot be duplicated elsewhere.

THE WILLIAM IL BOOK COMPANY



THE BOME WORKSHOP

Drainpipes May Be Used as Porch Supports

THE tile pipes for drains and sewer:
make strong and attractive porchetus,
ports. They are more iconomical then
either sto extribute and remack enter to
set up



A tile pipe makes a splendid porch support when used in this fashion


a good size to use. It can be made very much stronger by filling it with concrete In case the tile should become broken, its concrete core will still support the superstructure.

The tile is set up with the flange end down on a stone or concrete base. By painting the pipes gray they can be made to resemble concrete very closely.

A Quick Repair of a Broken Muffler on a Motorboat

HAVING invited some guests for a ride. of course, the muffler on my motor-best blew out that morning. Not being able to obtain a new muffler that day, and not wishing to disappoint my guests, I proceeded to make a temporary repair.

The lole when it blip out was about 2 in equire and about a the center. A proof galvanized wheet area fitted about the mutiles served as the butting court. To hold the sheet iron in place I fied three loops of wire around it and tightened them



twisting the ends of the wires with a pair of pliers. This gave it sufficient strength, but to prevent leaking, I wound the entire outside covering with friction-taps. On testing with the engine running, the leakage was only a few drops of water a manute. With this repair I ran the boat all day, and it proved very successful.

broken motorboat engine muffler

This temporary repair having proved so successful, I decided not to go through the trouble of putting in a new muffler. To insure against leaking, I painted the outside of the tape covering with a thick cost of white lead and when dry I would another layer of tape over it. Another cost of paint completed the job. I used this outfit the entire season without the slightest trouble or a drop of leakage.—B. Fox.

A.C. Factory overstock A.C. Sale, as low as

They're melting away, and after this 10,000 factory overstock lot is sold we'll have to go back to regular prices.

SPECIAL FACTORY OVER-STOCK SALE PRICES

100 lots, each	 \$11.75
25 lots, each	 . 12.00
12 lots, each	. 12.25
6 lots, each	12.50
3 lots, each	13.00
Single Motors	 . 13.50



A WONDERFUL MOTOR

This motor has just about half as many parts as ordinary motors. Its sturdy simplicity means longer life and less repair and upkeep expense. Has special fan-cooling system and unique starting and cut-out mechanism.

Motor is ½ hp (tested at factory for 50% overload). Single phase 110 volt, 1740 rpm, 60 cycle split phase induction type; suitable for operating washing machines, churus, cream separators, ventilating fans, lathes, drills, saws, grinders, etc

One Fear Guarantee We guarantee every motor sold for one year not six months, the usual custom) Each motor bears a GUAR NATEE IAG entitling the owner to a new motor, express prepaid should anything go wrong with this motor within the first year of service. Simply return the old motor by express collect in the box in which you receive the new one

CASH MUST ACCOMPANY ORDER

or if you prefer motogs will be shipped by express C.O.D. Prices quoted show an actual loss. The sacrofice is made for the sole purpose of converting a factory overstock into cash, for working capital

Interest your friends, and make us a quantity order, to get the quantity price

NORTHWESTERN ELECTRIC COMPANY

410-420 SO. HOYNE AVENUE, CHICAGO








REDUCED PRICES

Back to Normalcy-20% Further Reduction SOUTH BEND LATHES-EST. 1906

	Provided Physics Sent	Quirty Daniely Green		-	Brandant Year or July	Quick Charge Tierre
11' of Lathe 13' of Lathe 15' of Lathe	271 00 204 00	384.00	16" x 6" 16" x 10" 21" x 12" 24" x 14	Lathe	6.56, 00 848 09	\$512.00 721.00 823.00 1238.00

SOUTH BEND LATHE WORKS, 433 E. Madison St., SOUTH BEND, IND.



THE lamp of a thousand practical uses. Clamps -stands - hance anywhere and everywhere. A he ghat you need where and when you seed it Prevents eye strain-teduces light buts No other lighting device like it.

> Solid bruse; hundaritet durable 46-5 rompger Charp to felt inser gan't meach. Characters C five years. Conspicts with 8-6 Gard and blue

Get an Adjusto-Late today. Il your dealer doesn't carry It order direct.

S. W PARBER

Process in C. N. A. complete to the E. food cone? Nea and to be. Person Process Forms on N. Sent And S. Marianov Forms on N. Sent And S. Miller, White of Ma per sample proper





We claim~ and can *prove*!

that DELUES light weight cost is no pictors will read in corner the performation of our motor in which they are installed that they will arrow prove out and gur, eliminate phases, are quicker pick our mad greater power, and bears were on brancher, wrist pick and rade, adding to the fife of the

Are From 40 to 60% Lighter Than k Factory Cast Iron Pie


Both technics man and tayman attl accrathrough which has a breefold purrous reduces weight proug here hand and shirt and about the trates best because of the enterped rands: displaces both because of the entered finds ing surface thereby bysics of a cost sundang matter. They can be fitted close, ellectronic graphs and picture slap. In LUES. Picture are plated of all standard discussions for new 1906 makes of entered cost bustless engines. Write for every of Dynaposacies test bands at Ohio States University.

Peteriod and manufactured by CLARK-TURNER PISTON CO., Ide. Los Angeles, Cally, Station C For sale by all good dealess and garage men

THE HOME WORKSHOP

The Old Lawn-Mower Becomes a Good Countershaft

TAKE one old lawn-mower with a 16-in blade, which would mean 21 1/2 in. over all. Remove the cutting-blades on the shaft and the wooden roller on the side extension castings. Put on the pulleys aron if desired) and reassemble.



Use the old lawn-mover as a countershaft in your shop

clamp the side braces on. These are bent


as shown and braces and blocked.

The power left at sover one of the 10in, mover were. Used from braces a shaft at
high speed and the opening desired for
operating the backing ster, is obtained by
putting on the right size wooden pulleys.

Two grease-cups are tapped in and the countershaft is made at an outlay of a very few cents. -- P P AVERY

Pall and Tub as an improvised Air-Compressor

FOR operating a small blumpipe a steady stream of air may be maintained by means of the improvised arrangement shown in the illustration. The device consists of an inverted pail, profesably a large lard-pail, in a tub of water. A connection for the air-pipe is made by ecrewing an old



This device will produce a slight air pressure that can be used in con-nection with the gas flame

tire valve or similar part on to the builtom of the pail. A rise at the tim of the pail a permits the table for the entire when the pail is inverted to the number watermed forces the air through the hom. A suitable weight is placed on the pail to hold it in the water then the air supply is exhausted, it is simply a matter of salars who are

simply a matter of raising the pail, which releases the water, and pressing it down into the tub again. This simple air-compressor is used by a local timemth in preference to a foot bellows or other pump, probably because of its inexpensive construction and unfailing operation.

Be A Floor Surfacing Contractor Make \$5,000 to \$15,000 or More Yearly

Now interpretablished Architects and general contractors have the Anterlean Universal in the Anterlean Universal in the Contractor of the project in the Anterlean in the Anterl business in until Westurnish office torons and versions reter the factors or construction and a many of an obtaining Business open early THE S OF A DESIGNATION BUILDINGS OF PLOOPS Revenue to the second THE AMERICAN PLOOP SERVICE MECHANICS SO. Originature of Floor Services Machines St. Seek Such St. Clair St. Tolors, Ohio, U. S. A.

THE AJAK EYELET FASTENER

DINDS PAPERS OCICKLY AND PERMANENTLY





atters Charging Payer 150 rot100 Monthly \$20 Brings You an HB Charger Pay balance on long past terms out of rour big most life profits. No experience of rour lag meeted of the epithe for changing 6 to the A2 or 10 th extent from the experience of the the proof of the extent branch else in peach to be provided to the extent branch else in peach past biggers; pagely past the extent of the extent branch else in peach a latter brings being its control.

posted meanings of the U.F. They, the



BOSS.

ANDERSON STEAM VULCANIZER CO.



32CY-LRH-DD28



THE HOME WORKSHOP

This Sharpening-Tool will Concave the ice-Skate

ONE of the best ways to sharpen a skate is to slightly hollow or concave it in the center. The depression runs the long way of the runner and it is difficult to make it accurately unless you have a tool to hold the round file. The picture shows one designed for this purpose and that will do the work well. It is pushed up and down the skate blade lengthwise, the motion being similar to that used by a carpenter planing the edge of aboutd.

You can make this nevire the short time out of scap inherial and it will serve you well for near. The wood used should be hard and sound. The top piece in 1 in.

thick. The blocks between which the skate-blade fits are I 1/4 in. thick. They are

screwed firmly to the top, or, rather, the top is screwed SCT-SCREW or bolted to them, wood-The slot is larger where the piece of round file fits.

The flie is held securely from slipping either way by a short bolt which comes down SAATE through the center of the top piece. The skate may be held in



This method of blade is simple


one hand while the tool is used, or it may be placed in a vine. The tool sharpons the skute in just the desired way and the file may be turned around at will or replaced when badly worn.

Furniture-Repair Kink for Holding Rungs and Legs

'O hold rungs or lega la furniture a simple suggestion is offered in the illustration. This prevents the rung from a coming loose, as it investibility does when glued in place without any astening other than the glue.

The fistener assimply a wire and drive through the log or rung. After being

After being



A good method of mending a chair runner or a broken chair leg

clipped off at each end with a pair of wire cutters, it is bent back enough to slant slightly upward at the ends. The glue is then applied and the rung or leg driven in flush. The ends of the nail are springy enough to open up slightly and catch in the wood. This method does not disfigure the wood as do nails or screws driven in from the outside. Cut the nail ends short enough to come inside the hole with the rung driven entirely in, -G. A. LUERS.



as fuel. You can cut wood without any backaches

or hard work and increase your income sawing for neigh-

bom and selling wood in towns and cities. Send for my

Money-Making Proposition today.

4 H-P. Motor |OG SAW

Saws logs into any lengths -- faster, easier, cheaper; cuts down trees; buzzes up limbs, poles and branches. When not sawing, use as portable engine for grinding, pumping, shop work, etc.

Friction Clutch, lever contro led starts and stops the saw while engine runs. Power Force Feed makes the framework of TAWA and the house O'TTAWA saw the human way—safest, e siest, best way. Magnete Equipped, at no extra charge. No "extras" to buy. Fastest cuttleg - 310 cuts a minute!

Immediate Shipments from factory at Ottawa, Kansas, nearest - to - you of these Factory Branches; Pittsburgh, Pa., Indianapolis, Ind.: Atlanta, Ga.; Albany, N. Y.; St. Paul, Minn.; Dallas, Texas; Puchlo, Colo.; Portland, Ore.; San Francisco, Calif. 30 Days' Trial; 10-Year Guarantee,

From Far-Off New Zealand!

"Just received my OTTAWA Log Saw. Mighty glad to have went off like a grasshopper. I am well pleased with the outfit. It is very compact, runs well and cuts fast."-Samuel T. MILLER, Upper Plain, Masterton, New Zealand.

Get my Money-Saving Offer, Lower Prices and my fine Free Book on the OTTAWA. I open your eyes to real moneymaking opportunities. Send today. the Compon New,

H. C. OVERMAN, Gen'l Mgr.

1807-D Wood St., OTTAWA, KANSAS

A THE THE PARTY OF


The OTTAWA rune your washing ma-chine and does name

N. C. Dyerman, Gon't Mgr., OTTAWA MFG. GG., IM7-D Wood St., Ottawa, Kanear. Without ablication to me please would not pour los Rook and New Lawer Prime and Special for so the OFTAWA Log for

3.667 1015 ...

Copyrighted Instituted

Big Money for the Man Who Knows What to Do!!

Big Opportunities in Auto Game

Right now men like you are wanted for big pay jobs in the Automobile Engineering field. Over 8 million cars are in operation and there are more jobs open than there are good men to fill them. Thousands of men are needed to keep these 8 million cars in going condition.

The percentage of new care this year is smaller than for several years past. This means more work on the old care—rebuilding and replacing parts.

Learn at Home— Easy, Inexpensive

You don't have to serve an apprecitionship. You don't have to go to school and spend hundreds of dollars for tuition and board. The new Library of Automobile Engineering will tell you everything you need to know. It explains everything about every standard make of car. All the brand new models are included as well as the care made for several years back. Thousands of pictures above you how everything is done.



15 Auto Experts Will Help You

his library is the work of 15 leading automotive experts who each put a lifetime of experience into it. They know exactly what you need and give it to you in plain everyday English. It cost over \$50,000 to produce these books yet they are sent to you without a deposit of any kind for 7 days' free examination.

Membership FREE

With each set of Automobile Engineering Books we give a one-year membership in this Society worth \$12.00. This membership entities you to the following benefits:

Consulting Privileges: The Society maintains a state of a sever questions by mail for its members.

Standard Tests: The member by which you are able to distribute your result fitness for the work you are doing which the total of the members out how much you have a last to be because finding out how much you are able to be the posters.

bee essent Service to get a batter job. This accordes turing in the bulletin called "Men."

Everything About Every Auto

The 6 big volumes flexibly and durably bound contain 2700 pages and more than 2400 pictures, blueprints and wiring diagrams showing the inner workings of every car. A complete index enables you to find the very thing you want in a second or two. No need to go through the whole set or even a whole book to find it. In this way you can devote more time to the most important things but you are saved needless study on the things you won't have much use for. The information is right on the job though, to help you whenever you need help.

A Few of the Subjects Covered

Ganoline Motore [Construction and Repair]

Automobiles (General description of all makes) Engines Pulous Accessories—
Cranhabafts Crank Cases—Carburstors—
Manifolds Fuel Supply Valves Exhaust
Systems — Lubrication — Bearings — Flywheels—Clutches—Transmissions—Gears
—Steering Mechanisms—Agies—Chasals—
Springs Final Drive—Brakes—Wheels—
Thes—Radiators and Cooling Systems—
Rims—Electrical Equipment—Generators
—Motors—Ignition—Starters—Lighting
Systems—Storage Batteries—Magnetos—
Wolding — Bench Work — Mach Ince —
Garage Equipment—Trauble Shooting—
Motorrycles—Steam Automobiles—Ganoline Treations—Tracks—Electric Automobiles—Fords.

Don't Send Money Now

We will lend you the whole set of these great per rating leads for a week to use as you please in your shop or burne. Esamine them carefully and decide with the books before you if you want to take advantage of this golden opportunity. Over 75,000 sets have been sold on this nonmore down plan—keep the books a week and send them back at our expense or pay 13,00 a month until the special price of 124.50 has been paid. (Regular price is 145.90.) There are no strings to this offer, it is open to every man over 21 years in the United States and Canada. You sign pothing but this coupon. No agent will call upon you. Maif the coupon and get the books, then decide whether or not you want to keep them. Mail the coupon now,

American Technical Society Dept. A-200 CHICAGO


CHANGE THREE

New	This library is the we experts who each toto it. They
AUTO BOOK	and give it to lish. It cost of books yet the deposit of a
Shipped FR	Mem With each
Mai	
Coupe	and answer quests Standard Tests: The
	Free Lawrence Services to the contract of the
	- 1
	MAL

American	Tech	Societ	7
Dopt. A			

Send me the 6 volume set of Automobile Engineering books for a week's fractual by express collect. I will either return the books in one week at your expense or send you \$2.50 as first payment and \$1.00 every menth until a total of \$24.50 is paid. With these books I am to receive a free membership in your Secrety, including Consulting Privileges, Standard Tests and FREE Employment Service.

ĺ	Rese.	
	Address	
	GryState	
	D-C	



Every boy loves boats and trains

LOCOMOTIVES and ships fascinate a boy. Playing with toy trains and boats is the best fun in the world. They never seem to lose their appeal.


Ives trains are wonderful reproductions of originals. There are both steam and electric type locomotives, propelled by springs or electricity, cars of all kinds—passenger, freight, coal, oil, lumber, livestock; with switches, bridges, tunnels, stations signals, station lights and crossing gates. Ives boats are made of steel, beautifully painted, with long-running spring mechanisms, propellers and rudders.

They are complete even in small details. Real ships were used for models —ocean liners, diving submarines, destroyers, tug boats, motor boats, U. S. Merchant Marine steamships.

Ives Trains and Ives Boats are sturdy American-made toys that every boy would like to own. They are perfect Christmas gifts.

Send 10c. for Booklet of Trains and Boats.

THE IVES MANUFACTURING CORPORATION, 191 Holland Ave., Bridgeport, Conn.





The Victrola is the gift of all music to your home

Wherever the dawn of Christmas morning finds a Victrola, there are gathered the greatest artists of this generation. All have contributed their art to the Victrola, positive that it is the one instrument which brings to you their authoritative interpretations in the tones of actual reality.

Will there be a Victrola in your home this Christmas? \$25 to \$1500.



"HIS MASTER'S VOICE"

This was now and the number of word words to be a surface of the s

Victor Talking Machine Company, Camden, N.J.